

# PLANNING AND BUILDING (GENERAL DEVELOPMENT) (JERSEY) ORDER 2011

#### **Official Consolidated Version**

This is an official version of consolidated legislation compiled and issued under the authority of the Legislation (Jersey) Law 2021.

Showing the law from 19 August 2024 to Current



## PLANNING AND BUILDING (GENERAL DEVELOPMENT) (JERSEY) ORDER 2011

#### **Contents**

Article		
1	Interpretation	4
2	Planning permission for development	
3	Use classes	
4	Directions restricting permitted development	
5	Savings	
6	Citation	7
SCHED	OULE 1	8
PERMI	TTED DEVELOPMENT	8
PART 1		8
WORK	CARRIED OUT TO, AND WITHIN THE CURTILAGE OF, A DWELLING-HOUSE	8
PART 2		13
WORK	CARRIED OUT TO, AND WITHIN THE CURTILAGE OF, A BUILDING CONTAINING	ONE OR
MORE	FLATS	13
PART 3		17
REPAIR	S, MAINTENANCE AND MINOR WORKS TO LAND AND BUILDINGS	17
PART 4		26
	STALLATION OF EQUIPMENT FOR THE GENERATION OF ELECTRICITY FROM REN ES OR FOR THE EFFICIENT USE OF ENERGY	IEWABLE 26
PART 5		28
DEVELO	DPMENT AT INDUSTRIAL OR SIMILAR PREMISES	28
PART 6		29
DEVELO	DPMENT BY PROVIDERS OF PUBLIC SERVICES AND UTILITIES	29
PART 7		32
DEMOL	LITION	32
PART 8		33

Planning and Building (General Development) (Jersey) Order 2011	Contents
CHANGES OF USE	33
PART 8A	34
SHORT-TERM HOLIDAY LETS	34
PART 9	34
EMERGENCY DEVELOPMENT BY THE MINISTER	34
ANNEXURE	37
PART 1	37
PART 2	38
SCHEDULE 2	39
USE CLASSES	39
Class A – Shop  Class B – Cafes and restaurants  Class C – Office  Class D – Agriculture  Class E – Warehouse  Class F – Tourism accommodation  Class G – Social  Class H – Sport and fitness  Class I – Entertainment  Class J – Residential institutions  Class K – Medical and welfare  Class L – Special institutions  Class M – Late night entertainment and drinking venues	39 39 40 40 40 40 40 40 40 40
ENDNOTES	42
Table of Legislation History	
Table of Renumbered Provisions	



## PLANNING AND BUILDING (GENERAL DEVELOPMENT) (JERSEY) ORDER 2011

**THE MINISTER FOR PLANNING AND ENVIRONMENT**, in pursuance of Articles 8(3)(a) and 124 of the <u>Planning and Building (Jersey) Law 2002</u>, orders as follows –

Commencement [see endnotes]

#### 1 Interpretation

In this Order, unless the context otherwise requires –

"AAP" means an area designated by the Minister as an area of archaeological potential under Article 6(4) of the Law; "agricultural land" means land to which the Protection of Agricultural Land (Jersey) Law 1964 applies;

"apron" includes the taxiway, perimeter track and aircraft manoeuvring area but does not include the runway;

"building" does not include plant or machinery or a structure or erection in the nature of plant or machinery but does include any other structure or erection and a part of a building as so defined;

"conservation area" or "CA" means an area designated by the Minister as a conservation area under Article 56A of the Law; "day care accommodation" has the same meaning as in the Day Care of Children (Jersey) Law 2002;

"dormer window" means a projecting upright window in a sloping roof, the height of which is lower than the apex of the roof from which it projects;

"dwelling-house" does not include a building containing 1 or more flats;

"external area", in respect of a building, includes internal floor area, wall thickness, roof eaves, and all overhangs of the building;

"flat" means a self-contained separate set of premises that –

- (a) is constructed for use as a dwelling;
- (b) includes within it, for the exclusive use of the occupiers, a toilet and washing and cooking facilities; and

- (c) forms part of a building which is divided horizontally from another part of that building;
- "foreshore" means the land that lies between the limits of the highest and lowest tides:
- "ground floor level" in respect of a building means the level immediately below the 1st floor of the building to the ground level;
- "ground level", in respect of a building –
- (a) means the level of the surface of the ground immediately adjacent to and within 1 metre of the building; or
- (b) if the level of the surface of the ground on which it is situated or is to be situated is not uniform, means the level of the lowest part of the surface of the ground adjacent to and within 1 metre of the building;
- "guest house" means premises registered in the Guest House Register under the Tourism (Jersey) Law 1948;
- "highway authority", in the case of a road repairable at the expense of the States or a parish, means, in relation to –
- (a) a main road, the Minister for Infrastructure; or
- (b) a by-road, the Roads Committee of the parish in which the road is situated;
- "hire vehicle" has the same meaning as in Article 1 of the Motor Vehicle Registration (General Provisions) (Jersey) Order 1993;
- "industrial land" means land used to carry out an industrial process;
- "industrial process" means any process that is necessary or incidental –
- (a) to make an article or part of an article;
- (b) to alter, repair, ornament, finish, clean, wash, pack or can, or to adapt for sale or to demolish an article;
- "Law" means the Planning and Building (Jersey) Law 2002;
- "listed building or place" or "LBP" means a site of special interest as defined by Article 50 of the Law;
- "motor vehicle" has the same meaning as in the Road Traffic (Jersey) Law 1956;
- "painting" means applying colour;
- "principal elevation", in respect of a building, means any elevation of the building that faces, and is within 20 metres of, a road;
- "private way" means a road or footpath that is not repairable at the expense of the States or any parish;
- "public authority" includes a statutory corporation established for a public purpose, a parish and any Minister;
- "road" means a road, bridge, viaduct or subway which is repairable at the expense of the States or any parish, and includes the carriageway, footpath and any other part of such a road, bridge, viaduct or subway;
- "school" means a nursery school, primary school or secondary school (within the meaning of the Education (Jersey) Law 1999);

"security camera" means a closed circuit television or any other system for recording or viewing visual images for the purpose of assisting in the safeguarding of persons or property;

"skylight" means a window set in the plane of a roof and protruding (when closed) no more than 10 centimetres above the plane of the roof in which it is set;

"solar panel" means a microgeneration solar photovoltaic panel or solar thermal panel;

"sun-pipe" means a tube inserted in the roof of a building for the purpose of transporting and diffusing daylight to the interior of the building;

"telecommunications services" means any service consisting in the installation, maintenance, adjustment, repair, alteration, moving, removal or replacement of apparatus that is or is to be connected to a telecommunication system.<sup>1</sup>

#### 2 Planning permission for development<sup>2</sup>

- (1) Planning permission is hereby granted by the Minister for the classes of development in Schedule 1.<sup>3</sup>
- (2) Any permission granted by paragraph (1) is subject to any relevant exceptions, limitations or conditions specified in Schedule 1.

#### 3 Use classes

- (1) Planning permission is hereby granted by the Minister where a building or other land is used for a purpose specified in a use Class set out in Schedule 2 to use the building or land for another purpose specified in that use Class.
- (2) A use which is ordinarily incidental to and included in a use set out in Schedule 2 is not excluded from that use as an incident of that use merely by reason of its specification in that Schedule as a separate use.
- (3) A use which is not specified in a use class set out in Schedule 2 shall require planning permission.<sup>4</sup>

#### 4 Directions restricting permitted development

- (1) This Article applies where the Minister is satisfied that in respect of a particular building or land it is expedient that
  - (a) permitted development described in a Part, Class or paragraph set out in Schedule 1; or
  - (b) a change of use within a use Class set out in Schedule 2,

should not be carried out unless permission is granted by the Minister on application made to the Minister.

- (2) The Minister may give a direction that the permission granted by Article 2 or 3, as the case may be, shall not apply in respect of the building or land to
  - (a) all or any development of the Part, Class or paragraph; or
  - (b) the change of use within the use Class,

- specified in the direction.
- (3) The Minister must serve notice of a direction given under paragraph (2) on the owner and (if different) the occupier of the building or land to which it applies.
- (4) A direction under paragraph (2) has effect from the service of the notice on the owner of the building or land in accordance with paragraph (3).
- (5) A direction may be given as a condition of any planning permission in respect of the building or land to which the direction applies.
- (6) Where a direction is so given the planning permission shall have effect as if it were notice served in accordance with paragraph (3).

#### 5 Savings

- (1) Nothing in this Order permits development contrary to any conditions imposed by the Minister on the previous grant of any planning permission.
- (2) Nothing in the Order exempts a person carrying out development for which permission is granted by this Order from compliance with Building Bye-laws or any other enactment.
- (3) The permission granted by this Order shall not apply if
  - (a) in the case of permission granted in connection with an existing building, the building operations involved in the construction of that building are unlawful;
  - (b) in the case of permission granted in connection with an existing use, that use is unlawful.

#### 6 Citation

This Order may be cited as the Planning and Building (General Development) (Jersey) Order 2011.

#### **SCHEDULE 1**<sup>5</sup>

(Article 2)

#### PERMITTED DEVELOPMENT

#### PART 1

### WORK CARRIED OUT TO, AND WITHIN THE CURTILAGE OF, A DWELLING-HOUSE

		C	LASS A
Permitted development	A.1 The erection, construction or placing, a maintenance, improvement or other all within, the curtilage of a dwelling-house of		
		(a)	a structure required for a purpose (other than human habitation) incidental to the enjoyment of the dwelling-house as such;
		<b>(b)</b>	an extension to a dwelling, including a conservatory, canopy or porch, or the conversion of a garage attached to a dwelling, for human habitation;
		(c)	the replacement of any conservatory roof;
		( <b>d</b> )	the installation of a retractable awning on the dwelling-house.
Work not permitted	A.2	Work	s is not permitted by Class A if –
		(a)	with the exception of the erection of a flagpole, canopy or porch, (whether free standing or attached) any part of the structure retractable awning, extension or garage is in front of a principal elevation of the dwelling house;
		(b)	with the exception of the erection of a free standing flagpole, the dwelling-house and it curtilage is or forms part of a LBP or is in an AAP;
		(ba)	with the exception of the erection of a free standing flagpole, the dwelling-house is in a CA and the work is visible from a road or the foreshore;

- (c) the extension or garage conversion is not directly accessible from within the existing dwelling-house;
- (d) the extension or garage conversion is, or will be, used for a commercial purpose or as a separate dwelling unit;
- (e) in the case of the erection of a free-standing flagpole, excavation is involved at a LBP or in an AAP:
- (f) with the exception of the erection of a flagpole, canopy or porch
  - (i) the structure, extension or garage exceeds the maximum height of 3.5 metres above ground level, measured at any part of the roof, or of 2.5 metres above ground level, measured at the lower edge of the roof plane, if the roof is sloping,
  - (ii) the structure, extension or garage exceeds the maximum height of 3 metres above ground level, if the roof is flat, or
  - (iii) the part of the structure (if any) within 1 metre of the boundary of an adjoining property exceeds 2 metres in height;
- (fa) in the case of a canopy or porch, the external area of the canopy or porch exceeds 3 square metres, the height of the canopy or porch from ground level exceeds 2.75 metres or the canopy or porch is erected within 2 metres of a road:
- (g) with the exception of the construction of a swimming pool or other pool or a canopy or porch, the total aggregated external area of any structures or buildings erected under this Class since 1st June 2007 exceeds 30 square metres;
- (h) the work involves the formation or widening of a means of access to a road;
- (i) the work creates an obstruction to the view of a person using a road at or near a bend, corner, junction or intersection so as to be likely to cause danger to such a person.

#### Conditions

A.3 Any structure, conservatory, extension or garage permitted under Class A.1(a) must not be used for a commercial purpose or for human habitation.

	A.4	No retaining structure for a swimming pool or other pool shall exceed 1.2 metres in height.			
	A.5				
	A.6	In the case of the installation of a retractable awning, it must not be installed above ground floor level.			
		CLASS B			
Permitted development	B.1	The erection, construction, maintenance, improvement or other alteration within the curtilage of a dwelling-house of a gate, fence, wall or other means of enclosure.			
Work not permitted	B.2	Work is not permitted by Class B if –			
		(a) the dwelling-house is or forms part of a LBP or is in an AAP or, where the dwelling-house is in a CA, if the works are in front of a principal elevation of the dwelling-house or are visible from a road or the foreshore;			
		(b) the gate, fence, wall or other means of enclosure abuts onto or is within 2 metres of a road and its highest point will be more than 90 centimetres above the level of the road, or in any other case, its highest point will be more than 2 metres above ground level on either side of it;			
		(c) the work involves the formation or widening of a means of access to a road where the access will be more than 1 metre wide;			
		(d) the work creates an obstruction to the view of a person using a road at or near a bend, corner, junction or intersection so as to be likely to cause danger to such a person.			
		CLASS C			
Permitted development	C.1	The formation within the curtilage of a dwelling-house of a driveway, turning area, car park, patio, pathway, decked area or other hardstanding or raised planting area, or the conversion of any driveway, turning area, car park, patio, pathway, decked area or other hardstanding to a lawn or planting area.			
Work not permitted	C.2	Work is not permitted by Class C if –			

		(a)	in the case of a driveway, turning area or car park –	
			(i) the dwelling-house is or forms part of a LBP,	
			(ii) the dwelling-house is in an AAP and excavation is involved, or	
			(iii) the dwelling-house is in a CA and the work is visible from a road or the foreshore;	
		(b) the driveway, turning area, car park, patic pathway, decked area or other hardstandin or raised planting area exceeds 40 centimetre in height above or below the existing groun level;		
		(c)	the work involves the formation or widening of a means of access to a road;	
		(d)	the work creates an obstruction to the view of a person using a road at or near a bend, corner, junction or intersection so as to be likely to cause danger to such a person;	
		(e)	the work would result in the discharge of surface water onto a road adjoining the property and the approval of any highway authority to the discharge has not been obtained.	
		C	CLASS D	
Permitted development	D.1	withi for t	erection, construction or placing, ntenance, improvement or other alteration in the curtilage of a dwelling-house of a tank the storage of liquid or gaseous fuel for use the domestic purposes of the dwelling-house.	
Work not permitted	D.2	Work	k is not permitted by Class D if –	
		(a)	the dwelling-house is or forms part of a LBP; or if the dwelling-house is in an AAP and excavation is involved;	
		(aa)	the dwelling-house is in a CA and the work is visible from a road or the foreshore;	
		(b)	any part of the work is in front of a principal elevation of the dwelling-house;	
		(c)	the capacity of the tank exceeds 3,500 litres;	
		(d)	the height of the tank exceeds 2.5 metres above ground level;	

		(e)	the work involves the formation or widening of a means of access to a road;	
		(f)	the work creates an obstruction to the view of a person using a road at or near a bend, corner, junction or intersection so as to be likely to cause danger to such a person.	
		C	LASS E	
Permitted development	E.1	The conversion within a dwelling-house of the roof space for use as habitable accommodation or other purposes ancillary to its use as a dwelling, including the insertion of 1 or more dormer windows or skylights.		
Work not permitted	E.2	Work	is not permitted by Class E if –	
		(a)	the dwelling-house is or forms part of a LBP;	
		(aa)	the dwelling-house is in a CA and the work is visible from a road or the foreshore;	
		(b)	the work includes the insertion of a gable window.	
Conditions	E.3		Any dormer window must be installed at least 1 metre from the boundary of any adjoining property; at least 1 metre above the lower edge of the roof plane on which it is installed; at least 1 metre from the roof ridge; and at least 1 metre, when measured horizontally, from any other dormer window on the roof.	
	E.4		Where any skylight faces an adjoining residential property and is installed closer than 10 metres from the boundary of that residential property, the lowest part of its frame must be at least 1.7 metres above the finished floor level of the internal roof space.	
	E.5		The width of any dormer window, when measured from the outer edges of its frame, must not exceed 1.2 metres.	
	E.6		There must not be more than 2 dormer windows on a roof plane and the aggregate area of any dormer windows and skylights installed on a roof plane must not exceed 50% of the total area of the roof plane on which they are installed.	
	E.7		The roof space must not be used for a commercial purpose or as a separate unit of accommodation.	

	E.8	Any glazed face of a dormer window that faces an adjoining residential property, must be situated no closer than 10 metres from the boundary of the property it faces.
		CLASS F
Permitted development	F.1	The placing of vents, flues, chimneys and similar items, and minor alterations to any dwelling.
Work not permitted	F.2	Work is not permitted by Class F if the building is or forms part of a LBP or, if the building is in a CA, the work is visible from a road or the foreshore.
Conditions	F.3	A vent, flue or chimney installed within a roof must not protrude more than 1.5 metres above the plane of the roof in which it is set.
	F.4	A vent, flue or chimney installed on a wall must not protrude more than 30 centimetres from the wall on which it is installed or protrude more than 1.5 metres above the eave or plane of a roof.
	F.5	A flue or chimney must not terminate within 2.5 metres of an opening of an adjoining building or any dwelling.

PART 2

## WORK CARRIED OUT TO, AND WITHIN THE CURTILAGE OF, A BUILDING CONTAINING ONE OR MORE FLATS

CLASS A					
Permitted development	A.1 The conversion of the roof space for use habitable accommodation or other purpo ancillary to the use of a flat, including insertion of 1 or more dormer windows skylights.				
Work not permitted A.2 Work is not perm		Work is not permitted by Class A if –			
		(a) the building is or forms part of a LBP;			
		(aa) the building is in a CA and the work is visible from a road or the foreshore;			
		(b) the work includes the insertion of a gable window.			
Conditions	A.3	Any dormer window must be installed at least 1 metre from the boundary of any adjoining property; at least 1 metre above the lower edge of the roof plane on which it is installed; at least			

		1 metre from the roof ridge; and at least 1 metre, when measured horizontally, from any other dormer window on the roof.			
	A.4	Where any skylight faces an adjoining residential property and is installed closer than 10 metres from the boundary of that residential property, the lower part of its frame must be at least 1.7 metres about the finished floor level of the internal roof space.			
	A.5	The width of any dormer window, when measured from the outer edges of its frame, must not exceed 1.2 metres.			
	A.6	There must not be more than 2 dormer windows on a roof plane and the aggregate area of any dormer windows and skylights installed on a roof plane must not exceed 50% of the total area of the roof plane on which they are installed.			
	A.7	The roof space must not be used for a commercial purpose or as a separate unit of accommodation.			
	A.8	Any glazed face of a dormer window that faces an adjoining residential property, must be situated no closer than 10 metres from the boundary of the property it faces.			
		CLASS AA			
Permitted development	AA.1	The installation of a retractable awning on a building.			
Work not permitted	AA.2	Work is not permitted by Class AA if –			
		(a) the building is or forms part of a LBP;			
		(aa) the building is in a CA and the work is visible from a road or the foreshore;			
		(b) the work involves the installation of a retractable awning onto the principal elevation of the building.			
Conditions	AA.3	The retractable awning must not be installed above ground floor level.			
		CLASS B			
Permitted development	B.1	The erection, construction, maintenance, improvement or other alteration within the curtilage of a building containing a flat of a gate, fence, wall or other means of enclosure.			
Work not permitted	B.2	Work is not permitted by Class B if –			

			.1 .	.,
		(aa)		uilding is in a CA and the work is visible a road or the foreshore;
		(b)	encloroad 90 ce in ar	gate, fence, wall or other means of osure abuts onto or is within 2 metres of a and its highest point will be more than entimetres above the level of the road, or my other case, its highest point will be a than 2 metres above ground level on a side of it;
		(c)	of a	work involves the formation or widening means of access to a road where the ss will be more than 1 metre wide;
		(d)	a per junct	york creates an obstruction to the view of son using a road at or near a bend, corner, ion or intersection so as to be likely to e danger to such a person.
		C	LASS	C
Permitted development	C.1	conta park hard conv park	aining , pati standi ersion , pati	tion within the curtilage of a building a flat of a driveway, turning area, car to, pathway, decked area or other ing, or raised planting area, or the of any driveway, turning area, car to, pathway, decked area or other ing to a lawn or planting area.
Work not permitted	C.2	Work	is no	t permitted by Class C if –
		(a)	in the	e case of a driveway, turning area or car
			(i)	the building concerned, or its curtilage, is or forms part of a LBP,
			(ii)	the building concerned, or its curtilage, is in an AAP and excavation is involved;
			(iii)	the building concerned, or its curtilage, is in a CA and the work is visible from a road or the foreshore;
		(b)	pathy or rai	driveway, turning area, car park, patio, way, decked area or other hard standing sed planting area exceeds 40 centimetres ight above or below the existing ground;
		(c)		vork involves the formation or widening means of access to a road;
1		(d)	.1	vork creates an obstruction to the view of

			junction or intersection so as to be likely to cause danger to such a person;	
		(e)	the work would result in the discharge of surface water onto a road adjoining the property and the approval of any highway authority to the discharge has not been obtained.	
		C	CLASS D	
Permitted development	D.1	The erection, construction or placing, maintenance, improvement or other alteration within the curtilage of a building containing a flat of a tank for the storage of liquid or gaseous fuel for use for the domestic purposes of the dwellings.		
Work not permitted	D.2	Worl	k is not permitted by Class D if –	
		(a)	the building or its curtilage is or forms part of a LBP; or if the dwelling-house is in an AAP and excavation is involved;	
		(aa)	the building is in a CA and the work is visible from a road or the foreshore;	
		(b)	any part of the work is in front of a principal elevation of a building;	
		(c)	the capacity of the tank exceeds 7,000 litres;	
		(d)	the height of the tank exceeds 2.5 metres above ground level;	
		(e)	the work involves the formation or widening of a means of access to a road;	
		(f)	the work creates an obstruction to the view of a person using a road at or near a bend, corner, junction or intersection so as to be likely to cause danger to such a person.	
		C	CLASS E	
Permitted development	E.1	The placing of vents, flues, chimneys and similar items, and minor alterations to any dwelling forming part of the building.		
Work not permitted	E.2	Work is not permitted by Class E if the building is or forms part of a LBP or, if the building is in a CA, the work is visible from a road or the foreshore.		
Conditions	E.3	A vent, flue or chimney installed within a roof must not protrude more than 1.5 metres above the plane of the roof in which it is set.		

E.4	A vent, flue or chimney installed on a wall must not protrude more than 30 centimetres from the wall on which it is installed or protrude more than 1.5 metres above the eave or plane of a roof.
E.5	A flue or chimney must not terminate within 2.5 metres of an opening of an adjoining building or any dwelling.

PART 3

#### REPAIRS, MAINTENANCE AND MINOR WORKS TO LAND AND BUILDINGS

		CLASS A
Permitted development	A.1	The painting of the exterior, or any part of the exterior of a building or other structure.
Work not permitted	A.2	Work is not permitted by Class A if –
		(a) the building is or forms part of a LBP and the part of the building to be painted has never been painted; or
		(b) the building is situated in a CA, the part of the building to be painted or repainted is visible from a road or the foreshore and the appearance of the building would be materially altered by the painting or repainting.
	A.3	Work is not permitted by Class A where the painting is for the purpose of advertisement, announcement or direction.
		CLASS AA
Permitted development	AA.1	Internal alterations or building operations that do not amount to an external change or create new floor space.
Work not permitted	AA.2	Work is not permitted by Class AA if the building is or forms part of a LBP.
	AA.3	Work is not permitted by Class AA if -
		(a) the building is used or is to be used, in whole or in part, for the purpose of cultivation of plants of the genus <i>Cannabis</i> , or the production of products including any part of or derivative from, plants of the genus <i>Cannabis</i> ; or

		(b) the purpose of the alteration or operation is to enable or facilitate such cultivation or production.			
CLASS AB					
Permitted development	AB.1	Minor below-ground engineering work of bore holes, drains and other services.			
Work not permitted	AB.2	Work is not permitted by Class AB if -			
		(a) the work is for foul sewer systems, including packaged treatment plants, septic tanks or tight tanks;			
		(b) the land is or forms part of a LBP, or is in an AAP.			
		CLASS B			
Permitted development	B.1	The erection, construction or placing and the maintenance, improvement or other alteration of television, radio or other antennae.			
Work not permitted	B.2	Work is not permitted by Class B if -			
		(a) in the case of a satellite dish attached to a building, its diameter exceeds 1.2 metres or if it is placed on a principal elevation;			
		(b) the work is the erection, construction or placing of mobile telephone network equipment;			
		(c) the building on which the installation is to be placed is or forms part of a LBP, or the building is in a CA and the installation would be visible from a road or the foreshore; or			
		(d) in the case of a satellite dish, the work would result in there being more than 1 satellite dish being erected or placed at or on the building.			
Condition		Where a satellite dish is placed on land in front of the principal elevation, it must be placed no higher than 1 metre above ground level, measured at its highest point.			
		CLASS BA			
Permitted development	BA.1	The installation of a security camera on a building.			
Work not permitted	BA.2	Work is not permitted by Class BA if the building is or forms part of a LBP or, if the building is in a CA, the installation is visible from a road or the foreshore.			

Conditions	BA.3	The field of vision of a security camera must so far as is practicable not extend beyond the boundaries of the land where it is sited.
	BA.4	If the building is in a CA, the dimensions of a security camera (excluding any mounting, fixing, bracket or other support structure) must not exceed 150 millimetres in width, length or depth.
	-	CLASS BB
Permitted development	BB.1	The installation of a retractable awning on a building that is day care accommodation or a school.
Work not permitted	BB.2	Work is not permitted by Class BB if the building is or forms part of a LBP or, if the building is in a CA, the work is visible from a road or the foreshore.
Conditions	BB.3	The retractable awning must not be installed above ground floor level.
		CLASS C
Permitted development	C.1	The provision on land of a building, movable structure, work, vehicular access, plant or machinery required temporarily in connection with and for the duration of any works permitted by the Minister under any enactment being or to be carried out on, in, under or over that land or adjoining land.
Work not permitted	C.2	Work is not permitted by Class C if –
Work not permitted	C.2	Work is not permitted by Class C if —  (a) the work creates an obstruction to the view of a person using a road at or near a bend, corner, junction or intersection so as to be likely to cause danger to such a person;
Work not permitted	C.2	(a) the work creates an obstruction to the view of a person using a road at or near a bend, corner, junction or intersection so as to be likely to
Work not permitted  Conditions	C.2	<ul> <li>(a) the work creates an obstruction to the view of a person using a road at or near a bend, corner, junction or intersection so as to be likely to cause danger to such a person;</li> <li>(b) in a case where the work is for a vehicular access, the permission of the highway</li> </ul>
		<ul> <li>(a) the work creates an obstruction to the view of a person using a road at or near a bend, corner, junction or intersection so as to be likely to cause danger to such a person;</li> <li>(b) in a case where the work is for a vehicular access, the permission of the highway authority has not been obtained.</li> </ul>
		<ul> <li>(a) the work creates an obstruction to the view of a person using a road at or near a bend, corner, junction or intersection so as to be likely to cause danger to such a person;</li> <li>(b) in a case where the work is for a vehicular access, the permission of the highway authority has not been obtained.</li> <li>When the operations have been carried out –</li> <li>(a) any building, movable structure, work, plant or machinery permitted by Class C must be</li> </ul>

Permitted development	D.1	of a	operation carried out within the boundaries private way for the purpose of improving the ate way, including –
		(a)	the installation of lamp standards, seats, cycle racks, refuse bins, bollards, barriers for the control of people or vehicles, and similar structures required in connection with the private way; and
		<b>(b)</b>	the carrying out of works to construct or maintain, improve or otherwise alter the surface of the private way.
Work not permitted	D.2	Wor	k is not permitted by Class D if –
		(a)	the work or any part of the work is outside the boundaries of the private way; or
		(b)	the land is or forms part of a LBP or, in a case where the works involve excavation of ground, the land is in an AAP.
		(c)	the land is in a CA and the work is visible from a road or the foreshore.
	·	C	LASS E
Permitted development	E.1	wide	creation of a new means of access or the ening of an existing means of access to an cultural field for agricultural purposes only.
Work not permitted	E.2	Wor	k is not permitted by Class E if –
		(a)	the land is or is within a LBP, or is in an AAP or CA;
		(b)	the work would create an obstruction to the view of a person using a road at or near a bend, corner, junction or intersection so as to be likely to cause danger to such a person;
		(c)	the land has any building erected on it other than a building to shelter livestock within the permitted development under Class G of this Part;
		(d)	the work involves the construction of a driveway or any hard-surfaced area which extends more than 3 metres from the edge of the highway.
Conditions	E.3	have	approval of the relevant highway authority must been obtained before the means of access is e or widened.

	E.4	4	gater acces	re an existing access is widened, any existing posts must be relocated either side of the widened ss, and any adjoining roadside wall or banque
	E.:	5		be reinstated.  access may be used only for agricultural oses
	E.0	5		access created must have –
			(a)	a gatepost made of any natural material of not more than 90 centimetres above ground level in height, erected on each side of the access;
			(b)	reinstated any adjoining roadside wall or banque.
	E.	7	Any	access must not exceed 5 metres in width
	E.8	8		nitted development under this Class E shall be ed to one access per field boundary.
			C	LASS F
Permitted developme	ent	F.1		carrying out of any of the following work to a ling –
			(a)	the replacement of a window or door;
			<b>(b)</b>	the replacement of a ground floor window with a door or a ground floor door with a window;
			(c)	the creation of new window and door openings on the ground floor;
			(d)	the replacement of roof coverings including a height increase of up to 15 centimetres and the alteration of rain water goods and verges to accommodate the height increase;
			(e)	the installation of a dormer window or a skylight;
			<b>(f)</b>	the installation of a sun-pipe;
			<b>(g)</b>	the blocking up of a window or door;
			(h)	the reduction of window openings above the ground floor;
			<b>(i)</b>	the replacement of dormer windows and skylights;
			<b>(j</b> )	the reduction or enlarging of windows or doors on the ground floor;
			(k)	the re-rendering (up to a maximum additional wall thickness of 15 centimetres) of areas of a building that are already

		rendered including the installation of external insulation systems in the render finish.
Work not permitted	F.2	Work is not permitted by Class F if –
		(a) the building is or forms part of a LBP or, if the building is in a CA, the work is visible from a road or the foreshore;
		(b) the replacement of a roof covering, including a height increase, alters the shape of the roof;
		(c) the work includes the insertion of a gable window;
		(d) the work is to a shop front;
		(e) any work creates or widens a means of access to a road.
Conditions	F.3	The replacement of the roof covering of an existing sloping roof must be in natural slate or clay tiles, or in exactly the same type of material as the material it is replacing.
	F.3A	The replacement of roof coverings of a flat roof may be in any material.
	F.4	Any dormer window must be installed at least 1 metre from the boundary of any adjoining property; at least 1 metre above the lower edge of the roof plane on which it is installed; at least 1 metre from the roof ridge; and at least 1 metre, when measured horizontally, from any other dormer window on the roof.
	F.5	Subject to paragraph F.9, where any skylight faces an adjoining residential property and is installed closer than 10 metres from the boundary of that residential property, the lowest part of its frame must be at least 1.7 metres above the finished floor level of the internal roof space.
	F.6	Subject to paragraph F.9, the width of any dormer window, when measured from the outer edges of its frame, must not exceed 1.2 metres.
	F.7	Subject to paragraph F.9, there must not be more than 2 dormer windows on a roof plane, and the aggregate area of any dormer windows and skylights must not exceed 50% of the total area of the roof plane on which they are installed.
	F.8	Subject to paragraph F.9, any glazed face of a dormer window that faces an adjoining residential property,

		must be situated no closer than 10 metres from the boundary of the property it faces.
	F.9	In the case of the replacement of an existing skylight or dormer window that does not comply with one or more of the conditions in paragraphs F.5 to F.8, the replacement skylight or dormer window must be of the same dimensions as the skylight or dormer window, as the case may be, that it is replacing, and either be sited in the same position as the original or be re-positioned so as to comply with the conditions in those paragraphs.
	F.10	Any sun-pipe must not exceed 45 centimetres in diameter, or be higher than 30 centimetres above the roof on which it is installed, measuring from the highest point at which it enters the roof.
	F.11	New or replacement windows or doors must not encroach over roads or private ways.
		CLASS G
Permitted development	G.1	The erection of a structure on agricultural land to shelter livestock.
Work not permitted	G.2	Work is not permitted by Class G if –
		(a) the work includes the construction or extension of a hardstanding or other solid foundation; or
		(b) the land or structure is or forms part of a LBP, or in a case where the works involve excavation of ground, the land or structure is in an AAP.
Conditions	G.3	Where a structure is erected on or after 1st February 2017 –
		(a) the structure must not exceed 2.5 metres in height nor have an internal area of more than 15 square metres;
		(b) there must not be more than 1 structure with a height of 1.5 metres or more in any 5 <i>vergées</i> ;
		(c) where the maximum height of the structure is 1.5 metres or more but less than 2.5 metres –
		(i) it must be constructed predominantly in timber,
		(ii) its internal area must not exceed 15 square metres, and
		(iii) at least one of its sides must be entirely open;

		(d) where the maximum height of the structure is 1.5 metres or less, its internal area must not exceed 5 square metres.
	G.4	If a structure is no longer used to shelter livestock, the structure and any hardstanding or other structure forming its base must be removed and the land restored to its former condition.
	G.5	The structure must not be erected within 5 metres of any boundary.
		CLASS H
		CLASS I
Permitted development	I.1	The erection of a fence on agricultural land.
Work not permitted	I.2	Work is not permitted by Class I if -
		(a) the fence exceeds 1.2 metres in height; or
		(b) the land is or forms part of a LBP, or in a case where the works involve excavation of ground, the land is in an AAP.
Condition	I.3	The fence (including any gate within it) must be of timber post and rail with or without netting, wire, tape or mesh.
		CLASS J
		CLASS K
Permitted development	K.1	The carrying out of work for the maintenance or repair of a building.
Work not permitted	K.2	Work, other than a minor repair, is not permitted by Class K if $-$
		(a) the building is or forms part of a LBP or, if the building is in a CA, the work is visible from a road or the foreshore; or
		(b) except in an emergency, the work would materially affect the external appearance of the building.
Conditions	K.3	If the building is or is part of a LBP the work must not result in the permanent alteration or removal of any feature that gives rise to the listing of the building as a LBP.
		CLASS L
Permitted development	L.1	The installation, alteration or replacement of gutters, hoppers, downpipes, drains or other

			water goods, or verges or fascia boards on a ding.
Work not permitted	L.2	form	rk is not permitted by Class L if the building is or as part of a LBP or, if the building is in a CA, the k is visible from a road or the foreshore.
			CLASS M
Permitted development	M.1	driv deck conv car hard	e maintenance or replacement of an existing veway, turning area, car park, patio, pathway, ked area or other hardstanding or the version of any existing driveway, turning area, park, patio, pathway, decked area or other dstanding to a lawn or planting area within the tilage of any building.
Work not permitted	M.2	Wor	rk is not permitted by Class M if –
		(a)	in the case of a driveway, turning area or car park –
			(i) the building or its curtilage is or forms part of a LBP,
			(ii) the building concerned, or its curtilage, is in an AAP and excavation is involved,
			(iii) the work is in a CA and the work is visible from a road or the foreshore;
		(b)	the driveway, turning area, car park, patio, pathway, decked area or other hard standing or raised planting area exceeds 40 centimetres in height above or below the existing ground level;
		(c)	the work involves the formation or widening of a means of access to a road;
		(d)	the work creates an obstruction to the view of a person using a road at or near a bend, corner, junction or intersection so as to be likely to cause danger to such a person;
		(e)	the work would result in the discharge of surface water onto a road adjoining the property and the approval of any highway authority to the discharge has not been obtained.
			CLASS N
Permitted development	N.1	The	e installation of electricity meter boxes
Work not permitted	N.2	which or, i	rk is not permitted by Class N if the building on ch the meter is installed is or forms part of a LBP if the building is in a CA, the work is visible from a d or the foreshore.

Condition	N.3	850 ı	dimensions of any metre box must not exceed millimetres in width, 1200 millimetres in length, 00 millimetres in depth.
		(	CLASS O
Permitted development	0.1		installation of apparatus to provide external mination ("lighting apparatus").
Work not permitted	0.2	Wor	k is not permitted by Class O if –
		(a)	the land or building is in a CA and the area illuminated would be visible from a road or the foreshore; and
		(b)	any of the following apply –
			(i) the work would result in more than 1 lighting apparatus on any single elevation or structure,
			(ii) the lighting apparatus is more than 30 cm in any dimension,
			(iii) the light output from the lighting apparatus is more than 500 lumens.

PART 4

### THE INSTALLATION OF EQUIPMENT FOR THE GENERATION OF ELECTRICITY FROM RENEWABLE SOURCES OR FOR THE EFFICIENT USE OF ENERGY

CLASS A				
Permitted development	A.1 The installation of solar panels or a similar device at ground level or on a sloping roof plane or flat roof.			
Work not permitted	A.2	Work is not permitted by Class A if –		
		(a) the land or building where the installation is to take place is or forms part of a LBP, or in a case where the works involve excavation of ground, the land or building is in an AAP or, if the building is in a CA, the installation is visible from a road or the foreshore; and		
		(b) in the case of a solar panel or similar device, the land or building on which it is to be installed is located within an area shown hatched red on the map set out in Part 1 of the annexure to this Schedule.		
Conditions	A.3	Any solar panel or similar device attached to a sloping roof plane must project no more than		

		20 centimetres above the roof plane and in the case of a flat roof, no more than 1 metre above the roof.	
	A.4	Ground mounted solar panels or similar devices must not exceed 2.5 metres in height, or 2 metres in height if they are within 1 metre of the property boundary.	
	A.5	The aggregated area of any solar panels or similar devices installed on a roof plane must not exceed 90% of the total area of the roof plane on which they are installed.	
	A.6	The total aggregate external area of ground mounted solar panels or similar devices must not exceed 9 square metres.	
		CLASS B	
Permitted development	B.1	The installation of a ground or air-source heating system.	
Work not permitted	B.2	Work is not permitted by Class B if the installation of the system is on land or a building that is or forms part of a LBP or, if the building is in a CA, the installation is visible from a road or the foreshore.	
Conditions	B.3	The highest point of the installation must be more than 2.5 metres above ground level.	
	B.4	Where the installation of the system is on agricultural land, every pipe must be positioned at a depth of no less than one metre below ground level and any top soil that is removed for the purpose of the installation must be re-instated to its original land level.	
		CLASS C	
Permitted development	C.1	The erection of a single wind-turbine for the generation of electricity on or within the curtilage of any building.	
Work not permitted	C.2	Work is not permitted by Class C if –	
		(a) the height of the top of the turbine, including the arc of the blades exceeds the height of the tallest building on the site by 2.5 metres;	
		(b) the maximum diameter of the sweep of the turbine's blades exceeds 2.5 metres;	
		(c) in the case of wind-turbine not attached to a building, the structure supporting the wind-turbine is less than 5 metres from the property boundary;	

(d)	a written statement has not been obtained from the Director of Civil Aviation (as defined by the <u>Civil Aviation (Jersey) Law 2008</u> ) stating that he or she has no objection to the proposed wind turbine on the grounds of hazard to aircraft or airport operations;
(e)	the building to which the turbine is to be attached –
	(i) is or forms part of a LBP, or
	(ii) is in a CA; or
(f)	the wind-turbine is within the curtilage of a building but is not attached to the building, and the building and its curtilage –
	(i) is or forms part of a LBP,
	(ii) is in an AAP, or
	(iii) is in a CA and the turbine is visible from a road or the foreshore.

#### **DEVELOPMENT AT INDUSTRIAL OR SIMILAR PREMISES**

CLASS A					
Permitted development	A.1	Work carried out on industrial land for the purpose of an industrial process consisting of –			
		(a) the installation of additional replacement plant or machinery; or			
		<b>(b)</b>	the provision, rearrangement or replacement of a sewer, main, pipe, cable or other apparatus.		
Work not permitted	A.2	Worl	k is not permitted by Class A if –		
		(a)	the land is or forms part of a LBP, or is in an AAP and excavation is required;		
		(b)	the work would result in an increase of noise, smells, dust or other pollution;		
		(c)	any additional or replacement plant or machinery would exceed the height of existing plant or machinery or anything it replaced;		

		(d) (e)	of a me the wor a perso junctio	eans or rk cre n usin n or	of access to a cates an obsta ng a road at c	road; ruction to rucar a so as to	or widening o the view of bend, corner, be likely to	
CLASS B								
Permitted development	B.1	Exten build	nsions ings.	to	industrial	and	warehouse	
Work not permitted	B.2	Work	is not p	ermi	tted by Class	B if –		
		(a)	case w	here	_	nvolve e	LBP, or, in a excavation of P;	
		(aa)			is in a CA as or the foresh		ork is visible	
		(b)	for haz	ardo s, St.	us installatio	ons in re Collette,	y safety zone espect of Les St. Helier as	
		(c)	the ext		n is to be oc	cupied	by a separate	
Conditions	B.3	The extension must not exceed 5% of the area of the ground floor of the existing building.				he area of the		
	B.4	the ex	isting h	eight		ng, nor b	st not exceed be closer than perty.	
	B.5	amou	nt of v	ehicl	e parking s	paces a	uction in the vailable, nor g of service	
	B.6	extens		ust n			face of the used in the	

#### **DEVELOPMENT BY PROVIDERS OF PUBLIC SERVICES AND UTILITIES**

CLASS A							
Permitted development	A.1	main		prov	construction, ement or other of –		the ation

		(a) (b)	temporary works and equipment on land belonging to or maintained by the authority required for the purposes of a function exercised by the authority on that land; lamp standards, bus shelters, public seats, fire alarms, cycle racks, security cameras, refuse bins, bollards, barriers for the control of people and vehicles and similar structures required in connection with the operation of a public service administered by them; or
		(c)	road surfaces or the surfaces of other public areas administered by the public authority.
Work not permitted	A.2	Worl	k is not permitted by Class A if –
		(a)	it involves the formation or widening of a means of access to a road;
		(b)	the land is or forms part of a LBP or, in a case where the works involve excavation of ground, the land is in an AAP;
		(c)	the land is in a CA and the work is visible from a road or the foreshore.
		C	LASS B
Permitted development	B.1	wate to th inspe pipe prov	carrying out by a provider of drains, gas, er, electricity or telecommunications services ne public of work necessary to lay, place, ect, repair or renew a drain, sewer, main, line or cable or other apparatus for the rision of a service to the public or any portion e public.
Work not permitted	B.2	Worl	k is not permitted by Class B if –
		(a)	the work is to be carried out on land or a building that is or forms part of a LBP, or is in an AAP;
		(aa)	the work is to be carried out on land that is in a CA and the work is visible from a road or the foreshore, unless the work is emergency works or urgent works, as defined in the Road Works and Events (Jersey) Law 2016;
		(b)	in the case of the placing of new work, any of the work would, on its completion, be above ground level;

		(c) the work is carried out on land that is, or from time to time is, covered by sea water.
Condition	B.3	On completion of any work carried out underground the surface of the site must be returned to its former condition.
		CLASS C
Permitted development	C.1	Within the area of a harbour administered by the harbour authority (being the person appointed as such under Article 2(1) of the Harbours (Administration) (Jersey) Law 1961) –
		(a) dredging, the placing and fixing of moorings (including pontoons and access ramps) and the installation of technical or security equipment necessary for the operation of the harbour;
		(b) repair and maintenance of ramps, fuel jetty and associated equipment, navigational aids, handrails, ladders, drying pads and operational equipment.
Work not permitted	C.2	Work is not permitted by Class C if the area is or forms part of a LBP, or is in or is part of an AAP or CA.
	<u> </u>	CLASS D
Permitted development	D.1	The excavation and construction of aprons within the boundaries of the airport (as shown in the map set out in Part 2 of the annexure to this Schedule) and the installation within those boundaries of technical and security equipment necessary for the operation of the airport.
	<b>D.1A</b>	The repair and maintenance of operational equipment and navigational aids, with the exclusion of reed beds.
Work not permitted	D.2	Work is not permitted by Class D if the land or building is or forms part of a LBP or, in a case where the works involve excavation of ground, the land is in an AAP.
	D.3	Work is not permitted by Class D for the construction, extension or relocation of a runway.

#### **DEMOLITION**

		(	CLASS A
<b>Permitted development</b>	A.1	The	demolition of –
		(a)	
		<b>(b)</b>	a building of a temporary nature (for example, a timber shed);
		(c)	a domestic garage or a similar minor permanent structure;
		(d)	a building used for an agricultural purpose, including the storage of machinery or produce, or the housing of livestock;
		(e)	a domestic glasshouse;
		<b>(f)</b>	a temporary unit of staff accommodation;
		( <b>g</b> )	a building, the condition of which renders it unsafe to occupy or use;
		(h)	a building or other structure the construction of which would be permitted development by virtue of any other part of this Schedule;
		<b>(i)</b>	in the case of demolition of a swimming pool, the infilling of land as a result of the removal of the structure of the swimming pool.
Work not permitted	A.2	Woı	k is not permitted by Class A if –
		(a)	the structure or building to be demolished is or forms part of a LBP or is in a CA;
		(b)	the work would create a vehicular access to a road;
		(c)	in the case of a wall, fence, gate, or boundary enclosure to be demolished, it is a field boundary or adjoins a road;
		(d)	the building to be demolished is a permanent dwelling.
Conditions	A.3	struc good	e work is the partial demolition of a building or cture, any exposed structures must be made d and decorated to match the remaining building tructure.

- A.4 If the work requires the disconnection of a mains service, the demolition must not be commenced until the Building Control Surveyor of the Minister for the Environment has been consulted.
- A.5 In the case of the infilling of land as a result of removal of a swimming pool, the infill must be clean and inert material.

#### **CHANGES OF USE**

		CLASS A		
Permitted development	A.1	Development consisting of a change of use of a building from use as –		
		(a) a shop for the sale of hot food, hot drinks or warmed pre-prepared food for consumption off the premises; or		
		(b) a building used for the letting on hire of hire vehicles (other than any external area on which hire vehicles are stored),		
		to a use falling within use Class A (shops) of Schedule 2.		
		CLASS B		
Permitted development	<b>B.1</b>	Development consisting of a change of use from -		
		Class A – shop – to class K medical and welfare;		
		Class B – cafes and restaurants to Class A – shop;		
		Class C – office to Class E – warehouse;		
		Class C – office to Class G – social;		
		Class F – tourism accommodation to Class J – residential institution;		
		Class $\mathbf{H}$ – sports and fitness to Class $\mathbf{G}$ – social;		
		Class H – sports and fitness to Class I – entertainment;		
		Class I – entertainment to Class G – social;		
		Class I – entertainment to Class H - sports and fitness;		
		$\begin{array}{lll} Class \ J-& residential & institution & to & Class \ L-\\ special institution; \end{array}$		

		$\label{eq:Class} Class\ K-medical\ and\ welfare\ to\ Class\ A-shop;$ $\label{eq:Class} Class\ L-\ special\ institution\ to\ Class\ J-residential\ institution;$
		Class $M$ – late night entertainment and drinking venues to Class $B$ – cafes and restaurants;
		Class $M$ – late night entertainment and drinking venues to a mixed use of Class $B$ – cafes and restaurants and Class $M$ – late night entertainment and drinking venues.
Interpretation of Class B	B.2	For the purposes of Class B, a reference to a class by letter is a reference to the use Class bearing that letter in Schedule 2.

#### **PART 8A**

#### **SHORT-TERM HOLIDAY LETS**

Development that is a change in use of a building, or part of a building, from use as a dwelling only to use, during a calendar year, either as a dwelling or as accommodation for stays -

- (a) by people mainly for their leisure and not as their main dwelling; and
- (b) whose combined duration (even for different people's stays) is 12 weeks or less in the calendar year.

#### PART 9

#### **EMERGENCY DEVELOPMENT BY THE MINISTER**

CLASS A				
<b>Permitted development</b>	A.1	Dev	elopment consisting of –	
		(a)	work which is –	
			(i) carried out, by the Minister, on or to any land, and	
			(ii) of a type for which permission is granted to any other person or body under any other Part of this Schedule, subject only to the limitation and conditions in this Part,	
			where such work is reasonably required to deal with the Covid-19 outbreak in Jersey or the aftermath of that outbreak; or	

- a change of use of land, by the Minister, **(b)** to such use as may reasonably be required to deal with the Covid-19 outbreak in Jersey or the aftermath of that outbreak, including use as -
  - (i) a temporary hospital or other medical treatment facility,
  - (ii) a temporary hostel or other residential facility such for persons or classes of persons as required be be may to accommodated for any public health or medical purpose,
  - (iii) a temporary facility for the storage or disposal of waste, or
  - (iv) a temporary mortuary.

Interpretation of A.1

A.2 For the purposes of A.1,

> "Covid-19" means the contagious or infectious disease of that name which is notifiable under the Notifiable Diseases (Jersey) Order 1988.


Limitation and


- A.3 (1) Development under A.1 is permitted for no longer than the period of 2 years beginning with the date on which the work is completed, or the date on which the change of use in question first occurs, as the case may be.
  - Where the land is or forms part of a LBP, (2) or is in an AAP or CA, development is permitted by Class A only to the extent that
    - in the case of a LBP, it would not (a) affect the significance of that building or place through demolition or other changes;
    - in the case of any land to which a (b) archaeological special interest attaches, it does not involve excavation or other work which would permanently and irrevocably damage that special interest; or
    - (c) in the case of a CA, it does not involve work that would damage or significantly harm the character or appearance of that land.

(3) As soon as is reasonably practicable after the end of the period mentioned in (1), the land in question must be returned to the same use as, and restored to the same, or so near as practicably the same, condition in which it was, before the change of use occurred.

#### **ANNEXURE**

#### PART 1





#### **SCHEDULE 26**

(Article 3)

#### **USE CLASSES**

#### Class A - Shop

Use for all or any of the following purposes –

- (a) for the retail sale of any goods;
- (b) as a post office;
- (c) for the sale of tickets or as a retail travel agency;
- (d) for the sale of hot drinks or cold drinks, cold food or warmed pre-prepared food;
- (e) as a hair or beauty salon;
- (f) as a betting office;
- (g) as an estate agency;
- (h) as a shop for the sale of financial services or advice;
- (i) as a retail pharmacy or dispensary;
- (j) for the display of goods for sale;
- (k) for the hire of domestic or personal goods or articles; and
- (l) for the reception of goods to be washed, cleaned or repaired,

where the sale, display or service is to visiting members of the public.

#### Class B - Cafes and restaurants

Use for the sale of food or drink –

- (a) for consumption on premises as
  - (i) a restaurant,
  - (ii) a cafeteria, or
- (b) for al fresco dining.

#### Class C - Office

Use as an office for any purpose.

#### Class D - Agriculture

Use as a building for agricultural purposes, excluding use of a building (in whole or in part) for the purpose of cultivation of plants of the genus *Cannabis*, or the production of products including any part of, or derivative from, plants of the genus *Cannabis*.

#### Class E – Warehouse

Use as a wholesale (but not retail) warehouse or repository for dry storage.

#### Class F - Tourism accommodation

Use as -

- (a) a guest house;
- (b) a hotel;
- (c) accommodation providing bed and breakfast;
- (d) a self-catering accommodation.

#### Class G - Social

Use of a building for –

- (a) public worship and religious instruction;
- (b) an art gallery (other than for business purposes);
- (c) a museum;
- (d) a public library;
- (e) an exhibition hall;
- (f) a community centre or social centre;
- (g) a non-residential club.

#### Class H - Sport and fitness

Use of a building for –

- (a) a skating rink or rollerblading rink;
- (b) a swimming bath or pool;
- (c) a building or part of a building used for sports, dancing, martial arts, personal fitness training;
- (d) a fitness studio including a building or part of a building used for yoga or pilates.

#### Class I - Entertainment

Use of a building for –

- (a) a theatre;
- (b) a cinema;
- (c) a concert hall.

#### Class J - Residential institutions

Use as -

- (a) a home or institution providing for boarding, care and maintenance of children, old persons or persons under disability;
- (b) a convalescent home;
- (c) a nursing home;
- (d) a hospital;
- (e) a refuge;
- (f) a hostel.

#### Class K - Medical and welfare

Use (other than residentially) as -

- (a) a health centre;
- (b) a clinic;
- (c) a building or part of a building for providing health services, including acupuncture, podiatry and massage;
- (d) a consulting room or surgery.

#### Class L - Special institutions

Use as a hospital, hostel or institution in which people may be detained by order of a court or may reside under a requirement of a probation or supervision order.

#### Class M - Late night entertainment and drinking venues

Use for the sale of food or drink –

- (a) for consumption on premises as
  - (i) a bar, including a wine bar,
  - (ii) an entertainment venue,
  - (iii) a night club,
  - (iv) a public house;
- (b) for al fresco dining,

except that this class does not include use of a building as a take-away.

#### **ENDNOTES**

#### **Table of Legislation History**

Legislation	Year and No	Commencement
Planning and Building (General	R&O.78/2011	28 June 2011
Development) (Jersey) Order 2011		
Gambling (Jersey) Law 2012	L.14/2012	1 January 2013 ( <u>R&amp;O.133/2012</u> )
Planning and Building (General	R&O.167/2012	1 January 2013
Development) (Amendment) (Jersey)		
Order 2012		
States of Jersey (Transfer of	R&O.158/2015	1 January 2016
Functions No. 8) (Miscellaneous		
Transfers) (Jersey) Regulations 2015		
Planning and Building (General	R&O.160/2015	13 January 2016
Development) (Amendment No. 2)		
(Jersey) Order 2015		
Planning and Building (General	R&O.38/2016	5 April 2016
Development) (Amendment No. 3)		
(Jersey) Order 2016		
Planning and Building (General	R&O.125/2016	30 December 2016
Development) (Amendment No. 4)		
(Jersey) Order 2016		
Planning and Building (General	R&O.41/2020	10 April 2020
Development) (Amendment No. 5 –		
Covid-19) (Jersey) Order 2020		
Planning and Building (General	R&O.111/2020	9 September 2020
Development) (Amendment No. 6 –		
Covid-19) (Jersey) Order 2020		
Planning and Building (General	R&O.64/2021	5 May 2021
Development) (Amendment No. 7 –		
Covid-19) (Jersey) Order 2021		
Planning and Building (Cannabis)	R&O.32/2023	17 May 2023
(Miscellaneous Amendments)		
(Jersey) Order 2023		
Planning and Building (General	R&O.17/2024	1 April 2024
Development – Short-term Holiday		
Lets) (Jersey) Amendment Order		
2024		
Planning and Building (General	R&O.47/2024	19 August 2024
Development – Conservation Areas)		
(Jersey) Amendment Order 2024		

#### **Table of Renumbered Provisions**

Original	Current
6	Spent, omitted
7	6

#### **Table of Endnote References**

<sup>1</sup> Article 1	amended by L.14/2012, R&O.167/2012, R&O.158/2015,
	R&O.160/2015, R&O.125/2016, R&O.47/2024
<sup>2</sup> Article 2	heading amended by R&O.160/2015
<sup>3</sup> Article 2(1)	amended by R&O.160/2015
<sup>4</sup> <i>Article 3(3)</i>	substituted by R&O.160/2015
<sup>5</sup> Schedule 1	amended by R&O.158/2015, R&O.160/2015, R&O.38/2016,
	R&O.125/2016, R&O.41/2020, R&O.111/2020, R&O.64/2021,
	R&O.32/2023, R&O.17/2024, R&O.47/2024
<sup>6</sup> Schedule 2	amended by R&O.160/2015, R&O.32/2023