

MEDICINES (PRESCRIPTION ONLY) (JERSEY) ORDER 1997

Official Consolidated Version

This is an official version of consolidated legislation compiled and issued under the authority of the Legislation (Jersey) Law 2021.

Showing the law from 15 October 2019 to 11 August 2022



MEDICINES (PRESCRIPTION ONLY) (JERSEY) ORDER 1997

Contents

Article

| | Interpretation | 1 |
|--|---|----------------------------------|
| 1 2 | Prescription only medicines | |
| 3 | Medicinal products that are not prescription only medicines | |
| 4 | New medicinal products | |
| 5 | Appropriate practitioner | |
| 6 | Conditions for prescriptions relating to sale and supply | |
| 6A | Conditions for prescriptions – administration | |
| 7 | Exemption for highly diluted medicinal products | |
| 8 | Exemptions for specified categories of persons | |
| 9 | Exemption for emergency sale or supply | |
| 10 | Exemption for sale or supply in hospitals or the prison | |
| 11 | Exemption for authorised needle supply services | |
| 12 | Exemption for sale or supply in cases involving another's default | |
| 13 | Exemption in the case of forged prescription | 14 |
| 14 | Exemption for parenteral administration to human beings | 14 |
| 15 | Exemption for non-parenteral administration to human beings | |
| 16 | Citation | 14 |
| | | |
| | | |
| SCHEDU | LE 1 | 16 |
| SCHEDU PART 1 | LE 1 | 16 |
| PART 1 | LE 1 PTION ONLY MEDICINES | |
| PART 1 | | 16 |
| PART 1 PRESCRIF | | 16 16 |
| PART 1 PRESCRIF PART 2 PART 3 | | 16 16 68 |
| PART 1 PRESCRIF PART 2 PART 3 | TION ONLY MEDICINES | 16 16 68 69 |
| PART 1 PRESCRIF PART 2 PART 3 NAMED F | TION ONLY MEDICINES | 16 16 68 69 69 |
| PART 1 PRESCRIF PART 2 PART 3 NAMED F TABLE A | TION ONLY MEDICINES | 16 16 68 69 69 69 |

| SCHEDULE 2 | 83 |
|--|--------|
| EXEMPTION FOR CERTAIN PERSONS FROM ARTICLE 57(2) OF THE LAW | 83 |
| PART 1 | 83 |
| PART 2 | 87 |
| PART 3 | 89 |
| SCHEDULE 3 | 92 |
| SUBSTANCES THAT MUST NOT BE CONTAINED IN A PRESCRIPTION ONLY MEDICINE EX | EMPTED |
| BY ARTICLE 9 | 92 |
| SCHEDULE 4 | 94 |
| CLINICAL MANAGEMENT PLAN | 94 |
| 1 Information to be included in clinical management plan | 94 |
| ENDNOTES | 95 |
| Table of Legislation History | |
| Table of Renumbered Provisions Table of Endnote References | |
| ומטופ טו בוועווטנפ הפופופוונפג | |



MEDICINES (PRESCRIPTION ONLY) (JERSEY) ORDER 1997¹

THE HEALTH AND SOCIAL SERVICES COMMITTEE in pursuance of Articles 57 and 110 of the <u>Medicines (Jersey) Law 1995</u>, after consultation with the Medicines Advisory Council and having otherwise complied with Article 110 of the Law, orders as follows –

Commencement [see endnotes]

1 Interpretation

(1) In this Order, unless the context otherwise requires –

"aerosol" means a product that is dispersed from its container by a propellent gas or liquid;

"controlled drug" has the same meaning as it has in Article 3 of the <u>Misuse of</u> <u>Drugs (Jersey) Law 1978;</u>

"cyanogenetic substances" means preparations -

- (a) that are presented for sale or supply under the name of, or as containing, amygdalin, laetrile or vitamin B17; or
- (b) that contain more than 0.1% by weight of any substance having the formula α -cyanobenzyl-6-*O*- β -D-glucopyranosyl- β -D-glucopyranoside or α -cyanobenzyl- β -D-glucopyranosiduronic acid;

"dosage unit" means -

- (a) where a medicinal product is in the form of a tablet or capsule or is an article in some other similar pharmaceutical form, that tablet, capsule or other article; and
- (b) where a medicinal product is not in any such form, the quantity of the product that is used as the unit by reference to which the dose is measured;

"external use" means application to the skin, hair, teeth, mucosa of the mouth, throat, nose, ear, eye, vagina or anal canal, when a local action only is intended and extensive systemic absorption is unlikely to occur; but does not mean application by means of a throat spray, throat pastille, throat lozenge, throat tablet, nasal drop, nasal spray, nasal inhalation or teething preparation;

"health prescription" means a prescription described in Article 15(2) of the <u>Health</u> <u>Insurance (Jersey) Law 1967;</u>

"health record" has the same meaning as in the Data Protection (Jersey) Law 2018;

"inhaler" does not include an aerosol;

"Law" means the Medicines (Jersey) Law 1995;

"master" has the same meaning as it has in the Merchant Shipping Act 1894 of the United Kingdom;

"maximum daily dose" or "MDD" means, in relation to a substance contained in the amount of a medicinal product for internal use, the recommended maximum quantity to be taken or administered in a period of 24 hours;

"maximum dose" or "MD" means, in relation to a substance contained in the amount of a medicinal product for internal use, the recommended maximum quantity to be taken or administered at any one time;

"maximum strength" means such of the following as may be specified -

- (a) the maximum quantity of a substance by weight or volume contained in a dosage unit of a medicinal product;
- (b) the maximum number of units of activity contained in a dosage unit or a weight of a medicinal product; and
- (c) the maximum percentage of a substance contained in a medicinal product calculated in terms of weight in weight, weight in volume, volume in weight or volume in volume, as appropriate;

"medicinal product" does not include a veterinary drug;

"occupational health scheme" means a scheme in which a person in the course of a business carried on by him or her provides facilities for his or her employees, for the treatment or prevention of disease;

"operator", in relation to an aircraft, means the person for the time being having the management of the aircraft;

"parenteral administration" means administration by breach of the skin or mucous membrane;

"prescription only medicine" means a medicinal product that is specified by this Order as a prescription only medicine;

"registered optometrist" has the same meaning as it has in Article 1(1) of the Opticians (Registration) (Jersey) Law 1962;

"repeatable prescription" means a prescription containing a direction that it shall or may be dispensed more than once;

"soaps" means any compounds of a fatty acid with an alkali or amine;

"state registered paramedic" means a person who is registered in the register established and maintained under section 60 and paragraph 1(a) of Schedule 3 to the Health Act 1999 of the United Kingdom;

"supplementary prescriber" means any of the following -

(a) a midwife or nurse, whose entry on the register established and maintained under article 5 of the Nursing and Midwifery Order 2001 of the United Kingdom indicates that he or she is, or may act as, only a supplementary prescriber;

- (b) an optometrist, whose entry on the register established and maintained under section 7(a) of the Opticians Act 1989 of the United Kingdom indicates that he or she is, or may act as, only a supplementary prescriber;
- (c) a pharmacist, whose entry on the register established and maintained under article 19 of the Pharmacy Order 2010 of the United Kingdom indicates that he or she is, or may act as, only a supplementary prescriber;
- (d) a physiotherapist, podiatrist or radiographer, whose entry on the register established and maintained under article 5 of the Health and Social Work Professions Order 2001 of the United Kingdom indicates that he or she is, or may act as, only a supplementary prescriber.

"unit preparation" means a preparation (including a mother tincture) that is prepared by a process of solution, extraction or trituration, with a view to being diluted tenfold or one hundredfold (either once or repeatedly) in an inert diluent and then used either in that diluted form or (where applicable) by impregnating tablets, granules, powders or other inert substances.²

- (2) In this Order
 - (a) in Schedules 1 and 2, the following abbreviations are used –

"g" for gram;

"iu" for international unit of activity;

"mcg" for microgram;

"mg" for milligram; and

"ml" for millilitre; and

- (b) in Schedule 1
 - (i) entries in any of columns 2, 3 and 4 of Parts 1 and 2 relate only to the substances specified in column 1 against which they appear,
 - (ii) where, in relation to a particular substance specified in column 1, an entry in any of columns 2, 3 and 4 bears a number or letter, that entry relates only to entries in the other of columns 2, 3 and 4 that bear the same number or letter, and
 - (iii) the entries in column 4 of Part 1 shall be read subject to the note at the end of that Part.
- (3) Without prejudice to Article 10 of the <u>Interpretation (Jersey) Law 1954</u>, every provision in the <u>Medicines (Jersey) Law 1995</u> that relates in any other way to its interpretation shall also apply in the same way to this Order, unless the context otherwise requires.

2 Prescription only medicines

The following descriptions and classes of medicinal products are specified for the purposes of Article 57(1)(a) of the Law, and are accordingly prescription only medicines, namely –

 (a) medicinal products that consist of or contain a substance specified in column 1 of Part 1 of Schedule 1 to this Order;

- (b) medicinal products that are controlled drugs;
- (c) medicinal products that are for parenteral administration, whether or not they fall within sub-paragraph (a) or (b) of this paragraph;
- (d) medicinal products that
 - (i) are not of a description and do not fall within a class specified in any of subparagraphs (a), (b) and (c) of this paragraph,
 - (ii) are of a description in respect of which the conditions in Article 58(1) of the Law are fulfilled, and
 - (iii) are products in respect of which a product licence is granted, after the commencement of this Order, containing a provision to the effect that the method of sale or supply of the medicinal product is to be only in accordance with a prescription given by a person who is an appropriate practitioner; and
- (e) cyanogenetic substances, other than preparations for external use.³

3 Medicinal products that are not prescription only medicines

- (1) Notwithstanding Article 2, a medicinal product shall not be a prescription only medicine by reason that it consists of or contains a substance specified in column 1 of Part 1 of Schedule 1, where
 - (a) in relation to that substance there is an entry in any of columns 2, 3 and 4;
 - (b) the maximum strength in the product of that substance does not exceed the maximum strength (if any) specified in column 2; and
 - (c) the medicinal product is sold or supplied
 - (i) if a pharmaceutical form or a route of administration is specified in column 3, in such pharmaceutical form, and for administration only by such route, as may be so specified,
 - (ii) if a use is specified in column 3, in a container or package labelled (in either case) to show a use so specified to which the medicinal product is to be put but no use not so specified,
 - (iii) if a maximum dose is specified in column 4, in a container or package labelled (in either case) to show a maximum dose not exceeding that specified, and
 - (iv) if a maximum daily dose is specified in column 4, in a container or package labelled (in either case) to show a maximum daily dose not exceeding that specified.
- (2) Notwithstanding Article 2 of this Order, a medicinal product shall not be a prescription only medicine by reason that it is a controlled drug, where
 - (a) it contains not more than one of the substances specified in column 1 of Part 2 of Schedule 1 to this Order and no other controlled drug;
 - (b) it contains that substance at a strength that does not exceed the maximum strength specified in column 2; and
 - (c) it is sold or supplied
 - (i) in such pharmaceutical form as may be specified in column 3, and

- (ii) in or from a container or package labelled (in either case) to show a maximum dose not exceeding that specified in column 4.
- (4) Notwithstanding Article 2, a medicinal product specified in Part 3 or 4 of Schedule 1 shall not be a prescription only medicine.

4 New medicinal products

For the purposes of Article 58(2)(a) of the Law their duration shall be a period of 5 years.

5 Appropriate practitioner⁴

- (1) For the purposes of Article 57(1), the following are appropriate practitioners
 - (a) doctors;
 - (b) dentists;
 - (c) veterinary surgeons;
 - (d) nurse independent prescribers;
 - (e) optometrist independent prescribers, but only in relation to a medicinal product that is not a controlled drug and that is not for parenteral administration;
 - (f) paramedic independent prescribers, but only in relation to a medicinal product that does not contain a controlled drug other than
 - (i) Codeine,
 - (ii) Fentanyl,
 - (iii) Midazolam, or
 - (iv) Morphine; and
 - (g) pharmacist independent prescribers;
 - (h) physiotherapist independent prescribers, but only in relation to a medicinal product that does not contain a controlled drug other than
 - (i) Dihydrocodeine,
 - (ii) Fentanyl,
 - (iii) Morphine,
 - (iv) Oxycodone, or
 - (v) Temazepam;
 - podiatrist independent prescribers, but only in relation to a medicinal product that does not contain a controlled drug other than Dihydrocodeine or Temazepam;
 - (j) supplementary prescribers;
 - (k) therapeutic radiographer independent prescribers, but only in relation to a medicinal product that does not contain a controlled drug other than
 - (i) Codeine,
 - (ii) Fentanyl,
 - (iii) Midazolam,

- (iv) Morphine,
- (v) Oxycodone,
- (vi) Temazepam, or
- (vii) Tramadol.
- (2) In this Article, a reference to the following occupations is taken to be a reference to a person registered in respect of that occupation under the <u>Health Care</u> (Registration) (Jersey) Law 1995
 - (a) nurse independent prescriber;
 - (b) optometrist independent prescriber;
 - (c) paramedic independent prescriber;
 - (d) pharmacist independent prescriber;
 - (e) physiotherapist independent prescriber;
 - (f) podiatrist independent prescriber;
 - (g) therapeutic radiographer independent prescriber.

6 Conditions for prescriptions relating to sale and supply⁵

- (1) For the purposes of Article 57(2)(a) of the Law (read with paragraph (4) of that Article), a prescription only medicine shall not be taken to be sold or supplied in accordance with a prescription given by an appropriate practitioner unless the conditions in paragraph (2) of this Article are fulfilled.
- (2) The conditions to which paragraph (1) refers are
 - (a) the prescription shall be written in ink or otherwise so as to be indelible, unless it is a health prescription that is not for a controlled drug specified in any of Schedules 1, 2 and 3 to the Misuse of Drugs (General Provisions) (Jersey) Order 1989, in which case it may be written using carbon paper or similar material;
 - (b) the prescription shall be signed in ink, with his or her own name, by the practitioner giving it;
 - (c) the prescription shall contain the following information
 - (i) the address of the practitioner giving it,
 - (ii) the appropriate date,
 - (iii) by virtue of which of the paragraphs of Article 5 the practitioner giving it is an appropriate practitioner,
 - (iv) where the practitioner giving it is an appropriate practitioner other than a veterinary surgeon, the name and address of the person for whose treatment it is given and (if that person is under 12) his or her age, and
 - (v) where the practitioner giving it is a veterinary surgeon, the name and address of the person to whom the prescription only medicine is to be delivered, and a declaration by that veterinary surgeon that the prescription only medicine is prescribed for an animal or herd under his or her care;

- (ca) in the case of a prescription given by a supplementary prescriber, the supplementary prescriber
 - (i) has given the prescription in accordance with the terms of a clinical management plan containing the information specified in Schedule 4, such plan relating to an individual patient and to which the following are parties
 - (A) the patient,
 - (B) the patient's doctor or dentist, and
 - (C) the supplementary prescriber, and
 - (ii) has access to the health records of the patient to whom the clinical management plan relates to the extent that such records are used by the doctor or dentist who is a party to the plan;
- (d) the prescription shall not be dispensed after the end of the period of 6 months from the appropriate date unless it is a repeatable prescription, in which case it shall not be dispensed for the first time after the end of that period or otherwise than in accordance with the direction contained in the repeatable prescription; and
- (e) in the case of a repeatable prescription that does not specify the number of times that it may be dispensed, the prescription shall not be dispensed on more than 2 occasions unless it is a prescription for oral contraceptives, in which case it may be dispensed 6 times before the end of the period of 6 months from the appropriate date.⁶
- (3) The restrictions in Article 57(2)(a) of the Law shall not apply to a sale or supply of a prescription only medicine that, by reason only that a condition in paragraph (2) of this Article is not fulfilled, is not in accordance with a prescription given by an appropriate practitioner, where the person selling or supplying the prescription only medicine, having exercised all due diligence, believes on reasonable grounds that that condition is fulfilled in relation to that sale or supply.
- (4) In paragraph (2), the "appropriate date" means
 - (a) in the case of a health prescription
 - (i) the date on which it was signed by the practitioner by whom it was given, or
 - (ii) if it also contains a date indicated by him or her as being the date before which it shall not be dispensed, the later of the 2 dates; and
 - (b) in every other case, the date on which the prescription was signed by the practitioner by whom it was given.

6A Conditions for prescriptions – administration⁷

- (1) For the purposes of Article 57(2)(b) of the Law (read with paragraph (4) of that Article), a prescription only medicine shall not be taken to be administered by a supplementary prescriber or by a person acting in accordance with the directions of a supplementary prescriber unless the conditions in paragraph (2) are met.
- (2) Those conditions are that
 - (a) the supplementary prescriber is acting in accordance with the terms of a clinical management plan containing the information specified in

Schedule 4, such plan relating to an individual patient to which the following are parties -

- (i) the patient,
- (ii) the patient's doctor or dentist, and
- (iii) the supplementary prescriber; and
- (b) the supplementary prescriber has access to the health records of the patient to whom the clinical management plan relates to the extent that such records are used by the doctor or dentist who is a party to the plan.

7 Exemption for highly diluted medicinal products

The restrictions in Article 57(2) of the Law shall not apply to the sale, supply or administration of a medicinal product that is not for parenteral administration and only consists of or only contains one or more of the substances specified in column 1 of Part 1 or 2 of Schedule 1 to this Order, where -

- (a) each unit preparation has been diluted to at least one part in a million (6x), and the person selling, supplying or administering the medicinal product has been requested by or on behalf of a particular person and in that person's presence to use his or her own judgment as to the treatment required; or
- (b) each such unit preparation has been diluted to at least one part in a million million (6c).

8 Exemptions for specified categories of persons

- (1) The restrictions in Article 57(2)(a) of the Law shall not apply
 - (a) to the sale or supply by a person specified in column 1 of Part 1 of Schedule 2 to this Order; or
 - (b) to the supply by a person specified in column 1 of Part 2 of Schedule 2 to this Order,

of a prescription only medicine specified in column 2 of Part 1 or 2 of that Schedule in relation to that person, where the conditions in the corresponding paragraph in column 3 of that Part are fulfilled.

(2) The restriction in Article 57(2)(b) of the Law shall not apply to the administration by a person specified in column 1 of Part 3 of Schedule 2 to this Order of a prescription only medicine for parenteral administration specified in column 2 of that Part in relation to that person, where the conditions in the corresponding paragraph in column 3 of that Part are fulfilled.

9 Exemption for emergency sale or supply

- (1) The restrictions in Article 57(2)(a) of the Law shall not apply to the sale or supply of a prescription only medicine by a person who is lawfully conducting a retail pharmacy business, where the conditions in paragraph (2) of this Article or the alternative conditions in paragraph (3) of this Article are fulfilled.
- (2) The conditions to which paragraph (1) of this Article refers are –

- (a) the pharmacist by or under whose supervision the prescription only medicine is to be sold or supplied is satisfied that the sale or supply has been requested by a doctor who, by reason of any emergency, is unable to furnish a prescription immediately;
- (b) the doctor has undertaken to furnish the person lawfully conducting the retail pharmacy business with a prescription within 72 hours;
- (c) the prescription only medicine is sold or supplied in accordance with the directions of the doctor requesting it;
- (d) the prescription only medicine is not a controlled drug specified in any of Schedules 1, 2 and 3 to the Misuse of Drugs (General Provisions) (Jersey) Order 1989; and
- (e) an entry is made in the register to be kept under Article 3(1) of the <u>Medicines (Sale and Supply) (Miscellaneous Provisions) (Jersey)</u> <u>Order 1997</u>, within the appropriate time specified in that Article, of the information in paragraph 1 of Schedule 2 to that Order.
- (3) The alternative conditions to which paragraph (1) of this Article refers are
 - (a) the pharmacist by or under whose supervision the prescription only medicine is to be sold or supplied has interviewed the person requesting a prescription only medicine and is satisfied
 - that there is an immediate need for that prescription only medicine to be sold or supplied and that it is impracticable in the circumstances to obtain a prescription without undue delay,
 - (ii) that treatment with that prescription only medicine has been prescribed on a previous occasion by a doctor for the person requesting it from the pharmacist, or (as far as the pharmacist is reasonably able to ascertain) has been lawfully prescribed on a previous occasion by a medical practitioner outside Jersey for the person requesting it from the pharmacist, and
 - (iii) as to the dose which, in the circumstances, it would be appropriate for that person to take;
 - (b) the prescription only medicine
 - (i) will be sold or supplied in no greater quantity than will provide 5 days' treatment,
 - (ii) is a preparation of insulin, an aerosol for the relief of asthma, an ointment or a cream, and has been made up for sale in a container elsewhere than at the place of sale or supply, and is the smallest pack that the pharmacist has available for sale or supply,
 - (iii) is an oral contraceptive and is sufficient, but no more than sufficient, for a full cycle, or
 - (iv) is an antibiotic for oral administration in liquid form, and is the smallest quantity that will provide a full course of treatment;
 - (c) the prescription only medicine does not consist of or contain a substance specified in Schedule 3 to this Order and is not a controlled drug specified in any of the Schedules to the Misuse of Drugs (General Provisions) (Jersey) Order 1989;

- (d) an entry is made in the register to be kept under Article 3(1) of the <u>Medicines (Sale and Supply) (Miscellaneous Provisions) (Jersey)</u> <u>Order 1997</u> within the appropriate time specified in that Article, of the information in paragraph 3 of Schedule 2 to that Order; and
- (e) the container or package of the prescription only medicine is labelled so as to show
 - (i) the date on which the prescription only medicine is sold or supplied,
 - (ii) the name, quantity and (unless it is apparent from the name) the pharmaceutical form and strength of the prescription only medicine,
 - (iii) the name of the person requesting the prescription only medicine,
 - (iv) the name and address of the registered pharmacy from which the prescription only medicine is sold or supplied, and
 - (v) the words "Emergency Supply".⁸
- (4) The conditions in paragraph (2)(d) of this Article and in paragraph (3)(c) of this Article shall not apply where the prescription only medicine
 - (a) consists of or contains phenobarbitone or phenobarbitone sodium (but no other substance specified in Schedule 3 to this Order or in any of the Schedules to the Misuse of Drugs (General Provisions) (Jersey) Order 1989); and
 - (b) is sold or supplied for use in the treatment of epilepsy.

10 Exemption for sale or supply in hospitals or the prison⁹

- (1) The restrictions in Article 57(2)(a) of the Law shall not apply to the sale or supply of any prescription only medicine
 - (a) in the course of the business of a hospital; or
 - (b) by a pharmacy to the prison under the terms of a contract to supply medicinal products for the benefit of prisoners,

in accordance with the written directions of an appropriate practitioner, other than a supplementary prescriber, even though those directions do not fulfil the conditions in Article 6(2) of this Order.

(2) In the case of directions given by a supplementary prescriber, paragraph (1) applies except that the condition in Article 6(2)(ca) must be fulfilled as if the references to a prescription in that sub-paragraph were references to the directions given by the supplementary prescriber.

11 Exemption for authorised needle supply services¹⁰

The restrictions of Article 57(2)(a) of the Law shall not apply to the supply by a person, for parenteral administration, of ampoules of sterile water, if the supply is made by the person in the course of acting on behalf of a service provided by or on behalf of the States for the purpose of enabling the supply of syringes, and associated articles, so as to reduce the spread of disease.

12 Exemption for sale or supply in cases involving another's default

The restrictions in Article 57(2)(a) of the Law shall not apply to the sale or supply of a prescription only medicine by a person who, having exercised all due diligence, believes on reasonable grounds that the product sold or supplied is not a prescription only medicine, and it is because of an act or default of another person that the product is a product to which that sub-paragraph applies.

13 Exemption in the case of forged prescription

The restrictions in Article 57(2)(a) of the Law shall not apply to the sale or supply of a prescription only medicine by a pharmacist in accordance with a forged prescription where the pharmacist, having exercised all due diligence, believes on reasonable grounds that the prescription is genuine.

14 Exemption for parenteral administration to human beings

The restriction in Article 57(2)(b) of the Law shall not apply to the administration to human beings of any of the following medicinal products for parenteral administration, namely –

adrenaline injection BP; atropine sulphate injection; chlorpheniramine injection; cobalt edetate injection; dextrose injection strong B.P.C.; diphenhydramine injection; glucagon injection; hydrocortisone injection; mepyramine injection; naloxone injection; promethazine hydrochloride injection; snake venom antiserum: sodium nitrite injection; sodium thiosulphate injection; and sterile pralidoxime injection, where it is administered for the purpose of saving life in an emergency.

15 Exemption for non-parenteral administration to human beings

The restriction in Article 57(2)(b) of the Law shall not apply to the administration to human beings of a prescription only medicine that is not for parenteral administration.

16 Citation

This Order may be cited as the Medicines (Prescription Only) (Jersey) Order 1997.

SCHEDULE 1

(Articles 1(2), 2(a), 3(1) and 7)

PART 1¹¹

PRESCRIPTION ONLY MEDICINES

[Note –

- (x) indicates that the entry is to be read subject to paragraph 1 of the note at the end of Part 1 of Schedule 1
- (y) indicates that the entry is to be read subject to paragraph 2 of the note at the end of Part 1 of Schedule 1]

| Prescription Only | Circumstances In Which Substances Are Not | | |
|--------------------------|---|------------------|------------|
| Medicine | Prescription Only Medicines | | |
| Column 1 | Column 2 | Column 3 | Column 4 |
| Substance | Maximum strength | Use, | Maximum |
| | | pharmaceutical | dose and |
| | | form or route of | maximum |
| | | administration | daily dose |
| Acamprosate | | | |
| Acarbose | | | |
| Acebutolol Hydrochloride | | | |
| Aceclofenac | | | |
| Acemetacin | | | |
| Acetarsol | | | |
| Acetazolamide | | | |
| Acetazolamide Sodium | | | |
| Acetohexamide | | | |
| Acetylcholine Chloride | 0.2% | External | |
| Acetylcysteine | | | |
| Aciclovir | | | |
| Acipimox | | | |
| Acitretin | | | |
| Aclarubicin | | | |
| Hydrochloride | | | |
| Aconite | 1.3% | External | |
| Acrivastine | | | |
| Acrosoxacin | | | |
| Actinomycin C | | | |
| Actinomycin D | | | |
| Adapalene | | | |
| Adenosine | | | |
| Adrenaline | | (1) By inhaler | |
| | | (2) External | |

| Prescription Only Medicine | Circumstances In Which Substances Are Not Prescription Only Medicines | |
|-------------------------------|--|-------------|
| Adrenaline Acid Tartrate | | y inhaler |
| | | xternal |
| Adrenaline Hydrochloride | (1) B | y inhaler |
| 5 | | xternal |
| Adrenocortical Extract | | |
| Aclofenac | | |
| Albendazole | | |
| Alclometasone | | |
| Dipropionate | | |
| Alcuronium Chloride | | |
| Aldesleukin | | |
| Aldosterone | | |
| Alendronate Sodium | | |
| Alfacalcidol | | |
| Alfuzosin Hydrochloride | | |
| Allergen Extracts | | |
| Allopurinol | | |
| Allyloestrenol | | |
| Aloxiprin | | |
| Alphadolone Acetate | | |
| Alphaxalone | | |
| Alprenolol | | |
| Alprenolol Hydrochloride | | |
| Alprostadil | | |
| Alseroxylon | | |
| Altretamine | | |
| Amantadine | | |
| Hydrochloride | | |
| Ambenonium Chloride | | |
| Ambutonium Bromide | | |
| Amcinonide | | |
| Ametazole Hydrochloride | | |
| Amethocaine | Any | use (except |
| | local | ophthalmic |
| | use) | |
| Amethocaine Gentisate | Any | use (except |
| | local | ophthalmic |
| | use) | |
| Amethocaine | | use (except |
| Hydrochloride | | ophthalmic |
| | use) | |
| Amikacin Sulphate | | |
| Amiloride Hydrochloride | | |
| Aminocaproic Acid | | |
| Aminoglutethimide | | |
| Aminopterin Sodium | | |
| Amiodarone | | |
| Hydrochloride | | |

| Prescription Only | Circumstances In Wi | hich Substances A | re Not |
|--------------------------------|-----------------------------|--------------------------|--------|
| Medicine | Prescription Only Medicines | | |
| Amiphenazole | | | |
| Hydrochloride | | | |
| Amisulpride | | | |
| Amitriptyline | | | |
| Amitriptyline Embonate | | | |
| Amitriptyline | | | |
| Hydrochloride | | | |
| Amlodipine Besylate | | | |
| Ammonium Bromide | | | |
| Amodiaquine | | | |
| Hydrochloride | | | |
| Amorolfine | | | |
| Hydrochloride | | | |
| Amoxapine | | | |
| Amoxapine | | | |
| | | | |
| Amoxycillin Sodium | | | |
| Amoxycillin Trihydrate | | | |
| Amphomycin Calcium | | | |
| Amphotericin | | | |
| Ampicillin | | | |
| Ampicillin Sodium | | | |
| Ampicillin Trihydrate | | | |
| Amsacrine | | | |
| Amygdalin | | | |
| Amyl Nitrite | | | |
| Amylocaine | | Any use (except | |
| Hydrochloride | | local ophthalmic use) | |
| Anastrazole | | use) | |
| Ancrod | | | |
| Androsterone | | | |
| Angiotensin Amide | | | |
| | | | |
| Anistreplase | | | |
| Anterior Pituitary Extract | | | |
| Antimony Barium Tartrate | | | |
| | | | |
| Antimony | | | |
| Dimercaptosuccinate | | | |
| Antimony Lithium Thiomalate | | | |
| | | | |
| Antimony Pentasulphide | | | |
| Antimony Potassium | | | |
| Tartrate | | | |
| Antimony Sodium | | | |
| Tartrate | | | |
| Antimony Sodium | | | |
| Thiogycollate | | | |
| Antimony Sulphate | | | |
| Antimony Trichloride | | | |

| Prescription Only Medicine | Circumstances In Which Subst Prescription Only Medicines | ances Are Not |
|-------------------------------|---|------------------|
| Antimony Trioxide | | |
| Antimony Trisulphide | | |
| Apiol | | |
| Apomorphine | | |
| Apomorphine | | |
| Hydrochloride | | |
| Apraclonidine | | |
| Hydrochloride | | |
| Aprotinin | | |
| Arecoline Hydrobromide | | |
| Argipressin | | |
| Aristolochia | | |
| Aristolochia Clematitis | | |
| | | |
| Aristolochia Contorta | | |
| Aristolochia Debelis | | |
| Aristolochia Fang-chi | | |
| Aristolochia | | |
| Manshuriensis | | |
| Aristolochia Serpentaria | | |
| Arsenic | | |
| Arsenic Triiodide | | |
| Arsenic Trioxide | | |
| Arsphenamine | | |
| Aspirin | Any form | |
| | non-effer | vescent |
| | tablets or | |
| | capsules) | |
| Astemizole | | |
| Atenolol | | |
| Atorvastatin | | |
| Atorvastatin Calcium | | |
| Atovaquone | | |
| Atracurium Besylate | | |
| Atropine | (1) Intern | al: |
| | (a) by inh | aler (b) 300 mcg |
| | (b) otherw | vise (MD) 1 mg |
| | than by in | haler (MDD)(x) |
| | (2) Extern | nal |
| | (except lo | |
| | ophthalm | ic use) |
| Atropine Methobromide | (1) Intern | al: |
| | (a) by inh | aler (b) 400 mcg |
| | (b) otherw | |
| | than by in | |
| | (2) Extern | |
| | (except lo | |
| | ophthalm | |

| Prescription Only | Circumstances In Which Substances Are Not | | |
|--------------------------|---|-----------------|--|
| Medicine | Prescription Only Medicines | | |
| Atropine Methonitrate | Internal: | | |
| - | (a) by inhaler | (b) 400 mcg | |
| | (b) otherwise | (MD) 1.3 mg | |
| | than by inhaler | (MDD)(x) | |
| Atropine Oxide | (1) Internal: | | |
| Hydrochloride | (a) by inhaler | (b) 360mcg | |
| 2 | (b) otherwise | (MD) 1.2mg | |
| | than by inhaler | (MDD)(x) | |
| | (2) External | | |
| | (except local | | |
| | opthalmic use) | | |
| Atropine Sulphate | (1) Internal: | | |
| | (a) by inhaler | (b) 360 mcg | |
| | (b) otherwise | (MD) 1.2 mg | |
| | than by inhaler | (MD)(x) | |
| | (2) External | | |
| | (except local | | |
| | ophthalmic use) | | |
| Auranofin | | | |
| Azapropazone | | | |
| Azathioprine | | | |
| Azathioprine Sodium | | | |
| Azelaic Acid | | | |
| Azelastine Hydrochloride | | | |
| Azidocillin Potassium | | | |
| Azithromycin | | | |
| Azlocillin Sodium | | | |
| Aztreonam | | | |
| Bacampicillin | | | |
| Hydrochloride | | | |
| Bacitracin | | | |
| Bacitracin Methylene | | | |
| Disalicylate | | | |
| Bacitracin Zinc | | | |
| Baclofen | | | |
| Balsalazide Sodium | | | |
| Bambuterol | | | |
| Hydrochloride | | | |
| Barium Carbonate | | | |
| Barium Chloride | | | |
| Barium Sulphide | | | |
| Beclamide | | | |
| Beclomethasone | | | |
| Beclomethasone | | | |
| Diproprionate | | | |
| Belladonna Herb | (1) Internal | (1) 1 mg of the | |
| | (1) Internal (2) External | alkaloids | |
| | (2) External | ananoius | |

| Prescription Only Medicine | Circumstances In Prescription Only | Which Substances A Medicines | re Not |
|-------------------------------|---------------------------------------|---|---|
| Belladonna Root | | (1) Internal(2) External | (1) 1 mg of the alkaloids(MDD) |
| Bemegride | | | |
| Bemegride Sodium | | | |
| Benapryzine | | | |
| Hydrochloride | | | |
| Bendrofluazide | | | |
| Benethamine Penicillin | | | |
| Benoxaprofen | | | |
| Benperidol | | | |
| Benserazide | | | |
| Benserazide | | | |
| Hydrochloride | | | |
| Bentiromide | | | |
| Benzathine Penicillin | | | 1 |
| Benzbromarone | | | |
| Benzhexol Hydrochloride | | | |
| Benzilonium Bromide | | | |
| Benzocaine | | Any use (except local ophthalmic | |
| Developed and and | | use) | |
| Benzoctamine | | | |
| Hydrochloride | 10.00/ | | |
| Benzoyl Peroxide | 10.0% | External | |
| N-Benzoyl | | | |
| Sulphanilamide | | | |
| Benzquinamide | | | |
| Benzquinamide | | | |
| Hydrochloride | | | |
| Benzthiazide | | | |
| Benztropine Mesylate | | | |
| Benzylpenicillin Calcium | | | |
| Benzylpenicillin | | | |
| Potassium | | | |
| Benzylpenicillin Sodium | | | |
| Beractant | | | |
| Betahistine | | | |
| Hydrochloride | | | |
| Betamethasone | | | |
| Betamethasone | | | |
| Adamantoate | | | |
| Betamethasone Benzoate | | | |
| Betamethasone | | | |
| Dipropionate | | | |
| Betamethasone Sodium | | | |
| Phosphate | | | |
| Betamethasone Valerate | | | |
| Betaxolol Hydrochloride | | | |

| Prescription Only | Circumstances In Wh | ich Substances A | re Not |
|-------------------------|-----------------------------|---|----------------|
| Medicine | Prescription Only Medicines | | |
| Bethanechol Chloride | | | |
| Bethanidine Sulphate | | | |
| Bezafibrate | | | |
| Bicalutamide | | | |
| Biperiden Hydrochloride | | | |
| Biperiden Lactate | | | |
| Bismuth | | | |
| Glycollylarsanilate | | | |
| Bisoprolol Fumarate | | | |
| Bleomycin | | | |
| Bleomycin Sulphate | | | |
| Bretylium Tosylate | | | |
| Brimonidine Tartrate | | | |
| Bromhexine | | | |
| Hydrochloride | | | |
| Bromocriptine Mesylate | | | |
| Bromperidol | | | |
| Bromvaletone | | | |
| Brotizolam | | | |
| Budesonide | | | |
| Bufexamac | | | |
| Bumetanide | | | |
| Buphenine Hydrochloride | | | 6 mg (MD) |
| Buphennie Hydrochlonde | | | 18 mg (MDD) |
| Bupivacaine | | Any use (except local ophthalmic use) | |
| Bupivacaine | | Any use (except | |
| Hydrochloride | | local ophthalmic use) | |
| Buserelin Acetate | | , | |
| Buspirone Hydrochloride | | | |
| Busulphan | | | |
| Butacaine Sulphate | | Any use (except local ophthalmic use) | |
| Butorphenol Tartrate | | | |
| Butriptyline | | | |
| Hydrochloride | | | |
| Cabergoline | | | |
| Calcipotriol | | | |
| Calcipotriol Hydrate | | | |
| Calcitonin | | | |
| Calcitriol | | | |
| Calcium Amphomycin | | | |
| Calcium | | | |
| Benzamidosalicylate | | | |
| Calcium Bromide | | | |

| Prescription Only | Circumstances I | n Which Substance | s Are Not |
|-------------------------------|-----------------|-------------------|------------------------------|
| Medicine | Prescription On | | |
| Calcium | Trescription On | | |
| Bromidolactobionate | | | |
| Calcium Carbimide | | | |
| Calcium Folinate | | | |
| Calcium Metrizoate | | | |
| Calcium Sulphaloxate | | | |
| Candesartan Cilexetil | | | |
| Candicidin | | | |
| | | | |
| Canrenoic Acid Cantharidin | 0.010/ | Enterne 1 | |
| | 0.01% | External | |
| Capreomycin Sulphate | | | |
| Captopril | | | |
| Carbachol | | | |
| Carbamazepine | | | |
| Carbaryl | | | |
| Carbasalate Calcium | | | |
| Carbenicillin Sodium | | | |
| Carbenoxolone Sodium | | (1) Pellet | (1) 5 mg (MD) 25 mg (MDD) |
| | (2) 2.0% | (2) Gel | |
| Carbidopa | | | |
| Carbimazole | | | |
| Carbocisteine | | | |
| Carbon Tetrachloride | | | |
| Carboplatin | | | |
| Carboprost Trometamol | | | |
| Carbuterol Hydrochloride | | | |
| Carfecillin Sodium | | | |
| Carindacillin Sodium | | | |
| Carisoprodol | | | |
| Carmustine | | | |
| Carperidine | | | |
| Carteolol Hydrochloride | | | |
| Cefaclor | | | |
| Cefadroxil | | | |
| Cefazedone Sodium | | | |
| Cefdinir | | | |
| Cefixime | | | |
| Cefodizime Sodium | | | |
| Cefotaxime Sodium | | | |
| | | | |
| Cefoxitin Sodium | | | |
| Cefpodoxime Proxetil | | | |
| Cefprozil | | | |
| Cefsulodin Sodium | | | |
| Ceftazidime | | | |
| Ceftizoxime Sodium | | | |
| Ceftriaxone Sodium | | | |
| Cefuroxime Axetil | | | |

| Prescription Only Medicine | Circumstances In Which Substances Are Not Prescription Only Medicines | | |
|---------------------------------|--|----------------|--|
| Cefuroxime Sodium | | | |
| Celiprolol Hydrochloride | | | |
| Cephalexin | - | | |
| Cephalexin Sodium | | | |
| Cephaloridine | | | |
| Cephalothin Sodium | | | |
| Cephamandole Nafate | | | |
| Cephazolin Sodium | | | |
| Cephradine | - | | |
| Cerium Oxalate | - | | |
| Cerivastatin | | | |
| Cerivastatin Sodium | | | |
| Ceruletide Diethylamine | | | |
| Cetirizine | + | | |
| Chenodeoxycholic Acid | | | |
| | + | Extornal | |
| Chloral Hydrate Chlorambucil | | External | |
| | | | |
| Chloramphenicol | | | |
| Chloramphenicol | | | |
| Cinnamate | | | |
| Chloramphenicol | | | |
| Palmitate | | | |
| Chloramphenicol Sodium | | | |
| Succinate | - | | |
| Chlorhexadol | | | |
| Chlormadinone Acetate | | | |
| Chlormerodrin | | | |
| Chlormethiazole | | | |
| Chlormethiazole | | | |
| Edisylate | | | |
| Chlormezanone | | | |
| Chloroform | (1) 5.0% | (1) Internal | |
| | | (2) External | |
| Chloroquine Phosphate | | Prophylaxis of | |
| | | malaria | |
| Chloroquine Sulphate | | Prophylaxis of | |
| | ļ | malaria | |
| Chlorothiazide | ļ | | |
| Chlorotrianisene | | | |
| Chlorphenoxamine | | | |
| Hydrochloride | | | |
| Chlorpromazine | | | |
| Chlorpromazine | | | |
| Embonate | | | |
| Chlorpromazine | | | |
| Hydrochloride | | | |
| Chlorpropamide | | | |
| Chlorprothixene | | | |

| Prescription Only | Circumstances In Wh | nich Substances A | re Not |
|--------------------------|-----------------------------|-------------------|--------|
| Medicine | Prescription Only Medicines | | |
| Chlorprothixene | • • | | |
| Hydrochloride | | | |
| Chlortetracycline | | | |
| Chlortetracycline | | | |
| Calcium | | | |
| Chlortetracycline | | | |
| Hydrochloride | | | |
| Chlorthalidone | | | |
| Chlorzoxazone | | | |
| Cholestyramine | | | |
| Chorionic Gonadotrophin | | | |
| Ciclacillin | | | |
| Ciclobendazole | | | |
| Cidofovir | | | |
| Cilastatin Sodium | | | |
| Cilazapril | | | |
| Cimetidine | | | |
| Cimetidine Hydrochloride | | | |
| Cinchocaine | 3.0% | Any use (except | |
| | | local ophthalmic | |
| | | use) | |
| Cinchocaine | Equivalent of 3.0% of | Any use (except | |
| Hydrochloride | Cinchocaine | local ophthalmic | |
| | | use) | |
| Cinchophen | | | |
| Cinoxacin | | | |
| Ciprofibrate | | | |
| Ciprofloxacin | | | |
| Ciprofloxacin | | | |
| Hydrochloride | | | |
| Cisapride | | | |
| Cisplatin | | | |
| Citalopram | | | |
| Hydrobromide | | | |
| Clarithromycin | | | |
| Clavulanic Acid | | | |
| Clenbuterol | | | |
| Hydrochloride | | | |
| Clidinium Bromide | | | |
| Clindamycin | | | |
| Clindamycin | | | |
| Hydrochloride | | | |
| Clindamycin Palmitate | | | |
| Hydrochloride | | | |
| Clindamycin Phosphate | | | |

| Prescription Only Medicine | Circumstances I Prescription On | In Which Substances An Iv Medicines | re Not |
|-------------------------------|------------------------------------|---|------------|
| Clioquinol | (1) 35 mg | (1) Treatment of | (1) 350 mg |
| Choquinoi | (1) 55 mg | (1) Treatment of mouth ulcers (2) External (except treatment of mouth ulcers) | (MDD) |
| Clobetasol Propionate | | of mouth dieers) | |
| Clobetasone Butyrate | | | |
| Clofazimine | | | |
| Clofibrate | | | |
| Clomiphene Citrate | | | |
| Clomipramine | | | |
| Clomipramine | | | |
| Hydrochloride | | | |
| Clomocycline | | | |
| Clomocycline Sodium | | | |
| Clonidine | | | |
| Clonidine Hydrochloride | | | |
| Clopamide | | | |
| Clopenthixol Decanoate | | | |
| Clopenthixol | | | |
| Hydrochloride | | | |
| Clorexolone | | | |
| Clostebol Acetate | | | |
| Clotrimazole | | External but, in | |
| | | the case of vaginal use, only for the treatment of vaginal candidiasis | |
| Cloxacillin Benzathine | | | |
| Cloxacillin Sodium | | | |
| Clozapine | | | |
| Cocculus Indicus | | | |
| Co-dergocrine Mesylate | | | |
| Colaspase | | | |
| Colchicine | | | |
| Colestipol Hydrochloride | | | |
| Colfosceril Palmitate | | | |
| Colistin Sulphate | | | |
| Colistin Sulphomethate | | | |
| Colistin Sulphomethate | | | |
| Sodium | | | |
| Coniine | | | |
| Conium Leaf | 7.0% | External | |
| Corticotrophin | | | |
| Cortisone | | | |
| Cortisone Acetate | | | |
| Co-tetroxazine | | | |
| Co-Trimoxazole | | | |

| Prescription Only | Circumstances I | n Which Substances Ar | e Not |
|--------------------------|-------------------------|------------------------|-------------|
| Medicine | Prescription Onl | v Medicines | |
| Copropamide | • | | |
| Crotethamide | | | |
| Croton Oil | | | |
| Croton Seed | | | |
| Curare | | | |
| Cyclofenil | | | |
| Cyclopenthiazide | | | |
| Cyclopentolate | | | |
| Hydrochloride | | | |
| Cyclophosphamide | | | |
| Cycloserine | | | |
| Cyclosporin | | | |
| Cyclothiazide | | | |
| Cyproterone Acetate | | | |
| Cytarabine | | | |
| Cytarabine Hydrochloride | | | |
| Dacarbazine | | | |
| Dalteparin Sodium | | | |
| Danazol | | | |
| Danthron | | | |
| Dantrolene Sodium | | | |
| Dapsone | | | |
| Dapsone Ethane Ortho | | | |
| Sulphonate | | | |
| Daunorubicin | | | |
| Hydrochloride | | | |
| Deanol Bitartrate | | | 26 mg (MDD) |
| Debrisoquine Sulphate | | | |
| Demecarium Bromide | | | |
| Demeclocycline | | | |
| Demeclocycline Calcium | | | |
| Demeclocycline | | | |
| Hydrochloride | | | |
| Deoxycortone Acetate | | | |
| Deoxycortone Pivalate | | | |
| Deptotropine Citrate | (1) 0.27 | | |
| Dequalinium Chloride | (1) 0.25 mg | (1) Internal: | |
| | | throat lozenges or | |
| | (2) 1.0% | (2) External: | |
| | (2) 1.0% | (2) External: paint | |
| Deserpidine | | i | |
| Desferrioxamine | | | |
| Mesylate | | | |
| Desflurane | | | |
| Desfluorotriamcinolone | | | |
| Desipramine | | | |
| Hydrochloride | | | |
| Deslanoside | | | |

| Prescription Only Medicine | Circumstances In V Prescription Only N | | es Are Not |
|--|---|--------------|---------------------------|
| Desmopressin | | | |
| Desogestrel | | | |
| Desonide | | | |
| Desoxymethasone | - | | |
| Desoxymethasone | | | |
| Dexamethasone Acetate | | | |
| Dexamethasone | | | |
| Isonicotinate | | | |
| Dexamethasone | | | |
| Phenylpropionate | | | |
| Dexamethaone Pivalate | | | |
| Dexamethasone Sodium | - | | |
| | | | |
| <i>m</i> -Sulphobenzoate Dexamethasone Sodium | - | | |
| | | | |
| Phosphate Dexamethasone | + | | |
| Troxundate | | | |
| | | | |
| Dexfenfluramine | | | |
| Hydrochloride | | Turker un el | Le dha ann a f |
| Dextromethorphan | | Internal | In the case of |
| Hydrobromide | | | a controlled |
| | | | release |
| | | | preparation: |
| | | | equivalent of |
| | | | 30 mg of Dextromethor- |
| | | | |
| | | | phan (MD) |
| | | | equivalent of 75 mg of |
| | | | Dextromethor- |
| | | | phan (MDD) |
| | | | In any other |
| | | | • |
| | | | case: equivalent of |
| | | | 15 mg of |
| | | | Dextromethor- |
| | | | phan (MD) |
| | | | equivalent of |
| | | | 75 mg of |
| | | | Dextromethor- |
| | | | phan (MDD) |
| Dextrothyroxine Sodium | <u> </u> | | |
| Diazoxide | + | | |
| | 1 | | |
| Dibenzepin Hydrochlorida | | | |
| Hydrochloride | + | | |
| Dichloralphenazone | | | |
| Dichlorphenamide | + | | |
| Diclofenac | | | |
| Diethylammonium | 1 | | |

| MedicinePrescription Only MedicinesDiclofenac PotassiumIDiclofenac Sodium10 mg (MD)Hydrochloride00 mg (MDD)HydrochlorideIDicorenac SodiumIDicorenac SodiumIDidanosineIDienoestrolIDiflucortolone ValerateIDiflunisalIDigitalinIDigitalis LeafIDigitalis, PreparedIDigotxinIDigotxinIDigotxinIDigotxinIDihydroergotamineIMesylateIDihydrostreptomycinIDihydrostreptomycinIDihartazine SulphateIDihydrochlorideIDimetrohisoquinAny use (exceptHydrochlorideIDimetrohizizne <tdi< td="">DimetrohizizneIDimetrohizizneIDimethyllubocurarineIDimethyllubocurarineIDinoprostIDinoprostIDinoprostIDinoprostIDinoprostoneIDinoprostIDinoprostIDinoprostIDinoprostIDinoprost PoindeIDinoprost PoindeIDinoprost PoindeIDinoprost PoindeIDinoprost PoindeIDiportide NothinaIDiportide NothineIDiportide Nothine<!--</th--><th>Prescription Only</th><th>Circumstances In Wh</th><th>ich Substances Aı</th><th>e Not</th></tdi<> | Prescription Only | Circumstances In Wh | ich Substances Aı | e Not |
|---|--------------------------|----------------------------|-------------------|------------|
| Diclofenac Potassium Image: Constraint of the second sec | | | | |
| Diclofenac Sodium 10 mg (MD) Dicyclomine 60 mg (MDD) Uddenosine 60 mg (MDD) Dienocstrol 10 Diethanolamine Fusidate 10 Diffucottolone Valerate 10 Diffunctolone Valerate 10 Digitalis 10 Disprastreptomycin 10 Dihydrostreptomycin 10 Dihydrostreptomycin 10 Diloxanide Furoate 10 Diloxanide Furoate 10 Dimethisterone 10 Dimethylaubocurarine 10 Dimethyl Sulphoxide 10 Dimethyl Sulphoxide 10 Dimethyltubocurarine 10 Dinoprost 10 Dinoprost Tometamol 10 Dinoprost | | <u> </u> | | |
| Dicyclomine 10 mg (MD) Hydrochloride 60 mg (MDD) Didanosine 60 mg (MDD) Dicencestrol 9 Dicthanolamine Fusidate 9 Diflunisal 9 Digitalin 9 Digitalis 9 Dihydrostreptomycin 9 Dihydrostreptomycin 9 Diltazem Hydrochloride 9 Dimercaprol 9 Dimethisoquin Any use (except Hydrochloride 9 Dimethyltubocurarine 9 Dimethyltubocurarine 9 Dimethyltubocurarine 9 Dinoprost 9 | | | | |
| Hydrochloride 60 mg (MDD) Didanosine Dienoestrol Diethanolamine Fusidate Diflunisal Digitalin Digitalin Digitalis Leaf Digitalis, Prepared Digitalis, Prepared Digitalis, Sulphate Dihydrolazine Sulphate Dihydrostreptomycin Dihydrostreptomycin Dihydrostreptomycin Dihydrostreptomycin Dilitazem Hydrochloride Dimethisoquin Any use (except Hydrochloride Dimethisoquin Mesylate Dimethisoquin Any use (except Understreame Dimethyllubcurarine Dimethyllubcurarine Dimethyllubcurarine Dinoprost Dinoprost Dinoprost Dinoprost Dinoprost Diphendydramine Hydrochloride Dinoprost Dinoprostrone <td></td> <td></td> <td></td> <td>10 mg (MD)</td> | | | | 10 mg (MD) |
| Didanosine Image: Construct of the second of the secon | 5 | | | |
| Dienoestrol Image: Constraint of the second sec | | | | (1122) |
| Diethanolamine Fusidate Image: Constraint of the second secon | | | | |
| Diflucortolone Valerate Image: Constraint of the second | | | | |
| Difunisal Image: Constraint of the second secon | | | | |
| Digitalia Image: Constraint of the second secon | | | | |
| Digitalis Leaf | | | | |
| Digitalis, Prepared Image: Constraint of the second se | | | | |
| Digitoxin Image: Constraint of the second secon | | | | |
| Digoxin Image: Constraint of the second | | | | |
| Dihydralazine Sulphate | U | | | |
| Dihydrosregtomycin | | | | |
| Mesylate Image: Construct of the synthesis of the synthesyntemes of the synthesis of the synthesis of the synthes | | | | |
| Dihydrostreptomycin Image: Constraint of the second se | • | | | |
| Dihydrostreptomycin SulphateImage: SulphateDiloxanide FuroateImage: SulphateDiloxanide FuroateImage: SulphateDimercaprolImage: SulphateDimethisoquinAny use (exceptHydrochlorideIocal ophthalmicUse)Image: SulphateDimethisteroneImage: SulphateDimethothiazineImage: SulphateMesylateImage: SulphateDimethyl SulphoxideImage: SulphateDimethyl SulphoxideImage: SulphateDimethyltubocurarineImage: SulphateBromideImage: SulphateDimethyltubocurarineImage: SulphateDimethyltubocurarineImage: SulphateDinoprostImage: SulphateDinoprostImage: SulphateDinoprostImage: SulphateDiphenhydramineAll preparationsHydrochlorideImage: SulphateDipyridamoleImage: SulphateDisopyramideImage: SulphateDisopyramide PhosphateImage: SulphateDistigmine BromideImage: SulphateDistigmi | | | | |
| Sulphate Image: Sulphate Diloxanide Furoate Image: Sulphate Diltiazem Hydrochloride Image: Sulphate Dimetrisoquin Any use (except Hydrochloride Iocal ophthalmic Dimethisoquin Any use (except Hydrochloride Iocal ophthalmic Dimethisterone Image: Sulphate Dimethothiazine Image: Sulphate Mesylate Image: Sulphate Dimethyl Sulphoxide Image: Sulphate Dimethyl Sulphoxide Image: Sulphate Dimethyl tubocurarine Image: Sulphate Dimethyl tubocurarine Image: Sulphate Dimethyl tubocurarine Image: Sulphate Dimethyl tubocurarine Image: Sulphate Dinoprost Image: Sulphate Dinoprost Image: Sulphate Dinoprost Trometamol Image: Sulphate Diphenhydramine All preparations Hydrochloride Image: Sulphate Dipyridamole Image: Sulphate Disogyramide Image: Sulphate Disogyramide Image: Sulphate Distigmine Bromide Image: Sulphate | | | | |
| Diloxanide Furoate | | | | |
| Diltiazem Hydrochloride Image: Constraint of the second secon | | | | |
| DimercaprolAny use (except local ophthalmic use)DimethisteroneInterferenceDimethisteroneInterferenceDimethothiazine MesylateInterferenceDimethyl SulphoxideInterferenceDimethyl SulphoxideInterferenceDinoprostInterferenceDinoprost TrometamolInterferenceDinoprostoneInterferenceDiphenhydramineAll preparationsHydrochlorideInterferenceDipivefrin HydrochlorideInterferenceDisodium EtidronateInterferenceDisopyramideInterferenceDisopyramideInterferenceDisopyramideInterferenceDisopyramideInterferenceDisopyramideInterferenceDisopyramideInterferenceDistigmine BromideInterferenceDistigmine BromideInterferenceDistigmine BromideInterferenceDistigmine BromideInterferenceDistigmine BromideInterferenceDistigmine BromideInterference< | | | | |
| Dimethisoquin HydrochlorideAny use (except local ophthalmic use)DimethisteroneDimethothiazine MesylateDimethothiazine MesylateDimethyl SulphoxideDimethyl SulphoxideDinoprostDinoprostDinoprost TrometamolDinoprostoneDiphenhydramineAll preparations except liquid- filled capsulesDipivefrin HydrochlorideDisodium EtidronateDisogramideDisopyramideDisopyramideDistigmine Bromide | | | | |
| Hydrochloridelocal ophthalmic use)DimethisteroneImage: Straight of the | | | Any use (except | |
| UseDimethisteroneDimethothiazineMesylateDimethyl SulphoxideDimethyl SulphoxideDinoprostDinoprostDinoprost TrometamolDinoprostoneDiphenhydramineHydrochlorideSulpivefrin HydrochlorideDipivefrin HydrochlorideDisodium EtidronateDisopyramideDisopyramideDisopyramideDistigmine Bromide | | | | |
| DimethisteroneImage: Constraint of the systemDimethothiazineImage: Constraint of the systemMesylateImage: Constraint of the systemDimethyl SulphoxideImage: Constraint of the systemDimethyl SulphoxideImage: Constraint of the systemBromideImage: Constraint of the systemDimethyl tubocurarineImage: Constraint of the systemChlorideImage: Constraint of the systemDimethyl tubocurarineImage: Constraint of the systemImage: Constraint of the systemImage: Constraint of the systemDinoprostImage: Constraint of the systemDinoprost TrometamolImage: Constraint of the systemDinoprostoneImage: Constraint of the systemDiphenhydramineAll preparationsHydrochlorideImage: Constraint of the systemDipivefrin HydrochlorideImage: Constraint of the systemDisodium EtidronateImage: Constraint of the systemDisopyramideImage: Constraint of the systemDisopyramideImage: Constraint of the systemDistigmine BromideImage: Constraint of the system | Trydroemonde | | - | |
| Dimethothiazine MesylateImage: Constraint of the synthemic and the synthe | Dimethisterone | | use) | |
| MesylateImage: constraint of the synthetic syntheti | | | | |
| Dimethyl SulphoxideImage: Constraint of the systemDimethyltubocurarineImage: Constraint of the systemDimethyltubocurarineImage: Constraint of the systemDimethyltubocurarineImage: Constraint of the systemDimethyltubocurarineImage: Constraint of the systemImage: DimethyltubocurarineImage: Constraint of the systemDimethyltubocurarineImage: Constraint of the systemDimethyltubocurarineImage: Constraint of the systemImage: DimethyltubocurarineImage: Constraint of the systemDinoprostImage: Constraint of the systemDinoprost TrometamolImage: Constraint of the systemDinoprost TrometamolImage: Constraint of the systemDiphenhydramineAll preparationsHydrochlorideImage: Constraint of the systemDipivefrin HydrochlorideImage: Constraint of the systemDisodium EtidronateImage: Constraint of the systemDisopyramideImage: Constraint of the systemDisopyramide PhosphateImage: Constraint of the systemDistigmine BromideImage: Constraint of the system | | | | |
| Dimethyltubocurarine BromideImage: ChlorideDimethyltubocurarine ChlorideImage: ChlorideDimethyltubocurarine lodideImage: ChlorideDimethyltubocurarine lodideImage: ChlorideDinoprostImage: ChlorideDinoprostImage: ChlorideDinoprost TrometamolImage: ChlorideDinoprostoneImage: ChlorideDiphenhydramine HydrochlorideAll preparations except liquid- filled capsulesDipivefrin HydrochlorideImage: ChlorideDisodium EtidronateImage: ChlorideDisopyramideImage: ChlorideDisopyramideImage: ChlorideDisopyramideImage: ChlorideDisopyramideImage: ChlorideDisigmine BromideImage: Chloride | | | | |
| BromideImage: state of the systemDimethyltubocurarineImage: state of the systemChlorideImage: state of the systemDimethyltubocurarineImage: state of the systemIodideImage: state of the systemDinoprostImage: state of the systemDinoprostImage: state of the systemDinoprost TrometamolImage: state of the systemDinoprost TrometamolImage: state of the systemDinoprostoneImage: state of the systemDiphenhydramineAll preparationsHydrochlorideImage: state of the systemDipivefrin HydrochlorideImage: state of the systemDisodium EtidronateImage: state of the systemDisopyramideImage: state of the systemDisopyramide PhosphateImage: state of the systemDistigmine BromideImage: state of the system | | | | |
| Dimethyltubocurarine ChlorideImage: ChlorideDimethyltubocurarine lodideImage: ChlorideDinoprostImage: ChlorideDinoprost TrometamolImage: ChlorideDinoprostoneImage: ChlorideDiphenhydramine HydrochlorideAll preparations except liquid- filled capsulesDipivefrin HydrochlorideImage: ChlorideDipyridamoleImage: ChlorideDisodium EtidronateImage: ChlorideDisopyramideImage: ChlorideDisopyramideImage: ChlorideDisopyramideImage: ChlorideDisopyramideImage: ChlorideDisopyramideImage: ChlorideDisopyramideImage: ChlorideDisopyramideImage: ChlorideDistigmine BromideImage: ChlorideDistigmine BromideImage: ChlorideDistigmine BromideImage: Chloride | | | | |
| ChlorideImage: ChlorideDimethyltubocurarineImage: ChloridelodideImage: ChlorideDinoprostImage: ChlorideDinoprostoneImage: ChlorideDiphenhydramineAll preparationsHydrochlorideExcept liquid-Dipivefrin HydrochlorideImage: ChlorideDisodium EtidronateImage: ChlorideDisopyramideImage: ChlorideDisopyramideImage: ChlorideDisopyramideImage: ChlorideDisopyramideImage: ChlorideDisopyramideImage: ChlorideDisopyramideImage: ChlorideDisopyramideImage: ChlorideDisopyramideImage: ChlorideDistigmine BromideImage: ChlorideImage: C | | | | |
| Dimethyltubocurarine Image: Construction of the system lodide Image: Construction of the system Dinoprost Image: Construction of the system Dinoprostone Image: Construction of the system Diphenhydramine All preparations Hydrochloride Image: Construction of the system Dipivefrin Hydrochloride Image: Construction of the system Dipivefrin Hydrochloride Image: Construction of the system Disodium Etidronate Image: Construction of the system Disopyramide Image: Construction of the system Disopyramide Image: Construction of the system Distigmine Bromide Image: Construction of the system | | | | |
| IodideIndicate and the second sec | | | | |
| DinoprostImage: Constraint of the systemDinoprost TrometamolImage: Constraint of the systemDinoprostoneImage: Constraint of the systemDiphenhydramineAll preparationsHydrochlorideexcept liquid- filled capsulesDipivefrin HydrochlorideImage: Constraint of the systemDipyridamoleImage: Constraint of the systemDisodium EtidronateImage: Constraint of the systemDisopyramideImage: Constraint of the systemDisopyramideImage: Constraint of the systemDistigmine BromideImage: Constraint of the system | | | | |
| Dinoprost TrometamolImage: Constraint of the systemDinoprostoneImage: Constraint of the systemDiphenhydramineAll preparationsHydrochlorideexcept liquid- filled capsulesDipivefrin HydrochlorideImage: Constraint of the systemDipyridamoleImage: Constraint of the systemDisodium EtidronateImage: Constraint of the systemDisopyramideImage: Constraint of the systemDisopyramideImage: Constraint of the systemDistigmine BromideImage: Constraint of the system | | | | |
| Dinoprostone Image: Constraint of the system Diphenhydramine All preparations Hydrochloride except liquid- filled capsules filled capsules Dipivefrin Hydrochloride Image: Constraint of the system Dipyridamole Image: Constraint of the system Disodium Etidronate Image: Constraint of the system Disopyramide Image: Constraint of the system Distigmine Bromide Image: Constraint of the system | | | | |
| Diphenhydramine HydrochlorideAll preparations except liquid- filled capsulesDipivefrin HydrochlorideDipyridamoleDisodium EtidronateDisopyramideDisopyramideDistigmine Bromide | * | | | |
| Hydrochlorideexcept liquid- filled capsulesDipivefrin HydrochlorideDipyridamoleDisodium EtidronateDisopyramideDisopyramide PhosphateDistigmine Bromide | | | All preparations | |
| filled capsules Dipivefrin Hydrochloride Dipyridamole Disodium Etidronate Disopyramide Disopyramide Phosphate Distigmine Bromide | | | | |
| Dipivefrin Hydrochloride | J | | | |
| Dipyridamole | Dipivefrin Hydrochloride | | | |
| Disodium Etidronate Disopyramide Disopyramide Phosphate Distigmine Bromide | | | | |
| Disopyramide Disopyramide Phosphate Distigmine Bromide | | | | |
| Disopyramide Phosphate Distigmine Bromide | | | | |
| Distigmine Bromide | | | | |
| <u> </u> | | | | |
| | Disulfiram | | | |

| Prescription Only | Circumstances In W | hich Substances Are Not |
|--------------------------------|---------------------|-------------------------|
| Medicine | Prescription Only M | edicines |
| Dithranol | 1.00% | |
| Dobutamine | | |
| Hydrochloride | | |
| Dolasetron Mesilate | | |
| Domperidone | | |
| Domperidone Maleate | | |
| Donepezil | | |
| Donepezil Hydrochloride | | |
| Dopamine Hydrochloride | | |
| Dopexamine | | |
| Hydrochloride | | |
| Dorzolamide | | |
| Hydrochloride | | |
| Dothiepin | | |
| Dothiepin Hydrochloride | | |
| Doxapram Hydrochloride | | |
| Doxazosin Mesylate | | |
| Doxepin Hydrochloride | | |
| Doxorubicin | | |
| Doxorubicin | | |
| Hydrochloride | | |
| Doxycycline | | |
| | | |
| Doxycycline Calcium Chelate | | |
| Doxycycline | | |
| Hydrochloride | | |
| Droperidol | | |
| Drostanolone | | |
| Drostanolone Propionate | | |
| Dydrogesterone | | |
| Dyflos | | |
| Econazole | | External, but in |
| Leonazoie | | the case of |
| | | vaginal use, only |
| | | for the treatment |
| | | of vaginal |
| | | candidiasis |
| Econazole Nitrate | | External, but in |
| | | the case of |
| | | vaginal use, only |
| | | for the treatment |
| | | of vaginal |
| | | candidiasis |
| Ecothiopate Iodide | | |
| Edrophonium Chloride | | 1 |
| Eflornithine | | |
| Hydrochloride | | |
| Eformoterol Fumarate | | 1 |
| Embutramide | | |
| Linouuunuu | I | 1 |

| Prescription Only Medicine | Circumstances In Wi Prescription Only Me | | re Not |
|-------------------------------|---|---|---|
| Emepronium Bromide | • • • | | |
| Emetine | 1.0% | | |
| Emetine Bismuth | 11070 | | |
| Iodide | | | |
| Emetine Hydrochloride | Equivalent of 1.0% of Emetine | | |
| Enalapril Maleate | | | |
| Encephalitis Virus, Tick- | | | |
| borne, Central European | | | |
| Enoxacin | | | |
| Enoxaparin Sodium | | | |
| Enoximone | | | |
| Ephedrine | | (1) Internal (other than nasal sprays or nasal drops) | (1) 30 mg (MD) 60 mg (MDD) |
| | (2) 2.0% | (2) Nasal sprays or nasal drops | |
| | | (3) External | |
| Ephedrine Hydrochloride | | (1) Internal (other | (1) Equivalent |
| | | than nasal sprays or nasal drops) | of 30 mg of Ephedrine (MD) Equivalent of 60 mg of Ephedrine (MDD) |
| | (2) Equivalent of2.0% of Ephedrine | (2) Nasal sprays or nasal drops | |
| | | (3) External | |
| Ephedrine Sulphate | | (1) Internal (other than nasal sprays or nasal drops) | (1) Equivalent of 30 mg of Ephedrine (MD) Equivalent of 60 mg of Ephedrine (MDD) |
| | (2) Equivalent of2.0% of Ephedrine | (2) Nasal sprays or nasal drops | |
| | | (3) External | |
| Epicillin | | | |
| Epirubicin | | | |
| Epirubicin Hydrochloride | | | |
| Epithiazide | | | |
| Epoetin Alfa | | | |
| Epoetin Beta | | | |
| Epoprostenol Sodium | | | |
| Ergometrine Maleate | | | |
| Ergometrine Tartrate | | | |

| Medicine Prescription Only Medicines Ergot, Prepared Image: Construct of Construc | Prescription Only | Circumstances In Wh | hich Substances Ar | e Not |
|---|-------------------------|---------------------|--------------------|-------|
| Ergot, Prepared Image: Constraint of the second | | | | |
| Ergotamine Tartrate Image: Constraint of the second se | | | | |
| ErythromycinEstimateErythromycinEstimateErythromycinEstimateErythromycinEstimateErythromycinEstimateErythromycinEstimateErythromycinEstimateErythromycinEstimateErythromycinEstimateErythromycinEstimateErythromycinEstimateErythromycinEstimateEstranustineEstimateEstranustineEstimateEstranustineEstimateEstamustineEstimateEstamustineEstimateEstamustineEstimateEstamustineEstimateEstamustineEstimateEstamustineEstimateEstamustineEstimateEstamustineEstimateEstamustineEstimateEstamustineEstimateEstamustineEstimateEstamustineEstimateEstamustineEstimateEstamustineEstimateEstamustineEstimate <td><u> </u></td> <td></td> <td></td> <td></td> | <u> </u> | | | |
| Erythromycin Estolate Image: Carbonate Erythromycin Ethyl Image: Carbonate Erythromycin Phosphate Image: Carbonate Erythromycin Stearate Image: Carbonate Estanotic Phosphate Image: Carbonate Estanotic Phosphate Image: Carbonate Ethanotic Acid Image: | | | | |
| Erythromycin Ethyl | | | | |
| Carbonate | | | | |
| Erythromycin Ethyl | | | | |
| Succinate | | | | |
| Erythromycin | | | | |
| Lactobionate Image: Constraint of the second se | | | | |
| Erythromycin Stearate Image: Constraint of the second | 5 | | | |
| Erythromycin StearateImage: Stranustic StearateErythromycinImage: Stranustic StearateEstmolol HydrochlorideImage: Stranustic StearateEstramustine PhosphateImage: Stranustic StearateEstramustine SodiumPhosphatePhosphateImage: StearateEtafedrine HydrochlorideImage: StearateEthambutolImage: StearateHydrochlorideImage: StearateEthambutolImage: StearateHydrochlorideImage: StearateEthambutolImage: StearateHydrochlorideImage: StearateEthambutolImage: StearateHydrochlorideImage: StearateEthambutolImage: StearateEthambutolImage: StearateEthamsylateImage: StearateEthinyloestradiolImage: StearateEthinyloestradiolImage: StearateEthologucidImage: StearateEthoptopazineImage: StearateHydrochlorideImage: StearateEthyloestrenolImage: StearateEthyloestrenolImage: StearateEtholoinImage: StearateEtholoinImage: StearateEthyloestrenolImage: StearateEtholacImage: StearateEtomidate HydrochlorideImage: StearateEtomidate HydrochlorideImage: StearateEtomidate HydrochlorideImage: StearateEtomidate HydrochlorideImage: StearateEtomidate HydrochlorideImage: StearateEtomidate HydrochlorideImage: Stearate | | | | |
| Erythromycin ThiocyanateImage: Constraint of the second s | | | | |
| Thiocyanate Image: Constraint of the second sec | | | | |
| Esmolol Hydrochloride Estramustine Nosphate Estramustine Sodium Phosphate Etafedrine Hydrochloride Etharpine Acid Etharpine Acid Ethambutol Hydrochloride Ethambutol Hydrochloride Ethamivan Ethamivan Ethansylate Ethiazide Ethinyloestradiol Ethinyloestradiol Ethosplucid Etholgucid Ethopropazine Hydrochloride Ethyloestrenol Ethyloestrenol Ethyloestrenol Etomidate Etomidate Etomidate Etomidate Etomidate Etomidate Etomidate Etomidate | | | | |
| Estramustine Phosphate | ž | | | |
| Estramustine Sodium PhosphateEstafedrine HydrochlorideEtafedrine HydrochlorideEtharynic AcidEthambutol HydrochlorideEthambutol HydrochlorideEthamivanEthamivanEthamivanEthamivanEthanivanEthinyl AndrostenediolEthinyloestradiolEthinyloestradiolEthoperatine CitrateEthopropazine HydrochlorideEthotoinEthyl BiscoumacetateEthyloestrenolEthyloestrenolEthyloestrenolEthotoinEthyloestrenol< | | | | |
| PhosphateImage: constraint of the systemEtafedrine HydrochlorideImage: constraint of the systemEtharcynic AcidImage: constraint of the systemEthambutolImage: constraint of the systemHydrochlorideImage: constraint of the systemEthamsylateImage: constraint of the systemEthansylateImage: constraint of the systemEthansylateImage: constraint of the systemEthansylateImage: constraint of the systemEthansylateImage: constraint of the systemEthizideImage: constraint of the systemEthing AdvisemedialImage: constraint of the systemEthing AdvisemedialImage: constraint of the systemEthing AdvisemedialImage: constraint of the systemEthononamideImage: constraint of the systemEthopologiaImage: constraint of the systemEthopologiaImage: constraint of the systemEthopologiaImage: constraint of the systemEthyl BiscoumacetateImage: constraint of the systemEthyloestrenolImage: constraint of the systemEthyloestrenolImage: constraint of the systemEthyloestrenolImage: constraint of the systemEthoposideImage: constraint of the systemEtoposideImage: constraint of the systemEtretinateImage: constraint of the systemEtretinateImage: constraint of the systemFaradinium BromideImage: constraint of the systemFelotipineImage: constraint of the system | | | | |
| Etafedrine HydrochlorideImage: constraint of the second secon | | | | |
| Ethacrynic AcidImage: constraint of the systemEthambutolImage: constraint of the systemHydrochlorideImage: constraint of the systemEthamsylateImage: constraint of the systemEthinyl AndrostenediolImage: constraint of the systemEthoporpazineImage: constraint of the systemHydrochlorideImage: constraint of the systemEthyl BiscoumacetateImage: constraint of the systemEthyl BiscoumacetateImage: constraint of the systemEthyl DiacetateImage: constraint of the systemEtomidateImage: constraint of the systemEtomidateImage: constraint of the systemEtomidateImage: constraint of the systemEtomidateImage: constraint of the systemEtaminateImage: constraint of the systemEtaminateImage: constraint of the systemEtaminateImage: constraint of the systemFaladinium BromideIm | | | | |
| Ethambutol Hydrochloride Hydrochloride Ethamivan Ethamisylate Ethizide Ethinsylate Ethizide Ethinyl Androstenediol Ethinyl Androstenediol Ethinyloestradiol Ethinyloestradiol Ethinyloestradiol Ethinyloestradiol Ethinyloestradiol Ethinyloestradiol Ethinyloestradiol Ethinyloestradiol Ethinyloestradiol Ethinyloestradiol Ethinyloestradiol Ethinyloestradiol Ethoptopazine Hydrochloride Hydrochloride Ethosuximide Ethosuximide Ethit Ethyl Biscoumacetate Ethyloestrenol Ethyloestrenol Ethit Etodolac Etomidate Etomidate Etomidate Etomidate Etomidate Etomidate Etomidate Etretinate Etomidate Exemestane Exemestane Faanotidine Felbinac Felodipine Etolipine | ¥ | | | |
| HydrochlorideImage: state in the | | | | |
| EthamivanImage: constraint of the systemEthamsylateImage: constraint of the systemEthinazideImage: constraint of the systemEthinyloestradiolImage: constraint of the systemEthonamideImage: constraint of the systemEthoplucidImage: constraint of the systemEthopropazineImage: constraint of the systemHydrochlorideImage: constraint of the systemEthotoinImage: constraint of the systemEthotoinImage: constraint of the systemEthyloestrenolImage: constraint of the systemEthyloestrenolImage: constraint of the systemEtomidateImage: constraint of the systemExemestaneImage: constraint of the systemFamotidineImage: constraint of the systemFalinacImage: constraint of the systemFeloinacImage: constraint of the systemFeloinipeImage: constraint of the system | | | | |
| EthamsylateImage: constraint of the synthetic synth | | | | |
| EthiazideImage: constraint of the systemEthiazideImage: constraint of the systemEthiazideImage: constraint of the systemEtholeptazine CitrateImage: constraint of the systemEtholeptazine CitrateImage: constraint of the systemEthopropazineImage: constraint of the systemHydrochlorideImage: constraint of the systemEthotoinImage: constraint of the systemEthyl BiscoumacetateImage: constraint of the systemEthyloestrenolImage: constraint of the systemEtodolacImage: constraint of the systemEtomidateImage: constraint of the systemEtamidateImage: constraint of the systemExemestaneImage: constraint of the systemFamotidineImage: constraint of the systemFacadinium BromideImage: constraint of the systemFeloinacImage: constraint of the systemFeloinacImage: constraint of the systemFeloinacImage: constraint of the systemFeloinacImage: constraint of the systemFacadinium BromideImage: | | | | |
| Ethinyl AndrostenediolImage: constraint of the systemEthinyloestradiolImage: constraint of the systemEthinyloestradiolImage: constraint of the systemEthinyloestradiolImage: constraint of the systemEtholptzine CitrateImage: constraint of the systemEthopropazineImage: constraint of the systemHydrochlorideImage: constraint of the systemEthotoinImage: constraint of the systemEthyloestrenolImage: constraint of the systemEthonidateImage: constraint of the systemEtomidateImage: constraint of the systemEtomidateImage: constraint of the systemEtoposideImage: constraint of the systemExemestaneImage: constraint of the systemFamotidineImage: constraint of the systemFazadinium BromideImage: constraint of the systemFeloinacImage: constraint of the system | | | | |
| EthinyloestradiolEthinyloestradiolEthinyloestradiolEthonamideEthoglucidEthoheptazine CitrateEthopropazineHydrochlorideEthosuximideEthotoinEthyl BiscoumacetateEthyloestrenolEthonidateEtoolacEtomidateEtomidateEtomidateEtomidateEtoposideExemestaneFamotidineFazadinium BromideFelbinacFelodipine | | | | |
| EthionamideImage: constraint of the systemEthionamideImage: constraint of the systemEthoglucidImage: constraint of the systemEthoheptazine CitrateImage: constraint of the systemEthopropazineImage: constraint of the systemHydrochlorideImage: constraint of the systemEthotoinImage: constraint of the systemEthotoinImage: constraint of the systemEthyloestrenolImage: constraint of the systemEthyloestrenolImage: constraint of the systemEthylodiol DiacetateImage: constraint of the systemEtoolacImage: constraint of the systemEtomidateImage: constraint of the systemEtoposideImage: constraint of the systemEtretinateImage: constraint of the systemExemestaneImage: constraint of the systemFamotidineImage: constraint of the systemFaldinium BromideImage: constraint of the systemFeloinacImage: constraint of the systemFeloinineImage: constraint | | | | |
| EthisteroneImage: constraint of the systemEthoglucidImage: constraint of the systemEthopropazineImage: constraint of the systemHydrochlorideImage: constraint of the systemEthosuximideImage: constraint of the systemEthotoinImage: constraint of the systemEthyl BiscoumacetateImage: constraint of the systemEthyloestrenolImage: constraint of the systemEthyloestrenolImage: constraint of the systemEtodolacImage: constraint of the systemEtomidateImage: constraint of the systemEtretinateImage: constraint of the systemExemestaneImage: constraint of the systemFaaradinium BromideImage: constraint of the systemFeloinacImage: constraint of the systemFeloinipineImage: constraint of the system | | | | |
| EthoglucidImage: constraint of the systemEthopic pazineImage: constraint of the systemHydrochlorideImage: constraint of the systemEthosuximideImage: constraint of the systemEthotoinImage: constraint of the systemEthyl BiscoumacetateImage: constraint of the systemEthyl BiscoumacetateImage: constraint of the systemEthyl ObjectateImage: constraint of the systemEtholoacImage: constraint of the systemEtomidateImage: constraint of the systemEtretinateImage: constraint of the systemExemestaneImage: constraint of the systemFamotidineImage: constraint of the systemFazadinium BromideImage: constraint of the systemFeloinacImage: constraint of the systemFeloinipineImage: constraint of the system | | | | |
| Ethoheptazine CitrateEthopropazineHydrochlorideHydrochlorideEthosuximideEthotoinEthotoinEthyl BiscoumacetateEthyloestrenolEthynodiol DiacetateEtodolacEtomidateEtomidateEtomidateEtoposideEtretinateExemestaneFazadinium BromideFelbinacFelodipine | | | | |
| Ethopropazine HydrochlorideHydrochlorideEthosuximideEthosuximideEthotoinEthyl BiscoumacetateEthyloestrenolEthynodiol DiacetateEtodolacEtomidateEtomidateEtoposideEtretinateFamotidineFazadinium BromideFelbinacFelodipine | | | | |
| HydrochlorideImage: state of the | 1 | | | |
| EthosuximideImage: constraint of the systemEthotoinImage: constraint of the systemEthyl BiscoumacetateImage: constraint of the systemEthyloestrenolImage: constraint of the systemEthynodiol DiacetateImage: constraint of the systemEtodolacImage: constraint of the systemEtomidateImage: constraint of the systemEtomidateImage: constraint of the systemEtomidateImage: constraint of the systemEtoposideImage: constraint of the systemExemestaneImage: constraint of the systemFamotidineImage: constraint of the systemFazadinium BromideImage: constraint of the systemFelbinacImage: constraint of the systemFelodipineImage: constraint of the system | | | | |
| EthotoinImage: constraint of the systemEthyl BiscoumacetateImage: constraint of the systemEthyloestrenolImage: constraint of the systemEthynodiol DiacetateImage: constraint of the systemEtodolacImage: constraint of the systemEtomidateImage: constraint of the systemEtomidateImage: constraint of the systemEtomidateImage: constraint of the systemEtomidateImage: constraint of the systemEtoposideImage: constraint of the systemEtretinateImage: constraint of the systemExemestaneImage: constraint of the systemFamotidineImage: constraint of the systemFazadinium BromideImage: constraint of the systemFelbinacImage: constraint of the systemFelodipineImage: constraint of the system | | | | |
| Ethyl BiscoumacetateEthyloestrenolEthynodiol DiacetateEtodolacEtomidateEtomidate HydrochlorideEtoposideEtretinateExemestaneFamotidineFazadinium BromideFelbinacFelodipine | | | | |
| EthyloestrenolImage: Constraint of the systemEthyloestrenolImage: Constraint of the systemEtodolacImage: Constraint of the systemEtomidateImage: Constraint of the systemEtomidateImage: Constraint of the systemEtoposideImage: Constraint of the systemEtretinateImage: Constraint of the systemExemestaneImage: Constraint of the systemFamotidineImage: Constraint of the systemFazadinium BromideImage: Constraint of the systemFelbinacImage: Constraint of the systemFelodipineImage: Constraint of the system | Ethotoin | | | |
| Ethynodiol DiacetateImage: Constraint of the systemEtodolacImage: Constraint of the systemEtomidateImage: Constraint of the systemEtomidate HydrochlorideImage: Constraint of the systemEtoposideImage: Constraint of the systemEtretinateImage: Constraint of the systemExemestaneImage: Constraint of the systemFamotidineImage: Constraint of the systemFazadinium BromideImage: Constraint of the systemFelbinacImage: Constraint of the systemFelodipineImage: Constraint of the system | Ethyl Biscoumacetate | | | |
| EtodolacImage: Constraint of the systemEtomidateImage: Constraint of the systemEtomidate HydrochlorideImage: Constraint of the systemEtoposideImage: Constraint of the systemEtretinateImage: Constraint of the systemExemestaneImage: Constraint of the systemFamotidineImage: Constraint of the systemFazadinium BromideImage: Constraint of the systemFelbinacImage: Constraint of the systemFelodipineImage: Constraint of the system | Ethyloestrenol | | | |
| EtomidateImage: Constraint of the systemEtomidate HydrochlorideImage: Constraint of the systemEtoposideImage: Constraint of the systemEtretinateImage: Constraint of the systemExemestaneImage: Constraint of the systemFamotidineImage: Constraint of the systemFazadinium BromideImage: Constraint of the systemFelbinacImage: Constraint of the systemFelodipineImage: Constraint of the system | Ethynodiol Diacetate | | | |
| Etomidate HydrochlorideEtoposideEtoposideEtretinateExemestaneFamotidineFazadinium BromideFelbinacFelodipine | Etodolac | | | |
| EtoposideEtroposideEtretinateExemestaneFamotidineFazadinium BromideFelbinacFelodipine | Etomidate | | | |
| EtretinateEtretinateExemestaneImage: Constraint of the second | Etomidate Hydrochloride | | | |
| EtretinateEtretinateExemestaneImage: Constraint of the second | Etoposide | | | |
| FamotidineImage: Constraint of the second secon | | | | |
| FamotidineImage: Constraint of the second secon | Exemestane | | | |
| Fazadinium BromideFelbinacFelodipine | | | | |
| Felbinac | | | | |
| Felodipine | | | | |
| | | | | |
| | Felypressin | | | |

| Prescription Only | Circumstances In Wh | nich Substances Au | e Not |
|--------------------------|----------------------|--------------------|-------|
| Medicine | Prescription Only Me | | |
| Fenbufen | | | |
| Fencamfamin | | | |
| Hydrochloride | | | |
| Fenclofenac | | | |
| Fenfluramine | | | |
| Hydrochloride | | | |
| Fenofibrate | | | |
| Fenoprofen | | | |
| Fenoprofen Calcium | | | |
| Fenoterol Hydrobromide | | | |
| Fenticonazole Nitrate | | External use (but, | |
| Tenticonazore ivitrate | | in the case of | |
| | | vaginal use, only | |
| | | for the treatment | |
| | | of vulvovaginal | |
| | | candidiasis) | |
| Feprazone | | canululasis) | |
| Ferrous Arsenate | | | |
| Ferumoxsil | | | |
| | | | |
| Fexofenadine | | | |
| Hydrochloride | | | |
| Filgrastim | | | |
| Finasteride | | | |
| Flavoxate Hydrochloride | | | |
| Flecainide Acetate | | | |
| Flosequinan | | | |
| Fluanisone | | | |
| Flubendazole | | | |
| Fluclorolone Acetonide | | | |
| Flucloxacillin Magnesium | | | |
| Flucloxacillin Sodium | | | |
| Fluconazole | | | |
| Flucylosine | | | |
| Fludrocortisone Acetate | | | |
| Flufenamic Acid | | | |
| Flumazenil | | | |
| Flumethasone | | | |
| Flumethasone Pivalate | | | |
| Flunisolide | | | |
| Fluocinolone Acetonide | | | |
| Fluocinonide | | | |
| Fluocortin Butyl | | | |
| Fluocortolone | | | |
| Fluocortolone Hexanoate | | | |
| Fluocortolone Pivalate | | | |
| Fluorescein Dilaurate | | | |
| Fluorometholone | | | |
| Fluorouracil | | | |
| Fluorouracil Trometamol | | | |
| Thuorourach Hometailloi | | 1 | 1 |

| Prescription Only | Circumstances | In Which Substances A | e Not |
|--------------------------|-----------------|-----------------------|----------|
| Medicine | Prescription O | | |
| Fluoxetine Hydrochloride | Trescription Of | | |
| Fluoxymesterone | | | |
| Flupenthixol Decanoate | | | |
| Flupenthixol | | | |
| Hydrochloride | | | |
| Fluperolone Acetate | | | |
| Fluphenazine Decanoate | | | |
| Fluphenazine Enantate | | | |
| Fluphenazine | | | |
| Hydrochloride | | | |
| Fluprednidene Acetate | | | |
| Fluprednisolone | | | |
| Fluprostenol Sodium | | | |
| Flurandrenolone | | | |
| Flurbiprofen | 8.75 mg | throat lozenges | 43.75 mg |
| runoipioten | 0.75 mg | unoat iozenges | (MDD) |
| Flurbiprofen Sodium | | | |
| Fluspirilene | | | |
| Flutamide | | | |
| Fluticasone Propionate | | Aqueous nasal | |
| Fiuteasone Fiopionate | | sprays for the | |
| | | treatment of | |
| | | allergic rhinitis in | |
| | | persons not less | |
| | | than 18 years | |
| Flutrimazole | | | |
| Fluvastatin Sodium | | | |
| Fluvoxamine Maleate | | | |
| Folic Acid | | | 500 mcg |
| | | | (MDD) |
| Formestane | | | |
| Formocortal | | | |
| Formoterol Fumarate | | | |
| Foscarnet Sodium | | | |
| Fosfestrol Sodium | | | |
| Fosfomycin Trometamol | | | |
| Fosinopril Sodium | | | |
| Framycetin Sulphate | | | |
| Frusemide | | | |
| Furazolidone | | | |
| Fusafungine | | | |
| Fusidic Acid | | | |
| Gabapentin | | | |
| Gadolinium | | | |
| | | | |
| Gadoteridol | | | |
| Gallamine Triethiodide | | | |
| Ganciclovir | | | |
| Ganciclovir Sodium | | | |
| Gelsemine | 0.1% | | |

| Prescription Only | Circumstances | In Which Substances A | re Not |
|------------------------|----------------------|--|---------------|
| Medicine | Prescription Or | nly Medicines | |
| Gelsemium | | | 25 mg (MD) |
| | | | 75 mg (MDD) |
| Gemeprost | | | |
| Gemfibrozil | | | |
| Gentamicin | | | |
| Gentamicin Sulphate | | | |
| Gestodene | | | |
| Gestrinone | | | |
| Gestronol | | | |
| Gestronol Hexanoate | | | |
| Glibenclamide | | | |
| Glibornuride | | | |
| Gliclazide | | | |
| Glimepiride | | | |
| Glipizide | | | |
| Gliquidone | | | |
| Glisoxepide | | | |
| Glucagon | | | |
| Glycopyrronium Bromide | | | 1 mg (MD) |
| | | | 2 mg (MDD) |
| Glymidine | | | 2 mg (112 2) |
| Gonadorelin | | | |
| Goserelin Acetate | | | |
| Gramicidin | 0.2% | External | |
| Granisetron | 0.270 | LAternar | |
| Hydrochloride | | | |
| Griseofulvin | | | |
| Growth Hormone | | | |
| Guanethidine | | | |
| Monosulphate | | | |
| Guanfacine | | | |
| Hydrochloride | | | |
| Guanoclor Sulphate | | | |
| Guanoxan Sulphate | | | |
| Halcinonide | | | |
| Halofantrine | | | |
| Hydrochloride | | | |
| Haloperidol | | | |
| Haloperidol Decanoate | | | |
| Heparin | | External | |
| Heparin Calcium | | External | |
| ^ | | External: | |
| Hexachlorophane | (a) 2.0% | | |
| | (a) 2.0% (b) 0.1% | (a) soaps(b) aerosols | |
| | (c) 0.75% | (c) preparations | |
| | (0) 0.7570 | other than soaps | |
| | | and aerosols | |
| Hexamine | | | |
| Phenylcinchoninate | | | |
| i nenyicinciioiiiiiate | | | |

| Prescription Only Medicine | Circumstances Prescription Or | In Which Substances A ly Medicines | re Not |
|-------------------------------|----------------------------------|--|--------------------------------|
| Hexobarbitone | | | |
| Hexobarbitone Sodium | | | |
| Hexoestrol | | | |
| Hexoestrol Dipropionate | | | |
| L-Histidine | | Dietary or | |
| Hydrochloride | | nutritive use | |
| Homatropine | | (1) Internal | (1) 0.15 mg |
| nomarophie | | (1) Internat | (MD) 0.45 mg (MDD) |
| | | (2) External (except local ophthalmic use) | |
| Homatropine Hydrobromide | | | 0.2 mg (MD) 0.6 mg (MDD) |
| Homatropine | | | 2 mg (MDD) |
| Methylbromide | | | 6 mg (MDD) |
| Hydralazine | | | 0 ling (WIDD) |
| Hydrochloride | | | |
| Hydrargaphen | | Local application to skin | |
| Hydrobromic Acid | | | |
| Hydrochlorothiazide | | | |
| Hydrocortisone | | | |
| Hydrocortisone Acetate | | | |
| Hydrocortisone Butyrate | | | |
| Hydrocortisone Caprylate | | | |
| Hydrocortisone Hydrogen | | | |
| Succinate | | | |
| Hydrocortisone Sodium | | | |
| Phosphate | | | |
| Hydrocortisone Sodium | | | |
| Succinnate | | | |
| Hydrocyanic Acid | | | |
| Hydroflumethiazide | | | |
| Hydroxychloroquine | | Prophylaxis of | |
| Sulphate | | malaria | |
| Hydroxyprogesterone | | 111111111 | |
| Hydroxyprogesterone | | | |
| Enanthate | | | |
| Hydroxyprogesterone | | | |
| Hexanoate | | | |
| Hydroxyurea | | | |
| Hydroxyzine Embonate | | | |
| Hydroxyzine | | | |
| Hydrochloride | | | |
| Hyoscine | (1) 0.15% | (1) Internal | |
| | 111 0110 /0 | | 1 |

| Prescription Only Medicine | Circumstances In Which Substance Prescription Only Medicines | es Are Not |
|-------------------------------|---|----------------------------|
| incultait | (2) External | |
| | (2) External (except local | |
| | ophthalmic us | e) |
| Hyoscine Butylbromide | (1) Internal: | (MDD)(x) |
| Hyoscille Butylolollide | | (MDD)(X) |
| | (a) by inhaler | |
| <u> </u> | (2) External | |
| Hyoscine Hydrobromide | (1) Internal: | |
| | (a) by inhaler | (1) 200 |
| | (b) otherwise | (b) 300 mcg |
| | than by inhale | r (MD) 900 mcg (MDD)(x) |
| | (2) External | |
| | (except local | |
| | ophthalmic us | e) |
| Hyoscine Methobromide | (1) Internal: | |
| • | (a) by inhaler | |
| | (b) otherwise | (b) 2.5 mg |
| | than by inhale | r (MD) 7.5 mg |
| | | (MDD)(x) |
| | (2) External | |
| Hyoscine Methonitrate | (1) Internal: | |
| | (a) by inhaler | |
| | (b) otherwise | (b) 2.5 mg |
| | than by inhale | |
| | (2) External | |
| Hyoscyamine | (1) Internal: | |
| | (a) by inhaler | |
| | (b) otherwise | (b) 300 mcg |
| | than by inhale | |
| | | 1 mg |
| | | (MDD)(x) |
| | (2) External | |
| | (3) Preparation | ns |
| | for the relief o | |
| | asthma in the | - |
| | form of | |
| | cigarettes, | |
| | smoking mixt | Irec |
| | or fumigants | u100 |
| | which contain | |
| | | |
| | Hyoscyamine | as |
| | an alkaloid of | |
| | Stramonium | |
| Hyoscyamine | (1) Internal: | |
| Hydrobromide | (a) by inhaler | |

| Prescription Only | Circumstances In Which Substances A | re Not |
|----------------------|--|--|
| Medicine | Prescription Only Medicines | |
| | (b) otherwise than by inhaler (2) External (1) Internal: | (b) Equiva- lent of 300 mcg of Hyoscyamine (MD) Equi- valent of 1 mg of Hyos- cyamine (MDD)(x) |
| Hyoscyamine Sulphate | (1) Internal: (a) by inhaler (b) otherwise than by inhaler (2) External | (b) Equiva- lent of 300 mcg of Hyoscyamine (MD) Equivalent of 1 mg of Hyoscyamine (MDD)(x) |
| Ibungofon | | |
| Ibuprofen Lysine | Rheumatic and muscular pain, pain of non- serious arthritic conditions, backache, neuralgia, migraine, headache, dental pain, dysmenorrhoea, feverishness, symptoms of colds and influenzaInternal | |
| | | (a) In the case of a prolonged release preparation 600 mg (MD) 1,200 mg (MDD) (b) In any other case 400 mg (MD) 1,200 mg (MDD) |

| Prescription Only | Circumstances In Wh | ich Substances Are Not | |
|---------------------------|-----------------------------|------------------------|--|
| Medicine | Prescription Only Me | dicines | |
| Idarubicin Hydrochloride | | | |
| Idoxuridine | | | |
| Ifosfamide | | | |
| Ignatius Bean | | | |
| Imidapril Hydrochloride | | | |
| Imipenem Hydrochloride | | | |
| Imipramine | | | |
| Imipramine | | | |
| Hydrochloride | | | |
| Imipramine Ion Exchange | | | |
| Resin Bound Salt or | | | |
| Complex | | | |
| Indapamide Hemihydrate | | | |
| Indinavir | | | |
| Indomethacin | | | |
| Indomethacin Sodium | | | |
| Indoramin Hydrochloride | | | |
| Indoprofen | | | |
| Inosine Pranobex | | | |
| Insulin | | | |
| Iodamide | | | |
| Iodamide Meglumine | | | |
| Iodamide Sodium | | | |
| Iohexol | | | |
| Iomeprol | | | |
| Iopamidol | | | |
| Iopentol | | | |
| Iothalamic Acid | | | |
| Ioversol | | | |
| Ioxaglic Acid | | | |
| Ipratropium Bromide | | | |
| Iprindole Hydrochloride | | | |
| Iproniazid Phosphate | | | |
| Irbesartan | | | |
| Isoaminile | | | |
| Isoaminile Citrate | | | |
| Isocarboxazid | | | |
| Isoconazole Nitrate | | External, but in | |
| | | the case of | |
| | | vaginal use, only | |
| | | for the treatment | |
| | | of vaginal | |
| | | candidiasis | |
| Isoetharine | | | |
| Isoetharine Hydrochloride | | | |
| Isoetharine Mesylate | | | |
| Isoniazid | | | |
| Isoprenaline | | | |
| Hydrochloride | | | |

| Prescription Only | Circumstances In Which Substances Are Not | | |
|-------------------------|---|---|--|
| Medicine | Prescription Only Medicines | | |
| Isoprenaline Sulphate | | | |
| Isopropamide Iodide | | Equivalent of 2.5 mg of Isoprop-amide ion (MD) Equivalent of 5.0 mg of | |
| | | Isoprop-amide ion (MDD) | |
| Isotretinoin | | | |
| Isradipine | | | |
| Itraconazole | | | |
| Jaborandi | External | | |
| Kanamycin Acid Sulphate | | | |
| Kanamycin Sulphate | | | |
| Ketamine Hydrochloride | | | |
| Ketoconazole | | | |
| Ketoprofen | | | |
| Ketorolac Trometamol | | | |
| Ketotifen Pumarate | | | |
| Labetalol Hydrochloride | | | |
| Lachesine Chloride | | | |
| Lacidipine | | | |
| Lamivudine | | | |
| Lamotrigine | | | |
| Lanatoside C | | | |
| Lanatoside Complex A, B | | | |
| and C | | | |
| Lanzoprazole | | | |
| Latamoxef Disodium | | | |
| Latanaprost | | | |
| Lercanidipine | | | |
| Hydrochloride | | | |
| Letrozole | | | |
| Levallorphan Tartrate | | | |
| Levobunolol | | | |
| Hydrochloride | | | |
| Levocabastine | | | |
| Hydrochloride | | | |
| Levocarnitine | For dietar supplement | | |
| Levodopa | | | |
| Levofloxacin | | | |
| Hemihydrate | | | |
| Levonorgestrel | | | |
| Lidoflazine | | | |
| Lignocaine | Any use (local opht use) | - | |

| Circumstances In Which Substances Are Not | | |
|---|---|---|
| Prescription Only Medicines | | |
| | Any use (except local ophthalmic use) | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | Equivalent of 5 mg of Lithium (MD) Equivalent of 15 mg of Lithium (MDD) |
| | | |
| | | Equivalent of 5 mg of Lithium (MD) Equivalent of 5 mg of Lithium (MDD) |
| | | (1122) |
| | (1) Internal | (1) 3 mg (MD) 9 mg (MDD) |
| | (2) External | |
| | (1) Internal | (1) Equiva- lent of 3 mg of Lobeline (MD) |
| | | Equivalent of 9 mg of Lobeline (MDD) |
| | (2) External | |
| | (1) Internal | (1) Equiva- lent of 3 mg of Lobeline (MD) Equivalent of 9 mg of Lobeline (MDD) |
| | | Any use (except local ophthalmic use) Image: Imag |

| Prescription Only | Circumstances In Which Substances Are Not | | |
|---|---|--------------------------------------|---------------------------------------|
| Medicine | Prescription Only Medicines | | |
| Lodaximide Trometamol | equivalent of 0.1% | For the treatment | |
| | Lodoxamide | of ocular signs | |
| | | and symptoms of | |
| | | allergic | |
| | | conjunctivitis, in | |
| | | adults and in | |
| | | children aged 4 | |
| | | years and over | |
| Lofepramine | | | |
| Lofepramine | | | |
| Hydrochloride | | | |
| Lofexidine Hydrochloride | | | |
| Lomefloxacin | | | |
| Hydrochloride | | | |
| Lornoxicam | | | |
| Lomustine | | | |
| Loperamide | | Treatment of | |
| Hydrochloride | | acute diarrhoea | |
| Loratidine | | | |
| Losartan Potassium | | | |
| Loxapine Succinate | | | |
| Lung Surfactant Porcine | | | |
| Luteinising Hormone | | | |
| Lymecycline | | | |
| Lynoestrenol | | | |
| Lypressin | | | |
| Lysuride Maleate | | | |
| Mafenide | | | |
| Mafenide Acetate | | | |
| Mafenide Hydrochloride | | | |
| Mafenide Propionate | 5.0% | Eve drops | |
| Magnesium Fluoride | 5.070 | Eye drops | |
| | | | |
| Magnesium Metrizoate Mandragora Autumnalis | | | |
| Mannomustine | | | |
| Hydrochloride | | | |
| • | | | |
| Maprotiline Hydrochloride | | | |
| Hydrochloride Mebanazine | | | |
| Mebendazole | | | |
| Mebeverine | | (a) For the | (a) 125mg |
| | | (a) For the | (a) 135mg (MD) 405mg |
| Hydrochloride | | symptomatic relief of irritable | · · · · · · · · · · · · · · · · · · · |
| | | | (MDD) |
| | | bowel syndrome (b) For uses other | (b) $100 m_{\pi}$ |
| | | (b) For uses other than the | (b) 100 mg (MD) 300mg |
| | | | (MD) 300mg (MDD) |
| | | symptomatic relief of irritable | |
| | | | |
| | l | bowel syndrome | |

| Prescription Only | Circumstances In Wi | nich Substances A | re Not |
|-----------------------------|----------------------|-------------------|-------------|
| Medicine | Prescription Only Me | | |
| Mebeverine Pamoate | | | |
| Mebhydrolin | | | |
| Mebhydrolin | | | |
| Napadisylate | | | |
| Mecamylamine | | | |
| Hydrochloride | | | |
| Mecillinam | | | |
| Meclofenoxate | | | |
| Hydrochloride | | | |
| Medigoxin | | | |
| Medrogestone | | | |
| Medroxyprogesterone | | | |
| Acetate | | | |
| Mefenamic Acid | | | |
| | | | |
| Mefloquine Hydrochloride | | | |
| Mefruside | | | |
| | | | |
| Megestrol | | | |
| Megestrol Acetate | | | |
| Meglumine | | | |
| Gadopentetate | | | |
| Meglumine lodoxamate | | | |
| Meglumine loglycamate | | | |
| Meglumine lothalamate | | | |
| Meglumine lotroxate | | | |
| Meglumine loxaglate | | | |
| Meloxicam | | | |
| Melphalan | | | |
| Melphalan Hydrochloride | | | |
| Menotrophin | | | |
| Mepenzolate Bromide | | | 25 mg (MD) |
| _ | | | 75 mg (MDD) |
| Mephenesin | | | |
| Mephenesin Carbamate | | | |
| Mepivacaine | | Any use (except | |
| Hydrochloride | | local ophthalmic | |
| | | use) | |
| Meptazinol | | | |
| Hydrochloride | | | |
| Mequitazine | | | |
| Mercaptamine Bitartrate | | | |
| Mercaptopurine | | | |
| Mersalyl | | | |
| Mersalyl Acid | | | |
| Mesalazine | | | |
| Mesna | | | |
| Mesterolone | | | |
| Mestranol | | | |
| Metaraminol Tartrate | | | |
| Interarammon Tartrate | 1 | | |

| Prescription Only | Circumstances In Which Substances Are Not | | |
|---------------------------------------|---|-----------------------------------|---------------------------|
| Medicine | Prescription Only Medicines | | |
| Metergoline | | | |
| Metformin Hydrochloride | | | |
| Methacycline | | | |
| Methacycline Calcium | | | |
| Methacycline | | | |
| Hydrochloride | | | |
| Methallenoestril | | | |
| Methandienone | | | |
| Methicillin Sodium | | | |
| Methixene | | | |
| Methixene Hydrochloride | | | |
| Methocarbamol | | | |
| Methocidin | | Throat lozenges | |
| Wiethoeldin | | and throat | |
| | | pastilles | |
| Methohexitone Sodium | | pustifies | |
| Methoin | | | |
| Methoserpidine | | | |
| Methotrexate | | | |
| Methotrexate Sodium | | | |
| Methotrimeprazine | | | |
| | | | |
| Methotrimeprazine | | | |
| Hydrochloride | | | |
| Methotrimeprazine Maleate | | | |
| Materia | 0.25% | Negel annova on | |
| Hydrochloride | 0.23% | Nasal sprays, or nasal drops, not | |
| Trydrocinoride | | containing in | |
| | | either case liquid | |
| | | paraffin as a | |
| | | vehicle | |
| Methsuximide | | veniere | |
| Methyclothiazide | | | |
| Methyldopa | | | |
| Methyldopa | | | |
| Hydrochloride | | | |
| Methylephedrine | | | 30 mg(MD) |
| Hydrochloride | | | 30 mg (MD) 60 mg (MDD) |
| 2 | | | 00 ling (MDD) |
| Methylprednisolone Methylprednisolone | | | |
| Acetate | | | |
| Methylprednisolone | | | |
| Sodium Succinate | | | |
| Methyltestosterone | | | |
| | | | |
| Methylthiouracil | | | |
| Methysergide Maleate | | | |
| Metipranolol | | | |
| Metirosine | | | |

| Prescription Only | Circumstances In | Which Substances Ar | e Not |
|--------------------------|-----------------------------|---------------------|-------|
| Medicine | Prescription Only Medicines | | |
| Metoclopramide | | | |
| Hydrochloride | | | |
| Metolazone | | | |
| Metoloprolol Tartrate | | | |
| Metoprolol Fumarate | | | |
| Metoprolol Succinate | | | |
| Metronidazole | | | |
| Metronidazole Benzoate | | | |
| | | | |
| Metyrapone | | | |
| Mexiletine Hydrochloride | | | |
| Mezlocillin Sodium | | | |
| Mianserin Hydrochloride | | | |
| Mibefradil | | | |
| Dihydrochloride | | | |
| Miconazole | | External | |
| Miconazole Nitrate | | External, but in | |
| | | the case of | |
| | | vaginal use, only | |
| | | for the treatment | |
| | | of vaginal | |
| | | candidiasis | |
| Mifepristone | | | |
| Miglitol | | | |
| Milrinone | | | |
| Milrinone Lactate | | | |
| Minocycline | | | |
| Minocycline | | | |
| Hydrochloride | | | |
| Minoxidil | (1) 2.0% | External | |
| | (2) 5.0% | External, for the | |
| | | treatment of | |
| | | alopecia | |
| | | androgenetica in | |
| | | men who have | |
| | | attained the age | |
| | | of 18 years but | |
| | | have not attained | |
| | | the age of 65 | |
| | | years | |
| Mirtazapine | | | |
| Misoprostol | | | |
| Mitobronitol | | | |
| Mitomycin C | | | |
| Mitozantrone | | | |
| Hydrochloride | | | |
| Mivacurium Chloride | | | |
| Mizolastine | | | |
| Moclobemide | | | |
| Modafinil | | | |

| Prescription Only | Circumstances I | n Which Substances Ar | e Not |
|--------------------------|------------------------|-----------------------|-------|
| Medicine | Prescription On | ly Medicines | |
| Moexipril Hydrochloride | • | | |
| Molgramostim | | | |
| Molindone Hydrochloride | | | |
| Mometasone Furoate | | | |
| Moracizine | | | |
| Hydrochloride | | | |
| Morazone Hydrochloride | | | |
| Moxisylyte | | | |
| Hydrochloride | | | |
| Moxonidine | | | |
| Mupirocin | | | |
| Mupirocin Calcium | | | |
| Mustine Hydrochloride | | | |
| Mycophenolate Mofetil | | | |
| Nabilone | | | |
| Nabumetone | | | |
| Nadolol | | | |
| Nafarelin Acetate | | | |
| Naftidrofuryl Oxalate | | | |
| Naftifine Hydrochloride | | | |
| Nalbuphine | | | |
| Hydrochloride | | | |
| Nalidixic Acid | | | |
| Nalorphine | | | |
| Hydrobromide | | | |
| Naloxone Hydrochloride | | | |
| Naltrexone Hydrochloride | | | |
| Nandrolone Decanoate | | | |
| Nandrolone Laurate | | | |
| Nandrolone | | | |
| Phenylpropionate | | | |
| Naphazoline | (1) 0.05% | (1) Nasal sprays, | |
| Hydrochloride | | or nasal drops, | |
| | | not containing in | |
| | | either case liquid | |
| | | paraffin as a | |
| | | vehicle | |
| | (2) 0.015% | (2) Eye drops | |
| Naphazoline Nitrate | 0.05% | Nasal sprays, or | |
| | | nasal drops, not | |
| | | containing in | |
| | | either case liquid | |
| | | paraffin as a | |
| N | | vehicle | |
| Naproxen | | | |
| Naproxen Sodium | | | |
| Naratriptan | | | |
| Hydrochloride | | | |
| Natamycin | | | |

| Prescription Only Medicine | Circumstances In Wi Prescription Only Mo | | re Not |
|-------------------------------|---|---|--------|
| Nebivolol Hydrochloride | | | |
| Nedocromil Sodium | | | |
| Nefazadone | | | |
| Hydrochloride | | | |
| Nefopam Hydrochloride | | | |
| Neomycin | | | |
| Neomycin Oleate | | | |
| Neomycin Palmitate | | | |
| Neomycin Sulphate | | | |
| Neomycin Undecanoate | | | |
| Neostigmine Bromide | | | |
| Neostigmine | | | |
| Methylsulphate | | | |
| Netilmicin Sulphate | | | |
| Nicardipine | | | 1 |
| Hydrochloride | | | |
| Nicergoline | | | 1 |
| Niceritrol | | | |
| Nicotinic Acid | | Any use (except | 600 mg |
| | | for the treatment of hyperlipid- aemia) | (MDD) |
| Nicoumalone | | defind) | |
| Nifedipine | | | |
| Nifenazone | | | |
| Nikethamide | | | |
| Nilutamide | | | |
| Nimodipine | | | |
| Niridazole | | | |
| Nisoldipine | | | |
| Nitrendipine | | | |
| Nitrofurantoin | | | |
| Nitrofurazone | | | |
| Nizatidine | | | |
| Nomifensine Maleate | | | |
| Noradrenaline | | | |
| Noradrenaline Acid | | | |
| Tartrate | | | |
| Norethandrolone | | | |
| Norethisterone | | | |
| Norethisterone Acetate | | | |
| Norethisterone | | | |
| Heptanoate | | | |
| Norethynodrel | | | |
| Norfloxacin | | | |
| Norgestimate | | | |
| Norgestrel | | | |
| Nortriptyline | | | 1 |
| Hydrochloride | | | |

| Prescription Only | Circumstances In Wh | | e Not |
|--------------------------|-----------------------------|---------|-------|
| Medicine | Prescription Only Me | dicines | |
| Noscapine | | | |
| Noscapine Hydrochloride | | | |
| Novobiocin Calcium | | | |
| Novobiocin Sodium | | | |
| Nux Vomica Seed | | | |
| Nystatin | | | |
| Octacosactrin | | | |
| Octreotide | | | |
| Oestradiol | | | |
| Oestradiol Benzoate | | | |
| Oestradiol Cypionate | | | |
| Oestradiol Dipropionate | | | |
| Oestradiol Diundecanoate | | | |
| Oestradiol Enanthate | | | |
| Oestradiol | | | |
| Phenylpropionate | | | |
| Oestradiol Undecanoate | | | |
| Oestradiol Valerate | | | |
| Oestriol | | | |
| Oestriol | | | |
| Di-Hemi Succinate | | | |
| Oestrogenic Substances, | | | |
| Conjugated | | | |
| Oestrone | | | |
| Ofloxacin | | | |
| Olanzapine | | | |
| Olsalazine Sodium | | | |
| Omeprazole | | | |
| Omeprazole Magnesium | | | |
| Ondansetron | | | |
| Ondansetron | | | |
| Hydrochloride | | | |
| Orciprenaline Sulphate | | | |
| Orphenadrine Citrate | | | |
| Orphenadrine | | | |
| Hydrochloride | | | |
| Ouabain | | | |
| Ovarian | | | |
| Gland, Dried | | | |
| Oxamniquine | | | |
| Oxandronolone | | | |
| Oxantel Pamoate | | | |
| Oxaprozin | | | |
| Oxaprozin | | | |
| | | | |
| Oxedrine Tartrate | | | |
| Oxethazaine | | | |
| Oxidronate Sodium | | | |
| Oxitropium Bromide | | | |
| Oxolinic Acid | | | |

| Prescription Only | Circumstances In Which Substances Are Not | | |
|--------------------------|---|------------------|--------------|
| Medicine | Prescription Only M | edicines | |
| Oxpentifylline | | | |
| Oxprenolol | | Any use (except | |
| Hydrochloride | | local ophthalmic | |
| | | use) | |
| Oxybuprocaine | | | |
| Hydrochloride | | | |
| Oxybutynin | | | |
| Hydrochloride | | | |
| Oxymetholone | | | |
| Oxypertine | | | |
| Oxypertine | | | |
| Hydrochloride | | | |
| Oxyphenbutazone | | | |
| Oxyphencyclimine | | | |
| Hydrochloride | | | |
| Oxyphenonium Bromide | | | 5 mg (MD) |
| | | | 15 mg (MDD) |
| Oxytetracycline | | | |
| Oxytetracycline Calcium | | | |
| Oxytetracycline | | | |
| Dihydrate | | | |
| Oxytetracycline | | | |
| Hydrochloride | | | |
| Oxytocin, Natural | | | |
| Oxytocin, Synthetic | | | |
| Pamidronate Disodium | | | |
| Pancreatin | (1) 21,000 European | | (1) Capsules |
| | Pharmacopoeia units | | _ |
| | of lipase per capsule | | |
| | | | |
| | (2) 25,000 European | | (2) Powder |
| | Pharmacopoeia units | | |
| | of lipase per g | | |
| Pancuronium Bromide | | | |
| Pantoprazole | | | |
| Pantoprazole Sodium | | | |
| Papaverine | | (1) By inhaler | |
| | | (2) Otherwise | (2) 50 mg |
| | | than by inhaler | (MD) |
| | | | 150 mg |
| | | | (MDD) |
| Papaverine Hydrochloride | | (1) By inhaler | |

| Prescription Only | Circumstances In Which Subst | ances Are Not |
|--------------------------|--|--|
| Medicine | Prescription Only Medicines | |
| | (2) Otherv than by in | haler Equivalent of 50 mg of Papaverine (MD) Equivalent of 150 mg of Papaverine (MDD) |
| Paracetamol | Any form non-efferv tablets and capsules) | vescent |
| Paraldehyde | | |
| Paramethadione | | |
| Paramethasone Acetate | | |
| Parathyroid Gland | | |
| Pargyline Hydrochloride | | |
| Paroxetine Hydrochloride | | |
| Pecilocin | | |
| Penamecillin | | |
| Penbutolol Sulphate | | |
| Penciclovir | | |
| Penicillinamine | | |
| Penicillinamine | | |
| Hydrochloride | | |
| Pentamidine Isethionate | | |
| Pentamidronate Disodium | | |
| Penthienate | | 5 mg (MD) |
| Methobromide | | 15 mg (MDD) |
| Pentolinium Tartrate | | |
| Perfluamine | | |
| Pergolide Mesylate | | |
| Perhexiline Maleate | | |
| Perindopril | | |
| Pericyazine | | |
| Perindopril Erbumine | | |
| Perphenazine | | |
| Phenacetin | 0.1% | |
| Phenazone | External | |
| Phenazone and Caffeine | | |
| Citrate | | |
| Phenazone Salicylate | | |
| Phenbutrazate | | |
| Hydrochloride | | |
| Phenelzine Sulphate | | |
| Phenethicillin Potassium | | |
| Phenformin | | |
| Hydrochloride | | |

| Prescription Only Medicine | Circumstances In Prescription Onl | n Which Substances Aı v Medicines | re Not |
|-------------------------------|--------------------------------------|--------------------------------------|-----------|
| Phenglutarimide | | | |
| Hydrochloride | | | |
| Phenindione | | | |
| Phenolphthalein | | | |
| Phenoxybenzamine | | | |
| Hydrochloride | | | |
| Phenoxymethylpenicillin | | | |
| Phenoxymethylpenicillin | | | |
| Calcium | | | |
| Phenoxymethylpenicillin | | | |
| Potassium | | | |
| Phenprocoumon | | | |
| Phensuximide | | | |
| Phentolamine | | | |
| Hydrochloride | | | |
| Phentolamine Mesylate | | | |
| Phenylbutazone | | | |
| Phenylbutazone Sodium | | | |
| Phenylpropanolamine | | Internal: (a) all | (a) 25 mg |
| Hydrochloride | | preparations | (MD) |
| | | (except | 100 mg |
| | | controlled release | (MDD) |
| | | capsules, nasal | (|
| | | sprays or nasal | |
| | | drops) | |
| | | (b) controlled | (b) 50 mg |
| | | release capsules | (MD) |
| | | 1 | 100 mg |
| | | | (MDD) |
| | (c) 2.0% | (c) nasal sprays | |
| | | or nasal drops | |
| Phenytoin | | | |
| Phenytoin Sodium | | | |
| Phthalylsulphathiazole | | | |
| Physostigmine | | | |
| Physostigmine | | | |
| Aminoxide Salicylate | | | |
| Physostigmine Salicylate | | | |
| Physostigmine Sulphate | | | |
| Phytomenadine | ľ | Any use except | |
| • | | the prevention or | |
| | | treatment of | |
| | | haemorrhagic | |
| | | disorders | |
| Picrotoxin | | | |
| Pilocarpine | ľ | | |
| Pilocarpine | İ. | | |
| Hydrochloride | | | |
| Pilocarpine Nitrate | | | |

| Prescription Only Medicine | | s In Which Substances Dnly Medicines | Are Not |
|---|-------|---|-------------------------------|
| Pimozide | | | |
| Pindolol | | | |
| Pipenzolate Bromide | | | 5 mg (MD) 15 mg (MDD) |
| Piperacillin Sodium | | | - |
| Piperazine Oestrone | | | |
| Sulphate | | | |
| Piperidolate Hydrochloride | | | 50 mg (MD) 150 mg (MDD) |
| Pipothiazine Palmitate | | | |
| Piracetam | | | |
| Pirbuterol Acetate | | | |
| Pirbuterol Hydrochloride | | | |
| Pirenzepine | | | |
| Dihydrochloride | | | |
| Monohydrate | | | |
| Pirenzepine | | | |
| Hydrochloride | | | |
| Piretamide | | | |
| Piroxicam | | | |
| Piroxicam Beta- | | | |
| Cyclodextrin | | | |
| Pituitary Gland (Whole Dried) | | By inhaler | |
| Pituitary, Powdered (Posterior Lobe) | | By inhaler | |
| Pivampicillin | | | |
| Hydrochloride | | | |
| Pivmecillinam | | | |
| Pivmecillinam | | | |
| Hydrochloride | | | |
| Pizotifen | | | |
| Pizotifen Malate | | | |
| Plicamycin | | | |
| Podophyllotoxin | | | |
| Podophyllum | | | |
| Podophyllum Indian | | | |
| Podophyllum Resin | 20.0% | External: ointment or impregnated | |
| | | plaster | |
| Poldine Methylsulphate | | | 2 mg (MDD) 6 mg (MDD) |
| Polidexide | | | |
| Polymyxin B Sulphate | | | |
| Polyestradiol Phosphate | | | |
| Polythiazide | | | |

| Prescription Only | Circumstances In V | Which Substances A | re Not |
|---------------------------|--------------------------|--------------------|--------|
| Medicine | Prescription Only | Medicines | |
| Рорру | | | |
| Capsule | | | |
| Potassium Arsenite | 0.0127% | | |
| Potassium Bromide | | | |
| Potassium Canrenoate | | | |
| Potassium Clavulanate | | | |
| Potassium Perchlorate | | | |
| Practolol | | | |
| Pralidoxime Chloride | | | |
| Pralidoxime lodide | | | |
| Pralidoxime Mesylate | | | |
| Pramipexole | | | |
| Dihydrochloride | | | |
| Pravastatin Sodium | | | |
| Prazosin Hydrochloride | | | |
| Prednisolone | | | |
| Prednisolone Acetate | | | |
| Prednisolone Butylacetate | | | |
| Prednisolone Hexanoate | | | |
| Prednisolone Pivalate | | | |
| Prednisolone Sodium | | | |
| Phosphate | | | |
| Prednisolone Sodium m- | | | |
| Sulphobenzoate | | | |
| Prednisolone 21-Steaglate | | | |
| Prednisolone m- | | | |
| Sulphobenzoate | | | |
| Prednisone | | | |
| Prednisone Acetate | | | |
| Prenalterol Hydrochloride | | | |
| Prenylamine Lactate | | | |
| Prilocaine Hydrochloride | | Any use (except | |
| | | local ophthalmic | |
| | | use) | |
| Primidone | | | |
| Probenecid | | | |
| Probucol | | | |
| Procainamide | | | |
| Hydrochloride | | | |
| Procaine Hydrochloride | | Any use (except | |
| | | local ophthalmic | |
| | | use) | |
| Procaine Penicillin | | | |
| Procarbazine | | | |
| Hydrochloride | | | |
| Prochlorperazine | | | |
| Prochlorperazine | | | |
| Edisylate | | | |
| Prochlorperazine Maleate | | | |

| Prescription Only | Circumstances In Whi | ich Substances A | re Not |
|--------------------------|-----------------------------|------------------|----------------|
| Medicine | Prescription Only Me | dicines | |
| Prochlorperazine | | | |
| Mesylate | | | |
| Procyclidine | | | |
| Hydrochloride | | | |
| Progesterone | | | |
| Prolactin | | | |
| Proligestone | | | |
| Prolintane Hydrochloride | | | |
| Promazine Embonate | | | |
| Promazine Hydrochloride | | | |
| Propafenone | | | |
| Propafenone | | | |
| Hydrochloride | | | |
| Propanidid | | | |
| Propantheline Bromide | | | 15 mg (MD) |
| repairing Dronnig | | | 45 mg (MDD) |
| Propiverine | | | |
| Hydrochloride | | | |
| Propofol | | | |
| Propranolol | | | |
| Hydrochloride | | | |
| Propylthiouracil | | | |
| Proquazone | | | |
| Protamine Sulphate | | | |
| Prothionamide | | | |
| Protirelin | | | |
| Protriptyline | | | |
| Hydrochloride | | | |
| Proxymetacaine | | Any use (except | |
| Hydrochloride | | local ophthalmic | |
| Tryaroemonde | | use) | |
| Pseudoephedrine | | Internal | In the case of |
| Hydrochloride | | memai | a controlled |
| Tryaroemonae | | | release |
| | | | preparation: |
| | | | 120 mg |
| | | | (MD) |
| | | | 180 mg |
| | | | (MDD) |
| | | | In any |
| | | | other case: |
| | | | 60 mg |
| | | | (MD) |
| | | | 180 mg |
| | | | (MDD) |
| Pseudoephedrine | | | 60 mg (MD) |
| Sulphate | | | 180 mg |
| ~ | | | (MDD) |
| Pyrantel Embonate | | | |

| Prescription Only | Circumstances In Which Substan | ces Are Not | |
|--------------------------------------|--------------------------------|---------------|--|
| Medicine | Prescription Only Medicines | | |
| Pyrantel Tartrate | | | |
| Pyrazinamide | | | |
| Pyridostigmine Bromide | | | |
| Pyrimethamine | | | |
| | | | |
| Quetiapine Fumarate | | | |
| Quinagolide | | | |
| Hydrochloride | | | |
| Quinapril Quinapril Undreshlarida | | | |
| Quinapril Hydrochloride | | | |
| Quinestradol | | | |
| Quinestrol | | | |
| Quinethazone | | | |
| Quinidine | | | |
| Quinidine Bisulphate | | | |
| Quinidine | | | |
| Polygalacturonate | | | |
| Quinidine Sulphate | | | |
| Quinine | | 100 mg (MD) | |
| | | 300 mg | |
| | | (MDD) | |
| Quinine Bisulphate | | Equivalent of | |
| | | 100 mg of | |
| | | Quinine (MD) | |
| | | Equivalent of | |
| | | 300 mg of | |
| | | Quinine | |
| | | (MDD) | |
| Quinine Dihydrochloride | | Equivalent of | |
| | | 100 mg of | |
| | | Quinine (MD) | |
| | | Equivalent of | |
| | | 300 mg of | |
| | | Quinine | |
| | | (MDD) | |
| Quinine Ethyl Carbonate | | Equivalent of | |
| | | 100 mg of | |
| | | Quinine (MD) | |
| | | Equivalent of | |
| | | 300 mg of | |
| | | Quinine | |
| | | (MDD) | |
| Quinine Glycero- | | Equivalent of | |
| phosphate | | 100 mg of | |
| | | Quinine (MD) | |
| | | Equivalent of | |
| | | 300 mg of | |
| | | Quinine | |
| | | (MDD) | |

| Prescription Only Medicine | Circumstances In Whi Prescription Only Med | ch Substances Are Not licines |
|-------------------------------|---|----------------------------------|
| Quinine Hydrobromide | | Equivalent of |
| Quinine Hydrobronnide | | 100 mg of |
| | | Quinine (MD) |
| | | Equivalent of |
| | | 300 mg of |
| | | Quinine |
| | | (MDD) |
| Quinine Hydrocholride | | Equivalent of |
| Quinnie Hydroenonide | | 100 mg of |
| | | Quinine (MD) |
| | | Equivalent of |
| | | 300 mg of |
| | | Quinine |
| | | (MDD) |
| Quinine Iodobismuthate | | Equivalent of |
| Zumme rouoorsmuunate | | 100 mg of |
| | | Quinine (MD) |
| | | |
| | | Equivalent of |
| | | 300 mg of |
| | | Quinine |
| 0 | | (MDD) |
| Quinine | | Equivalent of |
| Phenylcinchoninate | | 100 mg of |
| | | Quinine (MD) |
| | | Equivalent of |
| | | 300 mg of |
| | | Quinine |
| 0 I I DI I | | (MDD) |
| Quinine Phosphate | | Equivalent of |
| | | 100 mg of |
| | | Quinine (MD) |
| | | Equivalent of |
| | | 300 mg of |
| | | Quinine |
| | | (MDD) |
| Quinine Salicylate | | Equivalent of |
| | | 100 mg of |
| | | Quinine (MD) |
| | | Equivalent of |
| | | 300 mg of |
| | | Quinine |
| | | (MDD) |
| Quinine Sulphate | | Equivalent of |
| | | 100 mg of |
| | | Quinine (MD) |
| | | Equivalent of |
| | | 300 mg of |
| | | Quinine |
| | | (MDD) |

| Prescription Only Medicine | | | |
|-------------------------------|--|---|------------------|
| | | | Equivalant of |
| Quinine Tannate | | | Equivalent of |
| | | | 100 mg of |
| | | | Quinine (MD) |
| | | | Equivalent of |
| | | | 300 mg of |
| | | | Quinine (MDD) |
| Quinine and Urea | | | |
| Hydrochloride | | | |
| Ramipril | | | |
| Ranitidine Bismuth | | | |
| Citrate | | | |
| Ranitidine Hydrochloride | | | |
| Rauwolfia Serpentina | | | |
| Rauwolfia Vomitoria | | | |
| Reboxetine | | | |
| Reboxetine Mesilate | | | |
| Remoxipride | | | |
| Hydrochloride | | | |
| Reproterol Hydrochloride | | | |
| Rescinnamine | | | |
| Reserpine | | | |
| Rifabutin | | | |
| Rifampicin | | | |
| Rifampicin Sodium | | | |
| Rifamycin | | | |
| Rimexolone | | | |
| Rimiterol Hydrobromide | | | |
| Risperidone | | | |
| Ritodrine Hydrochloride | | | |
| Ritonavir | | | |
| Rolitetracycline Nitrate | | | |
| Ropinorole | | | |
| Hydrochloride | | | |
| Sabadilla | | | |
| Salbutamol | | | |
| Salbutamol Sulphate | | | |
| Salcatonin | | | |
| Salcatonin Hydrated | | | |
| Polyacetate | | | |
| Salmefamol | | | |
| Salmeterol | | 1 | |
| Hydroxynaphthoate | | | |
| Salsalate | | 1 | |
| Saquinavir | | 1 | |
| Saralasin Acetate | | 1 | 1 |
| Selegiline Hydrochloride | | 1 | |
| Sera and Antisera – | | 1 | |
| Botulin Antitoxin | | - | |

| Prescription Only | | Which Substances A | re Not |
|--------------------------|-------------------|--------------------|------------|
| Medicine | Prescription Only | / Medicines | |
| Diphtheria Antitoxin | | | |
| Gas-gangrene Antitoxin | | | |
| (Oedematiens) | | | |
| Gas-gangrene Antitoxin | | | |
| (Perfringens) | | | |
| Gas-gangrene Antitoxin | | | |
| (Septicum) | | | |
| Mixed Gas-gangrene | | | |
| Antitoxin | | | |
| Leptospira Antiserum | | | |
| Rabies Antiserum | | | |
| Scorpion Venom | | | |
| Antiserum | | | |
| Snake Venom Antiserum | | | |
| Tetanus Antitoxin | | | |
| Serum Gonadotrophin | | | |
| Sermorelin | | | |
| Sertindole | | | |
| Sertraline Hydrochloride | | | |
| Sevoflurane | | | |
| Sibutramine | | | |
| Hydrochloride | | | |
| Silver Sulphadiazine | | | |
| Simvastatin | | | |
| Sissomicin | | | |
| Sissomicin Sulphate | | | |
| Snake Venoms | | | |
| Sodium Acetrizoate | | | |
| Sodium Aminosalicylate | | | |
| Sodium | | | |
| Antimonylgluconate | | | |
| Sodium Arsanilate | | | |
| Sodium Arsenate | | | |
| Sodium Arsenite | 0.013% | | |
| Sodium Bromide | | | |
| Sodium Clodronate | | | |
| Sodium Cromoglycate | | Administration | |
| | | through the nose | |
| Sodium Ethacrynate | | | |
| Sodium Fluoride | (1) 0.33% (y) | (1) Dentifrices | |
| | | (2) Other | |
| | | preparations for | |
| | | use in the | |
| | | prevention of | |
| | | dental of dental | |
| | | caries in the form | |
| | | of – | |
| | | (a)tablets or | (a) 2.2 mg |
| | | drops; | (MDD) |

| Prescription Only | Circumstances In | Which Substances Are Not | |
|---------------------------|-------------------------|--------------------------|--|
| Medicine | Prescription Only | Medicines | |
| | (b) 0.2% | (b) mouth-washes | |
| | | (other than those | |
| | | for daily use); | |
| | (c) 0.05% | (c) mouth-washes | |
| | (0) 0.0570 | for daily use | |
| Sodium Fusidate | | | |
| Sodium Metrizoate | | | |
| Sodium | 1.14% (y) | Dentifrice | |
| Monofluorophosphate | 07 | | |
| Sodium Stibogluconate | | | |
| Sodium Valproate | | | |
| Somatorelin Acetate | | | |
| Somatrem | | | |
| Somatropin | | | |
| Sotalol Hydrochloride | | | |
| Sparfloxacin | | | |
| Spectinomycin | | | |
| Spectinomycin | | | |
| Hydrocloride | | | |
| | | | |
| Spiramycin | | | |
| Spiramycin Adipate | | | |
| Spironolactone | (1) 0 (0) | | |
| Stannous Fluoride | (1) 0.62% (y) | (1) Dentifrice | |
| | (2) 0.4% | (2) Dental gels | |
| | | for use in the | |
| | | prevention and | |
| | | treatment of | |
| | | dental caries and | |
| | | decalcification of | |
| | | the teeth | |
| Stanolone | | | |
| Stanozolol | | | |
| Stavudine | | | |
| Stilboestrol | | | |
| Stilboestrol Dipropionate | | | |
| Streptodornase | | External | |
| Streptokinase | | External | |
| Streptomycin | | | |
| Streptomycin Sulphate | | | |
| Strychnine | | | |
| Strychnine Arsenate | | | |
| Strychnine Hydrochloride | | | |
| Strychnine Nitrate | | | |
| Styramate | | | |
| Succinylsulphathiazole | | | |
| Sucralfate | | | |
| Sulbactam | | | |
| Sodium | | | |
| Sulbenicillin | | | |
| Subellicilli | l | | |

| MedicinePrescription Only MedicinesSulbenicillin SodiumSulbenicillin TosylateSulconazole NitrateExternal (except vaginal use)SulfacytineSulfacytineSulfacytineSulfacoxineSulfacoxineSulphabenzamideSulphacetamide SodiumSulphacetamide SodiumSulphadizineSulphadizineSulphadizineSulphadizineSulphadimethoxineSulphadimidineSulphadimidineSulphadimethoxineSulphadimidineSulphafurazoleSulphaguanidineSulphamerazineSulphamethoxizoleSulphamethoxizoleSulphamethoxeSulphamethoxySulphamethoxySulphamethoxySulphamethoxySulphamethoxySulphamethoxySulphamethoxySulphamethoxySulphametoxySulphametoxySulphametoxySulphametoxySulphametoxySulphametoxySulphametoxySulphametoxySulphametoxySulphametoxySulphametoxySulphametoxySulphametoxySulphametoxy <t< th=""><th>Prescription Only</th><th>Circumstances In Wh</th><th>nich Substances Ar</th><th>e Not</th></t<> | Prescription Only | Circumstances In Wh | nich Substances Ar | e Not |
|---|------------------------|---------------------|--------------------|-------|
| Sulbenicillin Tosylate Sulconazole Nitrate Sulconazole Nitrate Sulfacoxine Sulfacoxine Sulfacoxine Sulfaconomethoxine Sulfanonomethoxine Sulfanonomethoxine Sulphacetamide Sulphacetamide Sulphacetamide Sulphadiazine Sulphadiazine Sulphadiazine Sulphadiazine Sulphadiazine Sulphadiazine Sulphadimethoxine Sulphadimethoxine Sulphadimethoxine Sulphadimidine Sodium Sulphafurazole Sulphafurazole Sulphafurazole Sulphamerazine Sulphamethizole Sulphamethizole Sulphamethizole Sulphamethoxypyridazine Sulphamethoxypyridazine Sulphametopyrazine Sulphametopyrazine Sulphametopyrazine Sulphametopyrazine Sulphametopyrazine Sulphametopyrazine Sulphaphenazole Sulphaphenazole Sulphapyridine </th <th></th> <th></th> <th></th> <th></th> | | | | |
| Sulbenicillin Tosylate External (except Sulfacytine External (except Sulfacytine Sulfacoxine Sulfacoxine Sulfacoxine Sulfacoxine Sulfacoxine Sulfacoxine Sulfacoxine Sulfacoxine Sulphacoxine Sulphacetamide Sulphacetamide Sulphacetamide Sulphadiazine Sulphadiazine Sodium Sulphadiazine Sulphadimethoxine Sulphadimidine Sulphadimidine Sulphadimidine Sulphadimidine Sulphadimidine Sulphadimidine Sulphafurazole Sulphadimidine Sulphafurazole Sulphacetazine Sulphacetazine Sulphamerazine Sulphamerazine Sulphamethoxazole Sulphamethoxypyridazine Sulphamethoxypyridazine Sulphamethoxypyridazine Sulphamethoxypyridazine Sulphamethoxypyridazine Sulphamethoxypyridazine Sulphamethoxypyridazine Sulphamethoxypyridazine Sulphamethoxypyridazine Sulphamethoxypyridazine Sulphamethoxypyridazine Sulphamethoxypyridazine Sulphamethoxypyridazine Sulphamethox | | | | |
| Sulconazole Nitrate External (except vaginal use) Sulfacytine Image: Sulfacytine Sulfadoxine Image: Sulfacytine Sulfadoxine Image: Sulfacytine Sulphabenzamide Image: Sulphabenzamide Sulphabenzamide Image: Sulphabenzamide Sulphabenzamide Image: Sulphabine Sulphadinethoxine Image: Sulphabine Sulphadimethoxine Image: Sulphabine Sulphafurazole Image: Sulphabine Sulphafurazole Image: Sulphabine Sulphadimetoxine Image: Sulphabine Sulphafurazole Image: Sulphabine Sulphamerazine Image: Sulphamerazine Sulphamerazine Image: Sulphamerazine Sulphamethoxydazine Image: Sulphamethoxydazine Sulphamethoxypyridazine Image: Sulphamethoxypyridazine Sulphamethoxypyridazine Image: Sulphamethoxypyridazine Sulphametoxyraine Image: Sulphapyridine Sulphapyridine Image: Sulphapyridine Sulphametoxyraine Image: Sulphapyridine Sulphapyridine Image: Sulphapyridine Sulphapyridine Image: Sulphapyridine S | | | | |
| vaginal use)SulfacytineSulfacoxineSulfanonomethoxineSulfanonomethoxineSulphacenzamideSulphacetamide SodiumSulphacetamide SodiumSulphacetamide SodiumSulphadiazineSulphadiazine SodiumSulphadiazine SodiumSulphadiazine SodiumSulphadirazineSulphadirazineSulphadinidineSulphadirazoleSulphadirazoleSulphadirazoleSulphaguanidineSulphamerazineSulphamerazineSulphamerazineSulphamerazineSulphamethoxypridazineSulphamethoxypridazineSulphamethoxypridazineSulphamethoxypridazineSulphamethoxypridazineSulphametopyrazineSulphametopyrazineSulphametopyrazineSulphamideSulphametopyrazineSulphametopyrazineSulphamideSulphametopyrazineSulphamideSulphamideSulphamideSulphamideSulphamideSulphamideSulphamideSulphatirzoleSulphamideSulphamideSulphamideSulphatirzoleSulphamideSulphatirzoleSulphamideSulphamideSulphamideSulphamideSulphamideSulphametopyrazineSulphamideSulphamideSulphamideSulphamideSulphamideSulphamideSulph | | | External (except | |
| Sulfadoxine Image: Sulfadoxine Sulfadora Image: Sulphacetamide Sulphacetamide Image: Sulphacetamide Sulphadizzine Image: Sulphacetamide Sulphadimethoxine Image: Sulphadimidine Sulphadimidine Sodium Image: Sulphafurazole Sulphafurazole Image: Sulphafurazole Sulphafurazole Image: Sulphafurazole Sulphafurazole Image: Sulphafurazole Sulphametazole Image: Sulphametazole Sulphamethoxic Acid Image: Sulphamethoxydzine Sulphamethoxydzine Image: Sulphamethoxydzine< | | | | |
| Sulfamonomethoxine | | | | |
| Sulindac Sulphabenzamide Sulphacetamide Sodium Sulphacitazine Sodium Sulphadiazine Sodium Sulphadiazine Sodium Sulphadizine Sodium Sulphadimethoxine Sulphadimethoxine Sulphadimethoxine Sulphadimethoxine Sulphadimethoxine Sulphadimidine Sodium Sulphafurazole Sulphafurazole Sulphafurazole Diethanolamine Sulphaloxic Acid Sulphamerazine Sulphamerazine Sodium Sulphamerazine Sodium Sulphamethoxazole Sulphamethoxyzole Sulphamethoxyzole Sulphamethoxyzole Sulphamethoxyzole Sulphamethoxyzole Sulphamethoxyzole Sulphamethoxypridazine Sulphamethoxypridazine Sulphamethoxypridazine Sulphamethoxypridazine Sulphametoxypridazine Sulphametogene Sulphametoxypridazine | | | | |
| Sulphabenzamide | | | | |
| Sulphacetamide Sulphacetamide Sodium Sulphadiazine Sodium Sulphadiazine Sodium Sulphadizine Sodium Sulphadimidine Sulphadimidine Sulphadimidine Sulphadimidine Sulphadimidine Sulphadimidine Sulphafurazole Sulphafurazole Sulphafurazole Sulphafurazole Sulphafurazole Sulphafurazole Sulphafurazole Sulphamerazole Sulphamerazole Sulphamerazine Sulphamerazine Sulphamerazine Sulphamerazine Sulphamerazine Sodium Sulphamethoxazole Sulphamethoxylazine Sulphamethoxylazine Sulphamethoxypyridazine Sulphamethoxylazine Sulphamethoxypyridazine Sulphamethoxylazine Sulphametopyrazine Sulphamethoxylazine Sulphametopyrazine Sulphapyridine Sulphaphenazole Sulphapyridine Sulphapyridine Sulphapyridine Sulphapyridine Sulphapyridine Sulphapyridine Sulphapyridine Sulphapyridine Sulphapyridine Sulphapyridine Sulphapyridine Sulphapyridine Sul | | | | |
| Sulphacetamide Sodium Image: Sulphadiazine Sulphadiazine Sodium Image: Sulphadimidine Sulphadimidine Image: Sulphadimidine Sulphadimidine Sodium Image: Sulphadimidine Sulphadimidine Sodium Image: Sulphadimidine Sulphadimidine Sodium Image: Sulphadimidine Sulphafurazole Image: Sulphafurazole Diethanolamine Image: Sulphadimidine Sulphaguanidine Image: Sulphadimidine Sulphaguanidine Image: Sulphamerazine Sulphamerazine Image: Sulphamerazine Sulphamethizole Image: Sulphamethoxydazine Sulphamethoxydazine Image: Sulphamethoxydazine Sulphamethoxypyridazine Image: Sulphamethoxypyridazine Sodium Image: Sulphamethoxy Sulphapenazole Sulphametopyrazine Image: Sulphapenazole Sulphaphenazole Image: Sulphapyridine Sulphapyridine Sodium Image: Sulphapyridine Sulphath | | | | |
| Sulphadiazine | 1 | | | |
| Sulphadiazine Sodium Image: Sulphadimidine Sodium Sulphadimidine Sodium Image: Sulphadimidine Sodium Sulphadimidine Sodium Image: Sulphafurazole Sulphafurazole Image: Sulphafurazole Sulphafurazole Image: Sulphafurazole Sulphaguanidine Image: Sulphaguanidine Sulphaguanidine Image: Sulphaguanidine Sulphamerazine Image: Sulphamerazine Sulphamerazine Sodium Image: Sulphamerazine Sulphamethoxyacine Image: Sulphamethoxyge: | Sulphacetamide Sodium | | | |
| Sulphadimethoxine Sulphadimidine Sulphadimidine Sodium Sulphafurazole Sulphafurazole Sulphafurazole Diethanolamine Sulphafurazole Sulphaguanidine Sulphaloxic Acid Sulphaloxic Acid Sulphamerazine Sulphamerazine Sulphamerazine Sodium Sulphamethoxazole Sulphamethoxydazine Sulphamethoxypyridazine Sulphamethoxypyridazine Sulphamethoxypyridazine Sulphamethoxypyridazine Sulphamethoxypyridazine Sulphamethoxypyridazine Sulphamethoxypyridazine Sulphamethoxypyridazine Sulphametoxypyridazine Sulphamethoxypyridazine Sulphametoxypyridazine Sulphamethoxypyridazine Sulphametoxypyridazine Sulphamethoxypyridazine Sulphametoxypyridazine Sulphamethoxypyridazine Sulphametoxypyridazine Sulphametosypyridazine Sulphametoxypyridazine Sulphametosypyridazine Sulphametoxypyridazine Sulphametosypyridazine Sulphametoxypyridazine Sulphametosypyridazine Sulphametoxypyridazine Sulphametosypyridazine Sulphametoxypyridazine Sulphametosypyridazine Sulphametox | | | | |
| Sulphadimidine | Sulphadiazine Sodium | | | |
| Sulphadimidine Sodium | Sulphadimethoxine | | | |
| Sulphadimidine Sodium | Sulphadimidine | | | |
| Sulphafurazole | | | | |
| Sulphafurazole | | | | |
| DiethanolamineImage: state st | | | | |
| SulphaguanidineSulphaloxic AcidSulphamerazineSulphamerazine SodiumSulphamethizoleSulphamethoxazoleSulphamethoxydazineSulphamethoxypyridazineSulphamethoxypyridazineSulphamethoxypyridazineSulphamethoxypyridazineSulphamethoxypyridazineSulphamethoxypyridazineSulphamethoxypyridazineSulphamethoxypyridazineSulphametopyrazineSulphametopyrazineSulphametopyrazineSulphametopyrazineSulphapiridineSulphapiridineSulphapyridineSulphapyridineSulphasalazineSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphinpyrazoneSulpirideSultamicillinSultamicillin TosylateSumatriptanSumatriptanSumatriptan SuccinateSuxamethonium Bromide | | | | |
| Sulphaloxic Acid | | | | |
| SulphamerazineImage: Sulphamerazine SodiumSulphamethizoleImage: SulphamethoxazoleSulphamethoxydazineImage: SulphamethoxypyridazineSulphamethoxypyridazineImage: SulphamethoxypyridazineSulphamethoxypyridazineImage: SulphamethoxypyridazineSulphamethoxypyridazineImage: SulphamethoxypyridazineSulphamethoxypyridazineImage: SulphamethoxypyridazineSulphamethoxypyridazineImage: SulphamethoxypyridazineSulphamethoxypyridazineImage: SulphamethoxypyridazineSulphamoxoleImage: SulphamethoxypyridineSulphamilamideImage: SulphamethoxypyridineSulphapyridineImage: SulphamethoxypyridineSulphasalazineImage: SulphamethoxypyridineSulphathiazoleImage: SulphamethoxypyridineSulphathiazoleImage: SulphamethoxypyridineSulphathiazoleImage: SulphamethoxypyridineSulphatinazoleImage: | · | | | |
| Sulphamerazine SodiumSulphamethizoleSulphamethoxazoleSulphamethoxydazineSulphamethoxypyridazineSulphamethoxypyridazineSodiumSulphametopyrazineSulphametopyrazineSulphametopyrazineSulphamoxoleSulphanilamideSulphaphenazoleSulphapyridineSulphayridine SodiumSulphasalazineSulphathiazoleSulphathiazoleSulphaureaSulprideSulprideSulprideSultamicillinSutamicillin Sultamicillin Sultamicillin SuccinateSumatriptan SuccinateSuprofenSuxamethonium Bromide | * | | | |
| SulphamethizoleImage: SulphamethoxazoleSulphamethoxydazineImage: SulphamethoxypyridazineSulphamethoxypyridazineImage: SulphamethoxypyridazineSodiumImage: SulphamethoxypyridazineSulphametopyrazineImage: SulphametopyrazineSulphamoxoleImage: SulphamoxoleSulphamoxoleImage: SulphametopyrazineSulphametopyrazineImage: SulphametopyrazineSulphamoxoleImage: SulphametopyrazineSulphametopyrazineImage: SulphametopyrazineSulphamoxoleImage: SulphametopyrazineSulphappridineImage: SulphametopyrazineSulphapyridineImage: SulphametopyrazineSulphasalazineImage: SulphametopyrazineSulphathiazoleImage: SulphametopyrazineSulphathiazoleImage: SulphametopyrazineSulphinpyrazoneImage: SulphametopyrazineSulphinpyrazoneImage: SulphametopyrazineSultamicillinImage: SulphametopyrazineSultamicillinImage: SulphametopyrazineSultamicillinImage: SulphametopyrazineSumatriptanImage: SulphametopyrazineSumatriptanImage: SulphametopyrazineSuxamethonium BromideImage: Sulphametopyrazine | * | | | |
| SulphamethoxazoleImage: SulphamethoxydazineSulphamethoxydazineImage: SulphamethoxypyridazineSulphamethoxypyridazineImage: SulphamethoxypyridazineSulphametopyrazineImage: SulphamethoxypyridazineSulphamoxoleImage: SulphamoxoleSulphamoxoleImage: SulphamethoxypyridineSulphaphenazoleImage: SulphapyridineSulphapyridineImage: SulphapyridineSulphasalazineImage: SulphathiazoleSulphathiazoleImage: SulphamethoxypyridineSulphathiazoleImage: Sulpham | | | | |
| SulphamethoxydazineSulphamethoxypyridazineSulphamethoxypyridazineSodiumSulphametopyrazineSulphametopyrazineSulphamoxoleSulphamoxoleSulphanilamideSulphaphenazoleSulphaphenazoleSulphapyridineSulphasalazineSulphathiazole SodiumSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphinpyrazoneSulphinpyrazoneSultamicillinSultamicillin TosylateSumatriptanSumatriptanSumatriptan SuccinateSupofenSuxamethonium Bromide | * | | | |
| SulphamethoxypyridazineSulphamethoxypyridazineSodiumSulphametopyrazineSulphametopyrazineSulphamoxoleSulphanilamideSulphaphenazoleSulphapyridineSulphapyridine SodiumSulphasalazineSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazoleSulphinpyrazoneSulphinpyrazoneSultamicillinSultamicillin TosylateSunattriptanSumattriptanSumattriptan SuccinateSuporfenSuxamethonium Bromide | A | | | |
| Sulphamethoxypyridazine SodiumImage: SodiumSulphametopyrazineImage: SulphametopyrazineSulphamoxoleImage: SulphamilamideSulphanilamideImage: SulphametopyrazineSulphaphenazoleImage: SulphapyridineSulphapyridineImage: SulphametopyrazineSulphapyridine SodiumImage: SulphasalazineSulphathiazoleImage: SulphathiazoleSulphathiazoleImage: SulphametopyrazoneSulphareaImage: SulphinpyrazoneSulpirideImage: SulpirideSultamicillinImage: SulpirideSultamicillin TosylateImage: SulpirideSumatriptanImage: SulpirideSumatriptanImage: SulpirideSumatriptanImage: SulpirideSumatriptanImage: SulpirideSumatriptanImage: SulpirideSuprofenImage: SulpirideSuxamethonium BromideImage: SulpirideSuperiorImage: Sulpiride <td< td=""><td></td><td></td><td></td><td></td></td<> | | | | |
| SodiumSulphametopyrazineSulphametopyrazineSulphamoxoleSulphanilamideSulphanilamideSulphaphenazoleSulphapyridineSulphapyridine SodiumSulphasalazineSulphathiazoleSulphathiazoleSulphathiazole SodiumSulphaureaSulphinpyrazoneSulpirideSultamicillinSultamicillin TosylateSunatriptanSumatriptanSuprofenSuzamethonium Bromide | | | | |
| SulphametopyrazineSulphamoxoleSulphanilamideSulphanilamideSulphaphenazoleSulphapyridineSulphapyridine SodiumSulphasalazineSulphathiazoleSulphathiazoleSulphathiazole SodiumSulphathiazole SodiumSultamicillinSutamicillin TosylateSumatriptanSumatriptan SuccinateSuprofenSuxamethonium Bromide | | | | |
| Sulphamoxole Sulphanilamide Sulphaphenazole Sulphappyridine Sulphapyridine Sodium Sulphasalazine Sulphathiazole Sultamicillin Sumatriptan Sumatriptan Suprofen Suxamethonium Bromide | | | | |
| SulphanilamideImage: SulphaphenazoleSulphaphenazoleImage: SulphapyridineSulphapyridineImage: SulphapyridineSulphasalazineImage: SulphasalazineSulphathiazoleImage: SulphathiazoleSulphathiazoleImage: SulphathiazoleSulphaureaImage: SulphaureaSulphaureaImage: SulphinpyrazoneSulphinpyrazoneImage: SulphinpyrazoneSultamicillinImage: SulphinpyrazoneSultamicillinImage: SulphinpyrazoneSultamicillinImage: SulphinpyrazoneSultamicillinImage: SulphinpyrazoneSultamicillinImage: SulphinpyrazoneSultamicillinImage: SulphinpyrazoneSultamicillinImage: SulphinpyrazoneSumatriptanImage: SulphinpyrazoneSumatriptanImage: SulphinpyrazoneSumatriptanImage: SulphinpyrazoneSumatriptanImage: SulphinpyrazoneSumatriptanImage: SulphinpyrazoneSumatriptanImage: SulphinpyrazoneSuprofenImage: SulphinpyrazoneSuxamethonium BromideImage: Sulphinpyrazone | 1 12 | | | |
| SulphaphenazoleSulphaphenazoleSulphapyridineSulphapyridineSulphapyridine SodiumSulphasalazineSulphasalazineSulphathiazoleSulphathiazoleSulphathiazoleSulphathiazole SodiumSulphaureaSulphaureaSulphinpyrazoneSulpirideSulpirideSultamicillinSultamicillinSultamicillin TosylateSulthiameSumatriptanSumatriptanSumatriptan SuccinateSuporfenSuxamethonium BromideSutamice | | | | |
| SulphapyridineSulphapyridine SodiumSulphapyridine SodiumSulphasalazineSulphathiazoleSulphathiazoleSulphathiazole SodiumSulphaureaSulphaureaSulphinpyrazoneSulphinpyrazoneSulpirideSulpirideSultamicillinSultamicillinSultamicillinSulthiameSulthiameSumatriptanSumatriptanSupofenSuzamethonium Bromide | • | | | |
| Sulphapyridine SodiumSulphasalazineSulphathiazoleSulphathiazole SodiumSulphaureaSulphinpyrazoneSulpirideSultamicillinSultamicillin TosylateSunatriptanSumatriptan SuccinateSuprofenSuxamethonium Bromide | | | | |
| SulphasalazineSulphathiazoleSulphathiazole SodiumSulphathiazole SodiumSulphaureaSulphinpyrazoneSulphinpyrazoneSulpirideSultamicillinSultamicillin TosylateSulthiameSumatriptanSumatriptan SuccinateSuprofenSuxamethonium Bromide | * * * | | | |
| SulphathiazoleSulphathiazole SodiumSulphaureaSulphinpyrazoneSulpirideSultamicillinSultamicillin TosylateSulthiameSumatriptanSumatriptan SuccinateSuprofenSuxamethonium Bromide | * * * | | | |
| Sulphathiazole SodiumSulphaureaSulphinpyrazoneSulpirideSultamicillinSultamicillin TosylateSulthiameSumatriptanSumatriptan SuccinateSuprofenSuxamethonium Bromide | * | | | |
| SulphaureaSulphinpyrazoneSulpirideSultamicillinSultamicillin TosylateSulthiameSumatriptanSumatriptan SuccinateSuprofenSuxamethonium Bromide | | | | |
| SulphinpyrazoneSulphinpyrazoneSulpirideSultamicillinSultamicillin TosylateSulthiameSumatriptanSumatriptan SuccinateSuprofenSuxamethonium Bromide | | | | |
| Sulpiride | * | | | |
| Sultamicillin | | ļ | | |
| Sultamicillin Tosylate | - | | | |
| Sulthiame | | | | |
| Sumatriptan | Sultamicillin Tosylate | | | |
| Sumatriptan Succinate | Sulthiame | | | |
| Sumatriptan Succinate | Sumatriptan | | | |
| Suprofen Suxamethonium Bromide | 1 | | | |
| Suxamethonium Bromide | | | | |
| | • | | | |
| Suxamethonium Chloride | Suxamethonium Chloride | | | |

| Prescription Only | Circumstances In Wh | ich Substances Ar | e Not |
|------------------------------|-----------------------------|-------------------|-------|
| Medicine | Prescription Only Medicines | | |
| Suxethonium Bromide | · · · | | |
| Tacalcitol Monohydrate | | | |
| Tacrine Hydrochloride | | | |
| Talampicillin | | | |
| Talampicillin | | | |
| Hydrochloride | | | |
| Talampicillin Napsylate | | | |
| Tamoxifen | | | |
| Tamoxifen Citrate | | | |
| Tamsulosin | | | |
| Hydrochloride | | | |
| Tazarotene | | | |
| Tazobactam Sodium | | | |
| Teicoplanin | | | |
| Temocapril | | | |
| Hydrochloride | | | |
| Temocillin Sodium | | | |
| Tenoxicam | | | |
| Terazosan Hydrochloride | | | |
| Terbinafine | | | |
| Terbinafine | | | |
| | | | |
| Hydrochloride Terbutaline | | | |
| | | | |
| Terbutaline Sulphate | | | |
| Terfenadine | | | |
| Terodiline Hydrochloride | | | |
| Tertipressin | | | |
| Testosterone | | | |
| Testosterone Acetate | | | |
| Testosterone 17B Chloral | | | |
| Hemiacetal | | | |
| Testosterone Cyclohexyl- | | | |
| propionate | | | |
| Testosterone Cypionate | | | |
| Testosterone Decanoate | | | |
| Testosterone Enanthate | | | |
| Testosterone Isocaproate | | | |
| Testosterone | | | |
| Phenylpropionate | | | |
| Testosterone Propionate | | | |
| Testosterone | | | |
| Undecanoate | | | |
| Tetrabenazine | | | |
| Tetracosactrin | | | |
| Tetracosactrin Acetate | | | |
| Tetracycline | | | |
| Tetracycline | | | |
| Hydrochloride | | | |

| Prescription Only | Circumstances In W | hich Substances A | e Not |
|--------------------------|-----------------------------|-------------------|-------|
| Medicine | Prescription Only Medicines | | |
| Tetracycline Phosphate | <u> </u> | | |
| Complex | | | |
| Tetroxoprim | | | |
| Thallium Acetate | | | |
| Thallous Chloride | | | |
| Thiabendazole | | | |
| Thiambutosine | | | |
| Thiethylperazine | | | |
| Thiethylperazine Maleate | | | |
| Thiocarlide | | | |
| Thioguanine | | | |
| Thiopentone Sodium | | | |
| Thiopropazate | | | |
| Hydrochloride | | | |
| Thioproperazine Mesylate | | | |
| Thioridazine | | | |
| Thioridazine | | | |
| Hydrochloride | | | |
| Thiosinamine | | | |
| Thiotepa | | | |
| Thiothixene | | | |
| Thiouracil | | | |
| Thymoxamine | | | |
| Hydrochloride | | | |
| Thyroid | | | |
| Thyrotrophin | | | |
| Thyroxine Sodium | | | |
| Tiamulin Fumarate | | | |
| Tiaprofenic Acid | | | |
| Tibolone | | | |
| Ticarcillin Sodium | | | |
| Ticlopidine | | | |
| Hydrochloride | | | |
| Tigloidine Hydrobromide | | | |
| Tiludronate Disodium | | | |
| Timolol Maleate | | | |
| Tinidazole | | | |
| Tinzaparin | | | |
| Tioconazole | 2.0% | (1) External, but | |
| 110001102010 | 2.070 | in the case of | |
| | | vaginal use only, | |
| | | external use for | |
| | | treatment of | |
| | | vaginal | |
| | | candidiasis | |
| Tizanidine Hydrochloride | | | |
| Tobramycin | | | |
| Tobramycin Sulphate | | | |
| Tocainide Hydrochloride | | | |
| rocannue rryurochioride | | | |

| Circumstances In V | Which Substances A | re Not |
|----------------------------|--------------------|---|
| Prescription Only N | Vedicines | |
| | | |
| | | |
| | External | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | 1 |
| | | 1 |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | | 1 |
| | | |
| | | |
| | | |
| | | 1 |
| | | 1 |
| | | 1 |
| | | |
| | | 1 |
| | | Circumstances In Which Substances A Prescription Only Medicines Image: Construct of the second seco |

| Prescription Only | Circumstances In Which Substances Are Not | | |
|-------------------------|---|---------------|--|
| Medicine | Prescription Only Medicines | | |
| L-Tryptophan | (1) Dietary or | | |
| | | ive use | |
| | (2) A | ny external | |
| | use | 5 | |
| Tubocurarine Chloride | | | |
| Tulobuterol | | | |
| Tulobuterol | | | |
| Hydrochloride | | | |
| Tyrothricin | Throa | at lozenges | |
| | | oat pastilles | |
| Uramustine | | | |
| Urea Stibamine | | | |
| Urethane | | | |
| Uridine-5-Triphosphoric | | | |
| Acid | | | |
| Urofollitrophin | | | |
| Urokinase | | | |
| Ursodeoxychloric Acid | | | |
| Vaccines – | | | |
| Athrax Vaccine | | | |
| (Bacillus) Anthracis) | | | |
| Bacillus Calmette- | | | |
| Guerin Vaccine | | | |
| Bacillus Salmonella | | | |
| Typhi Vaccine | | | |
| Percutaneous Bacillus | | | |
| Calmette- Guerin | | | |
| Vaccine | | | |
| Cholera Vaccine | | | |
| Diphtheria Vaccine | | | |
| Adsorbed Diphtheria | | | |
| Vaccine | | | |
| Diphtheria and Tetanus | | | |
| Vaccine | | | |
| Adsorbed Diphtheria | | | |
| and Tetanus Vaccine | | | |
| Diphtheria, Tetanus | | | |
| and Pertussis Vaccine | | | |
| Adsorbed Diphtheria, | | | |
| Tetanus and Pertussis | | | |
| Vaccine | | | |
| Diphtheria, Tetanus | | | |
| and Poliomyelitis | | | |
| Vaccine | | | |
| Diphtheria, Tetanus, | | | |
| Pertussis and | | | |
| Poliomyelitis Vaccine | | | |
| Eltor Vaccine | | | |
| Influenza Vaccine | | | |

| Prescription Only Medicine | Circumstances In Which Substances Are Not Prescription Only Medicines | |
|---------------------------------------|--|--|
| Hepatitis B Vaccine | rrescription Only Medicines | |
| Measles Vaccine | | |
| (Live Attenuated) | | |
| · · · · · · · · · · · · · · · · · · · | + | |
| Meningococcal Polysaccharide | | |
| Vaccine | | |
| Mumps Vaccine | | |
| Pertussis Vaccine | | |
| | | |
| Plague Vaccine | | |
| Pneumococcal Vaccine | | |
| (Bacterial Antigen) | | |
| Poliomyelitis Vaccine | | |
| (Inactivated) | | |
| Poliomyelitis Vaccine (Live Oral) | | |
| | | |
| Rabies Vaccine | | |
| Rubella Vaccine (Live | | |
| Attenuated) | | |
| Rubella, Mumps, | | |
| Measles Vaccine | | |
| Tetanus Vaccine | | |
| Adsorbed Tetanus | | |
| Vaccine | | |
| Tetanus and Pertussis | | |
| Vaccine | | |
| Tuberculin Purified | | |
| Protein Derivative | | |
| Old Tuberculin | | |
| Typhoid Vaccine | | |
| Typhoid – Paratyphoid | | |
| A and B Vaccine | | |
| Typhoid – Paratyphoid | | |
| A and B and Cholera | | |
| Vaccine | | |
| Typhoid – Paratyphoid | | |
| A and B and Tetanus | | |
| Vaccine | | |
| Typhus Vaccine | <u> </u> | |
| Yellow Fever Vaccine | <u> </u> | |
| Valaciclovir | | |
| Valaciclovir | | |
| Hydrochloride | <u> </u> | |
| Valproic Acid | | |
| Valsartan | <u> </u> | |
| Vancomycin | | |
| Hydrochloride | <u> </u> | |
| Vasopressin Injection | <u>↓</u> | |
| Vasopressin Tannate | ļ | |
| Vecuronium Bromide | | |

| Prescription Only Medicine | Circumstances In W Prescription Only M | | Are Not |
|-------------------------------|---|--------------|---|
| Venlafaxine | | | |
| Venlafaxine | | | |
| Hydrochloride | | | |
| Verapamil Hydrochloride | | | |
| Veratrine | | | |
| Veratrum | | | |
| (Green and White) | | | |
| Vidarabine | | | |
| Vigabatrin | | | |
| Viloxazine Hydrochloride | | | |
| Vinblastine Sulphate | | | |
| Vincristine Sulphate | | | |
| Vindesine Sulphate | | | |
| Viomycin Pantothenate | | | |
| Viomycin Sulphate | | | |
| Vitamin A | | (1) Internal | (1) 7500 iu(2250 mcgRetinolequivalent)(MDD) |
| | | (2) External | |
| Vitamin A Acetate | | (1) Internal | (1) Equi- valent to 7500 iu Vitamin A (2250 mcg Retinol equivalent) (MDD) |
| | | (2) External | (1122) |
| Vitamin A Palmitate | | (1) Internal | (1) Equi- valent to 7500 iu Vitamin A (2250 mcg Retinol equivalent) (MDD) |
| | | (2) External | |
| Warfarin | | | |
| Warfarin Sodium | | | |
| Xamoterol Fumarate | | | |
| Xipamide | | | |
| Yohimbine | | | |
| Hydrochloride | | | |
| Zalcitabine | | | |
| Zidovudine | | | |
| Zimeldine Hydrochloride | | | |
| Zolmitriptan | | | |
| Zolpidem | | | |
| Zomepirac Sodium | | | |

| Prescription Only | Circumstances In Which Substances Are Not | | |
|--|---|--|--|
| Medicine | Prescription Only Medicines | | |
| Zopiclone | | | |
| Zuclopenthixol Acetate | | | |
| Zuclopenthixol | | | |
| Decanoate | | | |
| Zuclopenthixol | | | |
| Hydrochloride | | | |
| Note – | 1. In relation to a medicinal product that contains more | | |
| | than one of the substances Atropine, Atropine | | |
| | Methobromide, Atropine Methonitrate, Atropine Oxide Hydrochloride, Atropine Sulphate, Hyoscine, Hyoscine | | |
| | | | |
| | Butylbromide, Hyoscine Hydrobromide, Hyoscine | | |
| | Methobromide, Hyoscine Methonitrate, Hyoscyamine, | | |
| | Hyoscyamine Hydrobromide and Hyoscyamine Sulphate, | | |
| | the maximum daily dose for the purposes of column 4 is | | |
| | 1 mg of the total alkaloids contained in the product that | | |
| | are derived from Belladonna, Hyoscyamus, Stramoniun | | |
| | or other solanaceous plant, and there is no maximum | | |
| | dose. | | |
| | 2. In relation to a medicinal product that contains more | | |
| | than one of the substances Sodium Fluoride, Sodium | | |
| | Monofluorophosphate and Stannous Fluoride combined | | |
| | in a dentifrice, the maximum strength of the combination | | |
| for the purposes of column 2 shall not exceed 0. | | | |
| | calculated as Fluorine. | | |

PART 2

(Articles 1(2), 3(2) and 7)

| Controlled Drugs | Circumstances In Which Controlled Drugs Are Not | | |
|---------------------------------------|---|----------------|---------------------|
| _ | Prescription Only Medicines | | |
| Column 1 | Column 2 | Column 3 | Column 4 |
| Substance | Maximum | Pharmaceutical | Maximum dose |
| | strength | form | |
| Codeine; its salts | Equivalent of 1.5% | | Equivalent of 20 |
| | of Codeine | | mg of Codeine |
| | Monohydrate | | Monohydrate |
| Dihydrocodeine; its | Equivalent of | | Equivalent of 10 |
| salts | 1.5%of | | mg of Dihydroco- |
| | Dihydrocodeine | | deine |
| Ethylmorphine; its | Equivalent of 0.2% | | Equivalent of 7.5 |
| salts | of Ethylmorphine | | mg of Ethyl- |
| | | | morphine |
| Morphine; its salts | (1) Equivalent of | (1) Liquid | (1) Equivalent of 3 |
| - | 0.02% of anhydrous | | mg of anhydrous |
| | Morphine | | Morphine |
| | (2) Equivalent of | (2) Solid | (2) Equivalent of 3 |
| | 0.04% of anhydrous | | mg of anhydrous |
| | Morphine; | | Morphine |
| | equivalent of 300 | | • |
| | mcg of anhydrous | | |
| | Morphine | | |
| Medicinal Opium | (1) Equivalent of | (1) Liquid | (1) Equivalent of 3 |
| · · · · · · · · · · · · · · · · · · · | 0.02% of anhydrous | | mg of anhydrous |
| | Morphine | | Morphine |
| | (2) Equivalent of | (2) Solid | (2) Equivalent of 3 |
| | 0.04% of anhydrous | (_) > 0 | mg of anhydrous |
| | Morphine | | Morphine |
| Pholcodine; its salts | Equivalent of 1.5% | | Equivalent of 20 |
| i noreounie, no buito | of Pholcodine | | mg of Pholcodine |
| | of i holeounie | | ing of i noteounie |

PART 3

(Article 3(4))

NAMED PRODUCTS THAT ARE NOT PRESCRIPTION ONLY MEDICINES

| TABLE A | | |
|--|------------|--|
| Name and product licence number of medicinal products that are not prescription only medicines | | |
| Adcortyl in Orabase for Mouth Ulcers | 0034/0321 | |
| Anusol Plus HC Ointment | 0018/0223 | |
| Anusol Plus HC Suppositories | 0018/0224 | |
| Beechams Hydrocortisone Cream | 0079/0203 | |
| Boots Hydrocortisone Ointment | 0014/0364 | |
| Calacort Cream | 12650/0001 | |
| Canesten Hydrocortisone Cream | 0010/0216 | |
| Corlan Pellets | 0039/0397 | |
| Cortaid Cream 1% | 0032/0126 | |
| Corteze Cream | 0001/0107 | |
| Cortiderm | 2855/0010 | |
| Cortril Topical Ointment 1% (non-greasy) | 0057/0251 | |
| Dermacort Hydrocortisone Cream | 8265/0002 | |
| Dioderm Hydrocortisone Cream | 0173/0153 | |
| Efcortelan Eczema Cream | 10949/0234 | |
| Efcortelan Eczema Ointment | 10949/0235 | |
| Eurax HC Cream | 0001/5010R | |
| Hc45 Hydrocortisone Cream | 0327/0039 | |
| Herpetad Cold Sore Cream | 4986/0007 | |
| Jungle Formula Bite & Sting Relief Cream | 2855/0010 | |
| Lanacort Cream | 3157/0008 | |
| Lanacort Ointment | 3157/0011 | |
| Perinal Spray | 0173/0049 | |
| Pharmacort Cream 0.5% | 0011/0077 | |
| Proctocream HC | 0036/0065 | |
| Soothelip Cold Sore Cream | 0142/0426 | |
| Timocort Hydrocortisone Cream | 0044/0090 | |
| Timocort Hydrocortisone Cream 1% | 0063/0076 | |
| Wasp-Eze Hydrocortisone Cream | 8452/0012 | |
| Zaclovir Cold Sore Cream | 4986/0007 | |
| Zenoxone Cream | 0181/0033 | |
| Zovirax Cold Sore Cream | 0003/0304 | |

TABLE B

Relevant product licence holder and name and product licence number of medicinal products that are not prescription only medicines

| Leo Laboratories Limited: | |
|--------------------------------------|-----------|
| Hydrocortisone Acetate Cream BP 0.5% | 0043/0150 |
| Hydrocortisone Acetate Cream BP 1.0% | 0043/0151 |
| Richard Daniel and Son Limited: | |
| Hydrocortisone Cream BP 1.0% | 0842/0011 |

PART 4¹²

(Article 3(4))

OTHER MEDICINAL PRODUCTS THAT ARE NOT PRESCRIPTION ONLY MEDICINES

- 1 A medicinal product shall not be a prescription only medicine by reason that it contains the substance aciclovir, where
 - (a) the maximum strength of the aciclovir in the medicinal product does not exceed 5%;
 - (b) the medicinal product is sold or supplied in a container, or package, containing not more than 2 g of the medicinal product; and
 - (c) the medicinal product is indicated only for external application for the treatment of herpes simplex virus infections of the lips and face (Herpes labialis).
- 2 A medicinal product shall not be a prescription only medicine by reason that it contains the substance acrivastine, where
 - (a) the medicinal product is sold or supplied in a container, or package, containing not more than 240 mg of acrivastine; and
 - (b) the container or package is labelled to show a maximum daily dose of 24 mg of acrivastine.
- 3 A medicinal product shall not be a prescription only medicine by reason that it contains the substance aloxiprin, where
 - (a) the medicinal product is in the form of non-effervescent tablets or capsules;
 - (b) the maximum strength of the medicinal product in each tablet or capsule does not exceed 620 mg;
 - (c) the quantity (of tablets or capsules, or of any combination of tablets and capsules) that is sold or supplied in one container or package does not exceed 32; and
 - (d) the quantity (of tablets or capsules, or of any combination of tablets and capsules) that is sold or supplied to a person at any one time does not exceed 100.
- 4 A medicinal product shall not be a prescription only medicine by reason that it contains the substance aloxiprin, where it is not in the form of a non-effervescent tablet or capsule.
- 5 A medicinal product shall not be a prescription only medicine by reason that it contains the substance aspirin, where
 - (a) the medicinal product is in the form of non-effervescent tablets or capsules;
 - (b) the maximum strength of the medicinal product in each tablet or capsule does not exceed 75 mg;
 - (c) the quantity (of tablets or capsules, or of any combination of tablets and capsules) that is sold or supplied in one container or package does not exceed 100; and

- (d) the quantity (of tablets or capsules, or of any combination of tablets and capsules) that is sold or supplied to a person at any one time does not exceed 100.
- 6 A medicinal product shall not be a prescription only medicine by reason that it contains the substance aspirin, where
 - (a) the medicinal product is in the form of non-effervescent tablets or capsules;
 - (b) the maximum strength of the medicinal product in each tablet or capsule does not exceed 325 mg;
 - (c) the quantity (of tablets or capsules, or of any combination of tablets and capsules) that is sold or supplied in one container or package does not exceed 32; and
 - (d) the quantity (of tablets or capsules, or of any combination of tablets and capsules) that is sold or supplied to a person at any one time does not exceed 100.
- 7 A medicinal product shall not be a prescription only medicine by reason that it contains the substance azelastine hydrochloride, where
 - (a) the medicinal product is in non-aerosol, aqueous form for nasal administration;
 - (b) the medicinal product is sold or supplied in a container, or package, containing not more than 36 doses each of which contains not more than 140 mcg of azelastine hydrochloride;
 - (c) the container or package is labelled to show a maximum dose of 140 mcg per nostril and a maximum daily dose of 280 mcg per nostril of azelastine hydrochloride; and
 - (d) the medicinal product is indicated only for the treatment of seasonal allergic rhinitis or perennial allergic rhinitis, in persons aged not less than 5 years.
- **8** A medicinal product shall not be a prescription only medicine by reason that it contains the substance azelastine hydrochloride, where
 - (a) the medicinal product is in the form of eye drops; and
 - (b) it is indicated only for the treatment of allergic conjunctivitis, in persons aged not less than 12 years.
- **9** A medicinal product shall not be a prescription only medicine by reason that it contains the substance beclomethasone dipropionate, where
 - (a) the medicinal product is in non-aerosol form for nasal administration;
 - (b) the medicinal product is sold or supplied in a container, or package, containing not more than 5,600mcg of beclomethasone diopropionate;
 - (c) the container or package is labelled to show a maximum dose of 100 mcg per nostril and a maximum daily dose of 200 mcg per nostril of beclomethasone dipropionate; and
 - (d) the medicinal product is indicated only for the prevention of treatment of allergic rhinitis, in persons aged not less than 12 years.
- **10** A medicinal product shall not be a prescription only medicine by reason that it contains the substance budesonide, where
 - (a) the medicinal product is in non-aerosol, aqueous form for nasal administration;

- (b) the medicinal product is sold or supplied in a container, or package, containing not more than 10 mg of the medicinal product;
- (c) the container or package is labelled to show a maximum dose, and a maximum daily dose, of 200 mcg per nostril of budesonide; and
- (d) the medicinal product is indicated only for the prevention of treatment of seasonal allergic rhinitis, in persons aged not less than 12 years.
- **11** A medicinal product shall not be a prescription only medicine by reason that it contains the substance carbenoxolone sodium, where
 - (a) the medicinal product is in the form of granules;
 - (b) the maximum strength of the carbenoxolone sodium in the medicinal product does not exceed 1%, calculated in terms of weight in weight;
 - (c) the medicinal product is sold or supplied in a container, or package, containing not more than 560 mg of carbenoxolone sodium;
 - (d) the container or package is labelled to show a maximum dose of 20 mg and a maximum daily dose of 80 mg of carbenoxolone sodium; and
 - (e) the medicinal product is indicated only for treatment by mouthwash, in persons aged not less than 12 years.
- 12 A medicinal product shall not be a prescription only medicine by reason that it contains the substance cetirizine, where
 - (a) the medicinal product is sold or supplied in a container, or package, containing not more than 100 mg of cetirizine; and
 - (b) the container or package is labelled to show a maximum daily dose of 10mg of cetirizine.
- 13 A medicinal product shall not be a prescription only medicine by reason that it contains the substance cimetidine, where
 - (a) the container or package in which the medicinal product is sold or supplied is labelled to show a maximum dose of 200 mg and a maximum daily dose of 800 mg of cimetidine for a maximum period of 14 days; and
 - (b) the medicinal product is indicated for the short-term symptomatic relief of heartburn, dyspepsia and hyperacidity and for the prophylaxsis of meal-induced heartburn.
- 14 A medicinal product shall not be a prescription only medicine by reason that it contains the substance cimetidene, where
 - (a) the medicinal product is for the prophylactic management of nocturnal heartburn; and
 - (b) the container or package in which the medicinal product is sold or supplied is labelled to show a maximum dose of 100 mg of cimetidine to be taken once daily at night for a maximum period of 14 days.
- 15 A medicinal product shall not be a prescription only medicine by reason that it contains the substance clobetasone butyrate, where
 - (a) the medicinal product is in the form of a cream;
 - (b) the maximum strength of the clobetasone butyrate in the medicinal product does not exceed 0.05%;
 - (c) the medicinal product is sold or supplied in a container, or package, containing not more than 15 g of the medicinal product; and

- (d) the medicinal product is indicated only for external application for the shortterm treatment of eczema and dermatitis, in persons aged not less than 12 years.
- 16 A medicinal product shall not be a prescription only medicine by reason that it contains the substance diclofenac diethylammonium, where
 - (a) the maximum strength of the diclofenac diethylammonium in the medicinal product does not exceed 1.16%, calculated in terms of weight in weight;
 - (b) the medicinal product is sold or supplied in a container, or package, containing not more than 30 g of the medicinal product;
 - (c) the container or package is labelled to show a maximum period of use of 7 days; and
 - (d) the medicinal product is indicated for external application for the local symptomatic relief of pain and inflammation in trauma of the tendons, ligaments, muscles and joints and in localized forms of soft tissue rheumatism, in persons aged not less than 12 years.
- 17 A medicinal product shall not be a prescription only medicine by reason that it contains the substance domperidone, where
 - (a) the medicinal product is indicated for the relief of post-prandial symptoms of excessive fullness, nausea, epigastric bloating and belching, occasionally accompanied by epigastric discomfort and heartburn;
 - (b) the medicinal product is sold or supplied in a container or package containing not more than 200 mg of domperidone; and
 - (c) the container or package is labelled to show a maximum dose of 10 mg of domperidone and a maximum daily dose of 40 mg of domperidone.
- **18** A medicinal product shall not be a prescription only medicine by reason that it contains the substance domperidone maleate, where
 - (a) the medicinal product is sold in a container, or package, containing not more than 200 mg of domperidone maleate;
 - (b) the container or package is labelled to show a maximum dose of 10 mg and a maximum daily dose of 40 mg; and
 - (c) the medicinal product is indicated for use for the relief of postprandial symptoms of excessive fullness, nausea, epigastric bloating and belching, accompanied by epigastric discomfort and heartburn.
- **19** A medicinal product shall not be a prescription only medicine by reason that it contains the substance famotidine, where
 - (a) the container or package in which the medicinal product is sold or supplied is labelled to show a maximum dose of 10 mg and a maximum daily dose of 20 mg of famotidine for a maximum period of 14 days; and
 - (b) the medicinal product is indicated for
 - (i) the short-term symptomatic relief of heartburn, dyspepsia, indigestion, acid indigestion or hyperacidity, or
 - (ii) the prevention of the symptoms of heartburn, dyspepsia, indigestion, acid indigestion or hyperacidity where they are associated with the consumption of food or drink, including the prevention of sleep disturbance because of those symptoms.

- **20** A medicinal product shall not be a prescription only medicine by reason that it contains the substance felbinac, where
 - (a) the maximum strength of the felbinac in the medicinal product does not exceed 3.17%, calculated in terms of weight in weight;
 - (b) the medicinal product is sold or supplied in a container, or package, containing not more than 50 g of the medicinal product;
 - (c) the container or package is labelled to show a maximum period of use of 7 days; and
 - (d) the medicinal product is indicated for external application for the relief of symptoms associated with soft tissue injury such as strains, sprains and contusions, in persons aged not less than 12 years.
- **21** A medicinal product shall not be a prescription only medicine by reason that it contains the substance fluconazole, where
 - (a) the medicinal product is sold or supplied in a container, or package, containing not more than 150 mg of the medicinal product;
 - (b) the container or package is labelled to show a maximum dose of 150 mg of fluconazole; and
 - (c) the medicinal product is indicated for oral administration for the treatment of vaginal candidiasis or associated candidal balanitis, in persons aged not less than 16 years but less than 60 years.
- 22 A medicinal product shall not be a prescription only medicine by reason that it contains the substance flunisolide, where
 - (a) the medicinal product is in the form of a non-pressurized nasal spray;
 - (b) the maximum strength of the flunisolide in the medicinal product does not exceed 0.025%, calculated in terms of weight in volume;
 - (c) the medicinal product is sold or supplied in a container, or package, containing not more than 240 metered doses of the medicinal product;
 - (d) the container or package is labelled to show a maximum dose of 50 mcg per nostril and a maximum daily dose of 100 mcg per nostril of flunisolide in the case of persons aged not less than 16 years, and a maximum dose of 25 mcg per nostril and a maximum daily dose of 75 mcg per nostril in the case of children aged not less than 12 years but less than 16 years; and
 - (e) the medicinal product is indicated for the prevention and treatment of seasonal allergenic rhinitus, including hay fever, in persons aged not less than 12 years.
- **23** A medicinal product shall not be a prescription only medicine by reason that it contains the substance hydrocortisone, where
 - (a) the maximum strength of the hydrocortisone in the medicinal product does not exceed 0.5%, calculated in terms of weight in weight;
 - (b) the medicinal product is sold or supplied in a container, or package, containing not more than 15 g of the medicinal product; and
 - (c) the medicinal product is indicated for external use in combination with nystatin of a maximum strength of 3.0%, for intertrigo, in persons aged not less than 10 years.
- A medicinal product shall not be a prescription only medicine by reason that it contains the substance hydrocortisone, where –

- (a) the medicinal product is in the form of a cream, ointment or spray;
- (b) the maximum strength of the hydrocortisone in the medicinal product does not exceed 1.0%, calculated in terms of weight in weight;
- (c) the medicinal product is sold or supplied in a container, or package, containing
 - (i) where the medicinal product is in the form of a cream or ointment, not more than 15 g of the medicinal product, or
 - (ii) where the medicinal product is in the form of a spray, not more than 30 ml of the medicinal product;
- (d) the medicinal product is indicated for external use, either alone or in conjunction with crotamiton in irritant dermatitis, contact allergic dermatitis, insect bite reactions or mild to moderate eczema, and either in combination with clotrimazole or miconazole nitrate for athlete's foot and candidal intertrigo or in combination with lignocaine for anal and perianal itch associated with haemorrhoids; and
- (e) the medicinal product is indicated for use in persons aged not less than 10 years.
- **25** A medicinal product shall not be a prescription only medicine by reason that it contains the substance hydrocortisone acetate, where
 - (a) the medicinal product is in the form of a cream or ointment, or suppositories;
 - (b) the maximum strength of the hydrocortisone acetate in the medicinal product is equivalent to 1.0% of hydrocortisone, calculated in terms of weight in weight;
 - (c) the medicinal product is sold or supplied in a container, or package, containing
 - (i) where the medicinal product is in the form of a cream or ointment, not more than 15 g of the medicinal product, or
 - (ii) where the medicinal product is in the form of suppositories, not more than 12 suppositories;
 - (d) the medicinal product is indicated for external use -
 - (i) for irritant dermatitis, contact allergic dermatitis, insect bite reactions or mild to moderate eczema,
 - (ii) in combination with one or more of the following, namely benzyl benzoate, bismuth oxide, bismuth subgallate, peru balsam, pramoxine hydrochloride and zinc oxide, for haemorrhoids, or
 - (iii) in combination with miconazole nitrate, for tinea pedis or candidal intertrigo; and
 - (e) the medicinal product is indicated for use in persons aged not less than 10 years.
- 26 A medicinal product shall not be a prescription only medicine by reason that it contains the substance hydrocortisone sodium succinate, where
 - (a) the medicinal product is in the form of pellets;
 - (b) the maximum strength of the hydrocortisone sodium succinate in the medicinal product is equivalent to 2.5 mg of hydrocortisone, calculated in terms of weight in weight;

- (c) the medicinal product is sold or supplied in a container, or package, containing the equivalent of 50 mg of hydrocortisone; and
- (d) the medicinal product is indicated for external use for aphthous ulceration of the mouth, in persons aged not less than 12 years.
- 27 A medicinal product shall not be a prescription only medicine by reason that it contains the substance hydroxyzine hydrochloride, where
 - (a) the medicinal product is sold or supplied in a container, or package, containing not more than 750 mg of the medicinal product;
 - (b) the container or package is labelled to show a maximum dose of 25 mg, and to show a maximum daily dose of 75 mg in the case of persons aged not less than 12 years and a maximum daily dose of 50 mg in the case of children aged not less than 6 years but less than 12 years; and
 - (c) the medicinal product is indicated for the management of pruritus associated with acute or chronic urticaria or atopic dermatitis or contact dermatitis, in persons aged not less than 6 years.
- **28** A medicinal product shall not be a prescription only medicine by reason that it contains the substance hyoscine butylbromide, where
 - (a) the route of administration of the medicinal product is internal and is otherwise than by means of an inhaler;
 - (b) the medicinal product is sold or supplied in a container, or package, containing not more than 240 mg of the medicinal product; and
 - (c) the container or package is labelled to show a maximum dose of 20 mg and a maximum daily dose of 80 mg of the medicinal product.
- **29** A medicinal product shall not be a prescription only medicine by reason that it contains the substance Ibuprofen, where
 - (a) the medicinal product is indicated for the relief of rheumatic and muscular pain, pain of non-serious arthritic conditions, backache, neuralgia, migraine, headache, dental pain, dysmenorrhoea, feverishness, symptoms of colds and influenza; and either
 - (b) the route of the administration of the medicinal product is internal; and
 - (i) in the case of a prolonged release preparation the container or package is labelled to show a maximum dose of 600 mg and a maximum daily dose of 1200 mg, or
 - (ii) in any other case the container or package is labelled to show a maximum dose of 400 mg and a maximum daily dose of 1200 mg; or
 - (c) the route of administration of the medicinal product is external; and
 - (i) the maximum strength of the Ibuprofen in the medicinal product does not exceed 5%, or
 - (ii)
- (A) the maximum strength of the Ibuprofen in the medicinal product does not exceed 10%, and
- (B) the medicinal product is sold or supplied in a container or package containing not more than 50 g of medicinal product which is labelled to show a maximum dose of 125 mg and a maximum daily dose of 500 mg.

- **30** A medicinal product shall not be a prescription only medicine by reason that it contains the substance ketoconazole, where
 - (a) the medicinal product is in the form of a shampoo;
 - (b) the maximum strength of the ketoconazole in the medicinal product does not exceed 2%, calculated in terms of weight in weight;
 - (c) the medicinal product is sold or supplied in a container, or package, containing not more than 120 ml of the medicinal product and containing in the medicinal product not more than 2,400 mg of ketoconazole;
 - (d) the container or package is labelled to show a maximum frequency of application of once every 3 days; and
 - (e) the medicinal product is indicated for the prevention and treatment of dandruff and seborrhoeic dermatitis of the scalp.
- **31** A medicinal product shall not be a prescription only medicine by reason that it contains the substance ketoprofen, where
 - (a) the maximum strength of the ketoprofen in the medicinal product does not exceed 2.5%, calculated in terms of weight in weight;
 - (b) the medicinal product is sold or supplied in a container, or package, containing not more than 30 g of the medicinal product; and
 - (c) the medicinal product is indicated only for treatment by external topical application, for rheumatic and muscular pain, in persons aged not less than 12 years, for a maximum period of 7 days.
- **32** A medicinal product shall not be a prescription only medicine by reason that it contains the substance levocabastine hydrochloride, where
 - (a) the medicinal product is in the form of a nasal spray;
 - (b) the maximum strength of the medicinal product does not exceed the equivalent of 0.05% levocabastine;
 - (c) the medicinal product is sold or supplied in a container, or package, containing not more than 10 ml of the medicinal product; and
 - (d) the medicinal product is indicated for the symptomatic treatment of seasonal allergic rhinitis.
- **33** A medicinal product shall not be a prescription only medicine by reason that it contains the substance levocabastine hydrochloride, where
 - (a) the medicinal product is in the form of aqueous eye drops;
 - (b) the maximum strength of the medicinal product does not exceed the equivalent of 0.05% levocabastine;
 - (c) the medicinal product is sold or supplied in a container, or package, containing not more than 4ml of the medicinal product; and
 - (d) the medicinal product is indicated for the symptomatic treatment of seasonal allergic conjunctivitis.
- **34** A medicinal product shall not be a prescription only medicine by reason that it contains the substance loratadine, where
 - (a) the medicinal product is sold or supplied in a container, or package, containing not more than 100 mg of loratadine; and
 - (b) the container or package is labelled to show a maximum daily dose of 10 mg of loratadine.

- 35 A medicinal product shall not be a prescription only medicine by reason that it contains the substance mebendazole, where
 - (a) the medicinal product is sold or supplied in a container, or package, containing not more than 800 mg of mebendazole;
 - (b) the container or package is labelled to show a maximum dose of 100 mg of mebendazole; and
 - (c) the medicinal product is indicated for oral use in the treatment of enterobiasis, in persons aged not less than 2 years.
- **36** A medicinal product shall not be a prescription only medicine by reason that it contains the substance nedocromil sodium, where
 - (a) the maximum strength of the nedocromil sodium in the medicinal product does not exceed 2.0%, calculated in terms of weight in volume;
 - (b) the medicinal product is sold in a container, or package, containing not more than 3 ml of the medicinal product; and
 - (c) the medicinal product is indicated for the prevention, relief and treatment of seasonal and perennial allergic conjunctivitis.
- **37** A medicinal product shall not be a prescription only medicine by reason that it contains the substance nizatidine, where
 - (a) the container or package in which the medicinal product is sold or supplied is labelled to show a maximum dose of 75 mg of nizatidine and a maximum of 4 such doses in any period of 14 days; and
 - (b) the medicinal product is indicated only for the prevention of the symptoms of food-related heartburn, in persons aged not less than 16 years.
- **38** A medicinal product shall not be a prescription only medicine by reason that it contains the substance nystatin, where
 - (a) the maximum strength of the nystatin in the medicinal product does not exceed 3.0%, calculated in terms of weight in weight;
 - (b) the medicinal product is sold in a container, or package, containing not more than 15 g of the medicinal product; and
 - (c) the medicinal product is indicated for external use in combination with hydrocortisone of a maximum strength of 0.5% for intertrigo, in persons aged not less than 10 years.
- **39** A medicinal product shall not be a prescription only medicine by reason that it contains the substance oxethazaine, where
 - (a) the medicinal product is sold or supplied in a container, or package, containing not more than 400 ml of oxethazaine; and
 - (b) the container or package is labelled to show a maximum dose of 10 ml and a maximum daily dose of 30 ml of oxethazaine.
- **40** A medicinal product shall not be a prescription only medicine by reason that it contains the substance paracetamol, where
 - (a) the medicinal product is in the form of non-effervescent tablets or capsules;
 - (b) the maximum strength of the medicinal product in each tablet or capsule does not exceed 500 mg;

- (c) the quantity (of tablets or capsules, or of any combination of tablets and capsules) that is sold or supplied in one container or package does not exceed 32;
- (d) the quantity (of tablets or capsules, or of any combination of tablets and capsules) that is sold or supplied to a person at any one time does not exceed 100; and
- (e) the medicinal product is indicated for use by administration wholly or mainly to persons aged not less than 12 years.
- **41** A medicinal product shall not be a prescription only medicine by reason that it contains the substance paracetamol, where
 - (a) the medicinal product is in the form of non-effervescent tablets or capsules;
 - (b) the maximum strength of the medicinal product in each tablet or capsule does not exceed 250 mg;
 - (c) the quantity (of tablets or capsules, or of any combination of tablets and capsules) that is sold or supplied in one container or package does not exceed 32; and
 - (d) the quantity (of tablets and capsules, or of any combination of tablets and capsules) that is sold or supplied to a person at any one time does not exceed 100.
- 42 A medicinal product shall not be a prescription only medicine by reason that it contains the substance piroxicam, where
 - (a) the maximum strength of the piroxicam in the medicinal product does not exceed 0.5%;
 - (b) the medicinal product is sold or supplied in a container, or package, containing not more than 30 mg of the medicinal product;
 - (c) the container or package is labelled to show a maximum period of use of 7 days; and
 - (d) the medicinal product is indicated for external application for the relief of rheumatic pain, pain of non-serious arthritic conditions and muscular aches, pains and swellings such as strains, sprains and sports injuries, in persons aged not less than 12 years.
- **43** A medicinal product shall not be a prescription only medicine by reason that it contains the substance prochlorperazine maleate, where
 - (a) the medicinal product is in the form of tablets;
 - (b) the maximum amount of the prochlorperazine maleate in the medicinal product, in each tablet, does not exceed 3 mg;
 - (c) the medicinal product is sold or supplied in a container, or package, containing not more than 8 tablets; and
 - (d) the medicinal product is indicated only for nausea, and vomiting, in previously diagnosed migraine, in persons aged not less than 18 years.
- 44 A medicinal product shall not be a prescription only medicine by reason that it contains the substance pyrantel embonate, where
 - (a) the medicinal product is sold or supplied in a container, or package, containing not more than 750 mg of the medicinal product;

- (b) the container or package is labelled to show a maximum daily dose (to be taken as a single dose) of pyrantel embonate of 750 mg in the case of persons aged not less than 12 years, of 500 mg in the case of children aged not less than 6 years but less than 12 years, and of 250 mg in the case of children aged not less than 2 years but less than 6 years; and
- (c) the medicinal product is indicated for the treatment of enterobiasis, in persons aged not less than 2 years.
- **45** A medicinal product shall not be a prescription only medicine by reason that it contains the substance ranitidine hydrochloride, where
 - (a) the container or package in which the medicinal product is sold or supplied is labelled to show a maximum dose equivalent to 75 ml and a maximum daily dose equivalent to 300 ml of ranitidine for a maximum period of use of 14 days; and
 - (b) the medicinal product is indicated for the short-term symptomatic relief of heartburn, dyspepsia and hyperacidity, or the prevention of those symptoms when associated with the consumption of food and drink.
- **46** A medicinal product shall not be a prescription only medicine by reason that it contains the substance sodium cromoglycate, where
 - (a) the medicinal product is in the form of aqueous eye drops;
 - (b) the maximum strength of the sodium cromoglycate in the medicinal product does not exceed 2%, calculated in terms of weight in volume;
 - (c) the medicinal product is sold or supplied in a container containing not more than 10 ml of the medicinal product; and
 - (d) the medicinal product is indicated for treatment of acute seasonal allergic conjunctivitis.
- 47 A medicinal product shall not be a prescription only medicine by reason that it contains the substance sodium cromoglycgate, where
 - (a) the medicinal product is in the form of an eye ointment;
 - (b) the maximum strength of the sodium cromoglycate in the medicinal product is 4%, calculated in terms of weight in weight;
 - (c) the medicinal product is sold or supplied in a container, or package, containing not more than 5 g of the medicinal product; and
 - (d) the medicinal product is indicated for the treatment of acute seasonal allergic conjunctivitis or perennial allergic conjunctivitis.
- **48** A medicinal product shall not be a prescription only medicine by reason of the fact that it contains terbinafine, where
 - (a) the maximum strength of the terbinafine in the medicinal product does not exceed 1%;
 - (b) the medicinal product is sold or supplied in a container, or package, containing not more than 30 g of the medicinal product; and
 - (c) the medicinal product is indicated for external use as a gel for the treatment of tina corporis, tinea pedis and tinea cruris.
- **49** A medicinal product shall not be a prescription only medicine by reason of the fact that it contains terbinafine hydrochloride where –

- (a) the maximum strength of the terbinafine hydrochloride in the medicinal product does not exceed 1%;
- (b) the medicinal product is indicated for external use for the treatment of tinea pedis and tinea cruris; and
- (c) the medicinal product is sold or supplied in a container or package containing not more than 15 g of medicinal product.
- **50** A medicinal product shall not be a prescription only medicine by reason of the fact that it contains terbinafine hydrochloride, where
 - (a) the maximum strength of the terbinafine hydrochloride in the medicinal product does not exceed 1%;
 - (b) the medicinal product is sold or supplied in a container containing not more than 30 ml of the medicinal product; and
 - (c) the medicinal product is indicated for external use as a spray solution for the treatment of tina corporis, tinea pedis and tinea cruris.
- **51** A medicinal product shall not be a prescription only medicine by reason of the fact that it contains triamcinolone acetonide where
 - (a) the medicinal product is in the form of a non-pressurised nasal spray;
 - (b) the medicinal product is indicated for the treatment of symptoms of seasonal allergic rhinitis in persons aged 18 years and over for a maximum period of 3 months;
 - (c) the container or package is labelled to show a maximum dose of 110 mcg per nostril and a maximum daily dose of 110 mcg per nostril; and
 - (d) the medicinal product is sold or supplied in a container or package containing not more than 3.375 mg of triamcinolone acetonide.

SCHEDULE 2

EXEMPTION FOR CERTAIN PERSONS FROM ARTICLE 57(2) OF THE LAW

PART 1¹³

| Column 1 | Column 2 | Column 3 |
|------------------------------|--------------------------|------------------------------|
| Persons exempted | Prescription only | Conditions |
| | medicines to which the | |
| | exemption applies | |
| 1. Persons selling or | 1. All prescription only | 1.(1) The sale or supply |
| supplying prescription only | medicines. | shall be subject to the |
| medicines to universities, | | presentation of an order, |
| other institutions concerned | | signed by the principal of |
| with higher education or | | the institution or the |
| institutions concerned with | | appropriate head of |
| research. | | department in charge of a |
| | | specified course of |
| | | research. |
| | | (2) The order shall |
| | | specify- |
| | | (a) the name of the |
| | | institution for which the |
| | | prescription only medicine |
| | | is required; |
| | | (b) the purpose for which |
| | | the prescription only |
| | | medicine is required; and |
| | | (c) the total quantity |
| | | required. |
| | | (3) The sale or supply shall |
| | | be only for the purposes of |
| | | the education or research |
| | | with which the institution |
| | | is concerned. |
| 2. Persons selling or | 2. All prescription only | 2.(1) The sale or supply |
| supplying prescription only | medicines. | shall be subject to the |
| medicines to any of the | | presentation of an order |
| following persons – | | signed by or on behalf of |
| (a) the Official Analyst | | any person listed in any of |
| appointed under Article 2 | | paragraph 2(a), (b) and (c) |
| of the Food Safety (Jersey) | | of column 1 of this Part of |
| Law 1966, or any person | | this Schedule. |
| appointed under that | | (2) The order shall specify |
| Article to deputise for him | | the status of the person |
| or her; | | signing it, and the amount |

(Articles 1(2)(a) and 8(1))

| Column 1 | Column 2 | Column 3 |
|----------------------------------|---|--|
| Persons exempted | Prescription only medicines to which the | Conditions |
| | exemption applies | |
| | | of the prescription only |
| | | medicine required. |
| (b) an authorized officer | | (3) The sale or supply shall |
| within the meaning of the | | be only in connection with |
| Food Safety (Jersey) | | the exercise by the person |
| <u>Law 1966;</u> and | | of his or her statutory functions. |
| (c) a person duly | - | |
| authorized by the Minister | | |
| under Article 96 or 97 of | | |
| the Law. | | |
| 3. Persons selling or | 3. All prescription only | 3.(1) The sale or supply |
| supplying prescription only | medicines. | shall be subject to the |
| medicines to any person | | presentation of an order |
| employed or engaged in | | signed by or on behalf of |
| connection with a scheme | | the person so employed or |
| for testing the quality and | | engaged. |
| checking the amount of | | (2) The order shall specify |
| drugs and appliances | | the status of the person |
| supplied under the <u>Health</u> | | signing it, and the amount |
| Insurance (Jersey) | | of the prescription only |
| Law 1967, or under any | | medicine required. |
| subordinate legislation | | |
| made under that law. | | |
| | | (3) The sale or supply shall |
| | | be only for the purposes of a scheme to which |
| | | |
| | | paragraph 3 of column 1 of this Part of this Schedule |
| | | refers. |
| 4. Certified midwives. | 4. Prescription only | 4. The sale or supply shall |
| | medicines containing any | be only in the course of the |
| | of the following | midwife's professional |
| | substances – | practice and, in the case of |
| | Chloral hydrate | Ergometrine maleate, only |
| | Dichloral-phenazone | when contained in a |
| | Ergometrine maleate | medicinal product that is |
| | Pentazocine hydrochloride | not for parenteral |
| | Phytomenadrone | administration. |
| | Triclofos sodium | |
| 5. Persons lawfully | 5. Prescription only | 5. The sale or supply shall |
| conducting retail pharmacy | medicines (not being for | be subject to the |
| businesses. | parenteral administration) | presentation of an order |
| | that are of any of the | signed by a registered |
| | following descriptions – | optometrist. |
| | (a) eye drops, or eye | |
| | ointments, that are | |
| | prescription only medicines | |

| Column 1 | Column 2 | Column 3 |
|-----------------------------|--|--|
| Persons exempted | Prescription only | Conditions |
| • | medicines to which the | |
| | exemption applies | |
| | by reason only that they | |
| | contain – | |
| | (i) 30.0% Sulphacetamide | |
| | sodium; or | |
| | (ii) 0.5% Chloramphenicol; | |
| | (b) eye ointments that are | |
| | prescription only medicines | |
| | by reason only that they | |
| | contain – | |
| | (i) 30.0% Sulpha-cetamide | |
| | sodium; or | |
| | (ii) 0.5%Chloramphenicol; | |
| | or | |
| | (c) medicinal products that | |
| | are prescription only | |
| | medicines by reason only | |
| | that they contain any of the | |
| | following substances – | |
| | Atropine sulphate | |
| | Bethanecol chloride | |
| | Carbachol | |
| | Cyclopentolate | |
| | hydrochloride | |
| | Homatropine | |
| | hydrobromide | |
| | Hyoscine hydrobromide | |
| | Naphazoline hydrochloride | |
| | Naphazoline nitrate | |
| | Neostigmine methyl- | |
| | sulphate | |
| | Physostigmine salicylate | |
| | Physostigmine sulphate | |
| | Pilocarpine hydrochloride | |
| | Pilocarpine nitrate | |
| | Tropicamide. | |
| | | |
| | | |
| 6 Decistored anti- | 6 Drocominitian ant- | (1) The selection -1 |
| 6. Registered optometrists. | 6. Prescription only medicines listed in | 6.(1) The sale or supply |
| | | shall be only in the course of the optician's |
| | paragraph 5 of column 2 of this Part of this Schedule. | professional practice. |
| | uns i art of uns schedule. | (2) The sale shall be only |
| | | |
| 7.(1) Holders of product | 7. Prescription only | in an emergency. 7. The sale or supply shall |
| licences. | medicines to which the | be only – |
| nunuts. | licence relates. | |
| (2) Holders of | | (a) to a pharmagist so as to |
| (2) Holders of | | (a) to a pharmacist, so as |

| Column 1 | Column 2 | Column 3 |
|--|--|--|
| Persons exempted | Prescription only medicines to which the exemption applies | Conditions |
| manufacturer's licences. | | enable that pharmacist to prepare an entry relating to the prescription only medicine in question in a tablet or capsule identifi- cation guide or similar publication; and (b) of no greater quantity than is reasonably necessary for that purpose. |
| 8. Pharmacists selling or supplying to persons to whom cyanide salts may be sold lawfully under the <u>Poisons (Jersey) Law 1952</u> . | 8. Amyl nitrite. | 8. The sale or supply shall only be so far as is necessary to enable an antidote to be available to persons at risk of cyanide poisoning. |

PART 2

| Column 1 | Column 2 | Column 3 |
|-----------------------------------|---|--|
| Persons exempted | Prescription only | Conditions |
| | medicines to which the | |
| | exemption applies | |
| 1.(1) The Royal National | 1. All prescription only | 1. The supply shall be |
| Lifeboat Institution. | medicines. | only so far as is |
| (2) Certificated first aiders of | | necessary for the |
| the Institution. | | treatment of sick or |
| | | injured persons. |
| 2. The owner or the master of a | 2. All prescription only | 2. The supply shall be |
| ship that does not carry a doctor | medicines. | only so far as is |
| on board as part of the ship's | | necessary for the |
| complement. | | treatment of persons on |
| 0.571 | | the ship. |
| 3. The operator or commander | 3. Prescription only | 3.(1) The supply shall be |
| of an aircraft. | medicines that – | only so far as is |
| | (a) are not for parenteral | necessary for the immediate treatment of |
| | administration; and | |
| | (b) have been sold or supplied to the operator | sick or injured persons on the aircraft. |
| | or commander of the | (2) The supply shall be in |
| | aircraft in response to an | accordance with the |
| | order in writing signed | written instructions of a |
| | by a doctor. | doctor as to the |
| | | circumstances in which |
| | | prescription only |
| | | medicines of the |
| | | description in question |
| | | are to be used on the |
| | | aircraft. |
| 4. Persons authorized by | 4. Prescription only | 4. The supply shall be |
| licences granted under Article 4 | medicines (being | subject to the conditions, |
| of the Misuse of Drugs | controlled drugs) whose | in the circumstances and |
| (General Provisions) (Jersey) | supply is authorized by | to the extent specified in |
| Order 1989 to supply a | the licence. | the licence. |
| controlled drug. | | |

(Articles 1(2) and 8(1))

| Column 1 | Column 2 | Column 3 |
|--|---|--|
| 5. Persons requiring prescription only medicines to enable them, in the course of any business carried on by them, to comply with any requirements under any enactment in respect of the medical treatment of their employees. | 5. Prescription only medicines specified in the enactment. | 5.(1) The supply shall be only to enable the person to comply with any such requirements.(2) The supply shall be subject to such conditions and in such circumstances as may be specified in the |
| 6. Persons operating an occupational health scheme. | 6. Prescription only medicines sold or supplied to such a person in response to an order in writing signed by a doctor or a registered nurse. | enactment. 6.(1) The supply shall be only in the course of the scheme. (2) The person supplying the prescription only medicine shall be – (a) a doctor; or |
| | | (b) a registered nurse acting in accordance with the written instructions of a doctor as to the circumstances in which prescription only medicines of the description in question are to be used in the course of the scheme. |

PART 3¹⁴

(Articles 1(2) and 8(2))

| Column 1 | Column 2 | Column 3 |
|-----------------------------|------------------------------|------------------------------|
| Persons exempted | Prescription only | Conditions |
| - | medicines to which the | |
| | exemption applies | |
| 1. Chiropodists, registered | 1. Prescription only | 1. The administration shall |
| under the Health Care | medicines for parenteral | be only in the course of the |
| (Registration) (Jersey) | administration that contain, | chiropodist's professional |
| Law 1995, who hold | as the sole active | practice. |
| certificates of competence | ingredient, not more than | |
| in the use of analgesics | one of the following | |
| issued by or with the | substances – | |
| approval of the | | |
| Chiropodists Board of the | | |
| United Kingdom. | | |
| | Bupivacaine hydrochloride | |
| | Bupivacaine hydrochloride | |
| | with adrenaline, where the | |
| | maximum strength of the | |
| | adrenaline does not exceed | |
| | 1 mg in 200 ml of | |
| | bupivacaine hydrochloride | |
| | Lignocaine hydrochloride | |
| | Lignocaine hydrochloride | |
| | with adrenaline, where the | |
| | maximum strength of the | |
| | adrenaline does not exceed | |
| | 1 mg in 200 ml of | |
| | lignocaine hydrochloride | |
| | Mepivacaine hydrochloride | |
| | Prilocaine hydrochloride | |
| 2. Certified midwives. | 2. Prescription only | 2. The administration shall |
| | medicines for parenteral | be only in the course of the |
| | administration that contain | midwife's professional |
| | any of the following | practice and, in the case of |
| | substances (but no other | Lignocaine, Lignocaine |
| | substance specified in | hydrochloride and |
| | column 1 of Part I of the | Promazine hydrochloride, |
| | First Schedule to this | shall be only while |
| | Order) – | attending on a woman in |
| | | childbirth. |
| | Ergometrine maleate | |
| | Levallorphan tartrate | |
| | Lignocaine | |
| | Lignocaine hydrochloride | |
| | Naloxone hydrochloride | |
| | Oxytocins, | |

| Column 1 | Column 2 | Column 3 |
|-----------------------------|---|---|
| | Natural and Synthetic | |
| | Pentazocine lactate | |
| | Pethidine | |
| | Pethidine hydrochloride | |
| | Phytomenadione | |
| | Promazine hydrochloride. | |
| 3. The owner or the master | 3. All prescription only | 3. The administration shall |
| of a ship that does not | medicines that are for | be only so far as is |
| carry a doctor on board as | parenteral administration. | necessary for the treatment |
| part of the ship's | | of persons on the ship. |
| complement. | | |
| 4. The operator or | 4. Prescription only | 4.(1) The administration |
| commander of an aircraft. | medicines for parenteral | shall be only so far as is |
| | administration that have | necessary for the |
| | been sold or supplied to the | immediate treatment of |
| | operator or commander of | sick or injured persons on |
| | the aircraft in response to | the aircraft. |
| | an order in writing signed | |
| | by a doctor. | |
| | | (2) The administration |
| | | shall be in accordance with |
| | | the written instructions of a |
| | | doctor as to the |
| | | circumstances in which |
| | | prescription only |
| | | medicines of the |
| | | description in question are |
| 5 Demonstration | 5. Decementing a subs | to be used on the aircraft. (1) The educinistant in (1) |
| 5. Persons operating an | 5. Prescription only | 5.(1) The administration |
| occupational health scheme. | medicines for parenteral administralion that have | shall be only in the course of the scheme. |
| scheme. | | |
| | been sold or supplied to | (2) The person administering the |
| | such a person in response to an order in writing | prescription only medicine |
| | signed by a doctor or a | shall be – |
| | registered nurse | (a) a doctor; |
| | | (b) a person acting in |
| | | accordance with the |
| | | directions of a doctor; or |
| | | (c) a registered nurse |
| | | acting in accordance with |
| | | the written instructions of a |
| | | doctor as to the |
| | | circumstances in which |
| | | prescription only |
| | | medicines of the |
| | | description in question are |
| | | to be used in the course of |
| | | the scheme. |
| 6. Persons who hold | 6. The following | 6. The administration shall |
| certificates of proficiency | prescription only | be only for the immediate, |
| | IF- For passing only | only for the miniculate, |

| Column 1 | Column 2 | Column 3 |
|------------------------------|----------------------------|-----------------------------|
| in ambulance paramedical | medicines for parenteral | necessary treatment of sick |
| skills issued by or with the | administration – | or injured persons and, in |
| approval of the Secretary | | the case of a prescription |
| of State of the United | | only medicine containing |
| Kingdom, or persons who | | Heparin sodium, shall be |
| are state registered | | only for the purpose of |
| paramedics. | | cannula flushing. |
| | (a) Diazemuls (product | |
| | licence number | |
| | 10183/00001); | |
| | (b) Gelofusine (product | |
| | licence number | |
| | 00183/5025R); and | |
| | (c) medicines containing | |
| | the substances Ergometrine | |
| | Maleate 500mcg per ml | |
| | with Oxytocin 5 iu per ml, | |
| | but no other active | |
| | ingredient: | |
| | (d) prescription only | |
| | medicines that contain one | |
| | or more of the following | |
| | substances, (but no other | |
| | active ingredient)- | |
| | Adrenaline acid tartrate | |
| | Benzylpenicillin | |
| | Frusemide | |
| | Glucose | |
| | Heparin sodium | |
| | Lignocaine hydrochloride | |
| | Metoclopramide | |
| | Morphine Sulphate | |
| | Nalbuphine hydrochloride | |
| | Naloxone hydrochloride | |
| | Polygeline | |
| | Sodium bicarbonate | |
| | Sodium chloride. | |
| | Streptokinase | |

SCHEDULE 3

(Articles 9(3)(c) and (4)(a))

SUBSTANCES THAT MUST NOT BE CONTAINED IN A PRESCRIPTION ONLY MEDICINE EXEMPTED BY ARTICLE 9

| Ammonium Bromide | | |
|----------------------------------|---|--|
| Amylobarbitone | | |
| Amylobarbitone Sodium | | |
| Barbitone | | |
| Barbitone Sodium | | |
| Butobarbitone | | |
| Butobarbitone Sodium | | |
| Calcium Bromide | | |
| Calcium Bromidolactobio | nate | |
| Cyclobarbitone | | |
| Cyclobarbitone Calcium | | |
| Embutramide | | |
| Fencamfamin Hydrochlor | ide | |
| Fluanisone | | |
| Heptabarbitone | | |
| Hexobarbitone | | |
| Hexobarbitone Sodium | | |
| Hydrobromic Acid | | |
| Meclofenoxate Hydrochlo | oride | |
| Methohexitone Sodium | | |
| Methylphenobarbitone | | |
| Pemoline | | |
| Pentobarbitone | | |
| Pentobarbitone Sodium | | |
| Phenobarbitone | | |
| Phenobarbitone Sodium | | |
| Phenylmethylbarbituric A | cid | |
| Piracetam | | |
| Potassium Bromide | | |
| Prolintane Hydrochloride | | |
| Quinalbarbitone | | |
| Quinalbarbitone Sodium | | |
| Quinidine Phenylethylbarbiturate | | |
| Secbutobarbitone | | |
| Secbutobarbitone Sodium | | |
| Sodium Bromide | | |
| Strychnine Hydrochloride | , | |
| Tacrine Hydrochloride | | |
| Thiopentone Sodium | | |
| Note (for information): | The restriction in Article $9(3)(c)$ is subject to Article $9(4)$, | |
| | in respect of Phenobarbitone and Phenobarbitone Sodium | |

| Ammonium Bromide | |
|------------------|---------------------------------------|
| | for use in the treatment of epilepsy. |

SCHEDULE 4¹⁵

(Articles 6(2)(ca) and 6A(2))

CLINICAL MANAGEMENT PLAN

1 Information to be included in clinical management plan

A clinical management plan must include -

- (a) the name of the patient to whom the plan relates;
- (b) the illness or conditions in relation to which the supplementary prescriber may give a prescription or administer (or direct the administration of) a medicinal product;
- (c) the date on which the plan is to take effect and the date or dates when it is subject to review by the doctor or dentist who is a party to the plan;
- (d) the class or description of medicinal product that may be prescribed by a supplementary prescriber or administered by, or under the direction of, a supplementary prescriber;
- (e) any restrictions or limitations as to the strength or dose, or period of use, of any medicinal product which may be prescribed by or administered by, or under the direction of, the supplementary prescriber;
- (f) any relevant warnings about the known sensitivities of the patient to, or known difficulties of the patient with, particular medicinal products;
- (g) arrangements for the notification of suspected or known adverse reactions to -
 - (i) the medicinal product referred to in paragraph (d), and
 - (ii) any other medicinal product taken at the same time or over the same period;
- (h) the circumstances in which the supplementary prescriber should refer to, or seek the advice of, the doctor or dentist who is a party to the plan.

ENDNOTES

Table of Legislation History

| Legislation | Year and No | Commencement |
|-------------------------------------|------------------------|------------------|
| Medicines (Prescription Only) | <u>R&O.9140</u> | 1 January 1998 |
| (Jersey) Order 1997 | | |
| Medicines (Prescription Only) | <u>R&O.9326</u> | 1 January 1999 |
| (Amendment) (Jersey) Order 1998 | | |
| Medicines (Prescription Only) | <u>R&O.1/2000</u> | 1 February 2000 |
| (Amendment No. 2) (Jersey) | | |
| Order 2000 | | |
| Medicines (Prescription Only) | <u>R&O.2/2001</u> | 1 February 2001 |
| (Amendment No. 3) (Jersey) | | |
| Order 2001 | | |
| Medicines (Prescription Only) | <u>R&O.94/2002</u> | 1 October 2002 |
| (Amendment No. 4) (Jersey) Order | | |
| 2002 | | |
| Medicines (Prescription Only) | <u>R&O.75/2003</u> | 13 August 2003 |
| (Amendment No. 5) (Jersey) Order | | |
| 2003 | | |
| Medicines (Prescription Only) | <u>R&O.65/2004</u> | 12 July 2004 |
| (Amendment No. 6) (Jersey) Order | | |
| 2004 | | |
| Medicines (Prescription Only) | R&O.174/2005 | 11 November 2005 |
| (Amendment No. 7) (Jersey) Order | | |
| 2005 | | |
| States of Jersey (Amendments and | <u>R&O.45/2005</u> | 9 December 2005 |
| Construction Provisions No. 5) | | |
| (Jersey) Regulations 2005 | | |
| Pharmacists and Pharmacy | <u>L.6/2010</u> | 16 May 2010 |
| Technicians (Registration) (Jersey) | | |
| Law 2010 | | |
| Medicines (Prescription Only) | <u>R&O.82/2013</u> | 1 July 2013 |
| (Amendment No. 8) (Jersey) Order | | |
| 2013 | | |
| Opticians (Registration) | L.13/2017 | 19 May 2017 |
| (Amendment No.2) (Jersey) Law | | |
| 2017 | | |
| Data Protection (Jersey) Law 2018 | <u>L.3/2018</u> | 25 May 2018 |
| Medicines (Prescription Only) | R&O.108/2019 | 15 October 2019 |
| (Amendment No. 9) (Jersey) Order | | |
| 2019 | | |

Table of Renumbered Provisions

| Original | Current |
|----------|--------------------------------|
| 3(3) | revoked by <u>R&O.9326</u> |

| Original | Current |
|----------------|------------|
| 10A | 11 |
| 11 | 11 12 |
| 11 12 | 12 13 |
| | |
| 13 | 14 |
| 14 | 15 |
| 15 | 16 |
| FIRST SCHEDULE | SCHEDULE 1 |
| PART I | PART 1 |
| PART II | PART 2 |
| PART III | PART 3 |
| PART IV | PART 4 |
| 7A | 8 |
| 8 | 9 |
| 9 | 10 |
| 10 | 11 |
| 11 | 12 |
| 12 | 13 |
| 13 | 14 |
| 13A | 15 |
| 14 | 16 |
| 14A | 17 |
| 15 | 18 |
| 16 | 19 |
| 17 | 20 |
| 18 | 21 |
| 19 | 22 |
| 20 | 23 |
| 21 | 24 |
| 22 | 25 |
| 23 | 26 |
| 24 | 27 |
| 25 | 28 |
| 25A | 29 |
| 26 | 30 |
| 27 | 31 |
| 28 | 32 |
| 29 | 33 |
| 30 | 34 |
| 31 | 35 |
| 32 | 36 |
| 33 | 37 |
| 34 | 38 |
| 35 | 39 |
| 36 | 40 |
| 37 | 40 41 |
| | |
| 38 | 42 |
| 38A | 43 |

| Original | Current |
|-----------------|------------|
| 39 | 44 |
| 40 | 45 |
| 41 | 46 |
| 42 | 47 |
| 42A | 48 |
| 43 | 49 |
| 43A | 50 |
| 44 | 51 |
| SECOND SCHEDULE | SCHEDULE 2 |
| PART I | PART 1 |
| PART II | PART 2 |
| PART III | PART 3 |
| 6(bb) | 6(c) |
| 6(c) | 6(d) |
| THIRD SCHEDULE | SCHEDULE 3 |

Table of Endnote References

| 1 | This Order has been amended by the States of Jersey (Amendments |
|---------------------------|--|
| | and Construction Provisions No. 5) (Jersey) Regulations 2005. The |
| | amendments replace all references to a Committee of the States of |
| | Jersey with a reference to a Minister of the States of Jersey, and |
| | remove and add defined terms appropriately, consequentially upon |
| | the move from a committee system of government to a ministerial |
| ² Article 1(1) | system of government amended by R&O.2/2001, R&O.82/2013, L.13/2017, L.3/2018, |
| Anicle I(I) | R&O.108/2019 |
| ³ Article 2 | amended by R&O.82/2013 |
| ⁴ Article 5 | substituted by R&O.82/2013, R&O.108/2019 |
| ⁵ Article 6 | heading amended by R&O.82/2013 |
| ⁶ Article 6(2) | amended by R&O.82/2013 |
| ⁷ Article 6A | inserted by R&O.82/2013 |
| ⁸ Article 9(3) | amended by R&O.9326 , R&O.1/2000 |
| ⁹ Article 10 | substituted by R&O.82/2013 |
| ¹⁰ Article 11 | inserted by R&O.65/2004 |
| ¹¹ Schedule 1 | Part 1 amended by R&O.9326, R&O.1/2000, R&O.2/2001, |
| | <i>R&O.94/2002, R&O.174/2005</i> |
| ¹² Schedule 1 | Part 4 substituted by R&O.1/2000, amended by R&O.2/2001, |
| | <i>R&O.94/2002</i> , |
| ¹³ Schedule 2 | Part 1 amended by R&O.1/2000, L.6/2010, L.13/2017 |
| ¹⁴ Schedule 2 | Part 3 amended by R&O.9326, R&O.1/2000, R&O.2/2001 |
| ¹⁵ Schedule 4 | inserted by R&O.82/2013 |